

642-354 braindumps

Cisco Storage Networking

642-354: Cisco Storage Networking Support Specialist(CSNSS)

Practice Exam: 642-354 Exams

Exam Number/Code: 642-354

Exam Name: Cisco Storage Networking Support Specialist(CSNSS)

Questions and Answers: 140 Q&As

([Storage Networking](#))



"Cisco Storage Networking Support Specialist(CSNSS)", also known as 642-354 exam, is a Cisco certification. With the complete collection of exam questions, Just4Study has assembled to take you through 140 Q&As to your 642-354 exam preparation. In the 642-354 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

Exam : [642-354](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Cisco Storage Networking 642-354 (Cisco Storage Networking Support Specialist(CSNSS)) examination of original title complete coverage. 642-354 exam questions help you pass the exam.

Just4Study 642-354 Feature:

* High quality - High quality and valued for the 642-354 Exam: 100% Guarantee to Pass Your 642-354 exam and get your Storage Networking certification.

* Authoritative - Authoritative braindumps with complete details about 642-354 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Storage Networking resources, you will minimize your **Cisco Storage Networking** cost and be ready to pass your 642-354 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Storage Networking demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 642-354 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 642-354 Demo Download

Just4Study offers free demo for Storage Networking 642-354 exam (Cisco Storage Networking Support Specialist (CSNSS)). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Cisco Storage Networking 642-354** examination of original title complete coverage.642-354 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 642-354

Exam Name: Cisco Storage Networking Support Specialist(CSNSS)(Storage Networking)

Questions and Answers: 140 Q&A

[Cisco 642-354](#) Test belongs to one of the Storage Networking certified test, if needs to obtain the Storage Networking certificate, you also need to participate in other related test, the details you may visit the [Storage Networking](#) certified topic, in there, you will see all related Storage Networking certified subject of examination.

Just4Study professional provide Storage Networking 642-354 the newest Q&A, completely covers 642-354 test original topic. With our complete Storage Networking resources, you will minimize your Storage Networking cost and be ready to pass your 642-354 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 642-354

Title : Cisco Storage Network Support Specialist Exam

1. deny config fspf
3. permit debug zone
4. permit exec fcping

Which of the following two functions can a user with role Manage undertake? (Choose two.)

- A. change fspf parameters
- B. configure FC port parameters for VSAN 3
- C. issue a debug command for a port
- D. configure zoning for all VSANs
- E. check connectivity for VSAN 2

Answer: BE

2. Which three CLI commands can be used to view remaining buffer-to-buffer credits? (Choose three.)

- A. show interface fc x/y
- B. show interface fc x/y brief
- C. show interface fc x/y counters
- D. show interface fc x/y bbcredit
- E. show interface fc x/y flow-control

Answer: ACD

3. Issuing the show role command to check a defined role in an MDS 9000 Series switch will produce the following output:

Role : Manage

VSAN Description :

vsan policy : deny Permitted vsans : 2-4

Rule Type Command-type Feature

1. permit config *
2. deny config fspf
3. permit debug zone
4. permit exec fcping

Which of the following two functions can a user with role Manage undertake? (Choose two.)

- A. change fspf parameters
- B. configure FC port parameters for VSAN 3
- C. issue a debug command for a port
- D. configure zoning for all VSANs
- E. check connectivity for VSAN 2

Answer: BE

4. Which two of these items are advantages of configuring static domain IDs? (Choose two.)

- A. facilitates troubleshooting
- B. reduces FSPF link-state updates
- C. increases switch throughput
- D. ensures that persistent FCIDs will not change
- E. enables LUN masking

Answer: AD

5. An administrator reviews the running configuration of a switch that a junior administrator has prepared to be placed in a heterogeneous SAN environment. This environment includes three different brands of Fibre Channel switches. In this particular environment, only VSAN 1 is being used.

Which of these attributes suggests that the switch has not been properly configured?

- A. A static domain ID has been set to 0x21.
- B. src-dst-ox load balancing has been selected.
- C. Interop mode 3 has been selected.
- D. FCC has been enabled.

Answer: A

6. When installing the Port Analyzer Adapter, how do you connect the Fibre Channel port to the MDS switch?

- A. single-mode fiber and SC to LC connector
- B. multimode fiber and LC to LC connector
- C. single-mode fiber and LC to LC connector
- D. multimode fiber and SC to LC connector

Answer: B

7. The Cisco Traffic Analyzer is required to gather historical data for what type of information?

- A. Class F traffic
- B. SCSI session data
- C. Class 2 errors
- D. FC framing errors

Answer: B

8. Which three of these statements are attributes of the Cisco SET? (Choose three.)

- A. SET configuration is persistent.
- B. SBCCS and SCSI commands are supported.
- C. SET initiators can only communicate with SET targets.
- D. SET requires SAN-OS 2.0 or higher and the SAN Extension IP license.
- E. Only SCSI read/write commands are supported.

Answer: CDE

9. permit exec fcping

Which of the following two functions can a user with role Manage undertake? (Choose two.)

- A. change fspf parameters
- B. configure FC port parameters for VSAN 3
- C. issue a debug command for a port
- D. configure zoning for all VSANs
- E. check connectivity for VSAN 2

Answer: BE

10. An administrator finds these lines in the running configuration file:

```
interface vsan1
```

ip address 10.10.10.3 255.255.255.0

no shut

What is the impact of this entry?

- A. The entry sets the IP address on the management port and places it in VSAN 1.
- B. The entry creates an interface for IPFC.
- C. The entry sets up a common IP address to be shared by all GigE ports in VSAN 1.
- D. The entry sets up a default gateway for VSAN 1.

Answer: B

11. What are four valid protocols for copying software to the MDS 9000 family switches? (Choose four.)

- A. Remote Copy Service
- B. Secure Copy Protocol
- C. Trivial File Transfer Protocol
- D. File Transfer Protocol
- E. Secure Trivial File Transfer Protocol
- F. Secure File Transfer Protocol

Answer: BCDF

12. You have been asked to install a Cisco MDS switch for your company. If you accept all installation defaults, which of these will occur?

- A. default port state: shut default zone policy: deny
- B. default port state: no shut default zone policy: deny
- C. default port state: shut default zone policy: permit
- D. default port state: no shut default zone policy: permit

Answer: A

13. Which three of these upper-level protocols are supported by FC-4? (Choose three.)

- A. HIPPI
- B. SBCCS
- C. OSPF
- D. SCSI
- E. PPTP
- F. CDP

Answer: ABD

14. permit debug zone

4. permit exec fcping

Which of the following two functions can a user with role Manage undertake? (Choose two.)

- A. change fspf parameters
- B. configure FC port parameters for VSAN 3
- C. issue a debug command for a port
- D. configure zoning for all VSANs
- E. check connectivity for VSAN 2

Answer: BE

15. Consider the ACL applied to a GigE 2/3 on a Cisco MDS switch. What happens to traffic that does not match any of the rules?

- A. The traffic is allowed to pass through the interface because there is an implicit permit applied.
- B. The traffic is not allowed to pass through the interface because there is an implicit deny applied.
- C. The ACL is invalid and will not be accepted, and as a result the traffic will be allowed to pass.

Answer: B

16. You are looking at the LEDs on an MDS 9500 Supervisor module. If the Status LED is orange, which statement is

true?

- A. The module cannot boot because of a corrupted image on the flash.
- B. The diagnostic test failed. The module is not operational because a fault occurred.
- C. The module is booting or running diagnostics.
- D. Incompatible power supplies are installed.

Answer: C

17. Reference the exhibit.

Given the output from the show command in the exhibit, what does the error message indicate is wrong with the configuration?

- A. Trunk mode has been administratively set to E instead of TE.
- B. The port needs a shut/noshut to become active.
- C. The port has been incorrectly left in VSAN 1.
- D. The trunk needs configured VSANs allowed on both sides.

Answer: D

18. Your company is planning a SAN deployment using Fibre Channel connections from a central, highly secure data center to several less secure branch offices. Which of these security features would allow you to disable all branch office switch management ports and yet still maintain the complete suite of TCP/IP-based SAN management utilities?

- A. IPsec
- B. Port Mode Security
- C. Port Security
- D. Overlay VSAN

Answer: D

19. The Call Home feature provides what type of notification when critical events occur?

- A. SNMP
- B. syslog
- C. PBX
- D. e-mail

Answer: D

20. Your company has a multiswitch fabric including Switch A and Switch B. An administrator of Switch A creates the following zoneset and successfully activates it:

```
zoneset name ZoneSet1 vsan 1
zone name Zone1 vsan 1
pwwn 21:01:00:e0:8b:3c:03:b6
pwwn 21:01:00:e0:8b:3c:55:bb
```

Later in the day a second administrator creates the following zone set on Switch B:

```
zoneset name ZoneSet2 vsan 1
zone name Zone1 vsan 1
pwwn 21:01:00:e0:8b:3c:03:b6
pwwn 21:01:00:e0:8b:3c:55:aa
```

What happens when the administrator of Switch B attempts to activate ZoneSet2?

- A. ZoneSet2 becomes the active zoneset for both Switches A and B.
- B. The fabric segments and ZoneSet2 become the active zoneset for Switch B only.
- C. The fabric segments and ZoneSet 2 become the active zoneset for Switch A only.
- D. The fabric segments and ZoneSet 1 remain the active zone set for Switch B, while ZoneSet 2 becomes the active zoneset for Switch A.

Answer: A

Related 642-354 Exams

642-356 Cisco Storage Networking Solutions Support Specialist(CSSSS)

646-011 Storage Networking Cisco Storage Sales Specialist (CSSS)

642-353 Cisco Storage Networking Design Specialist

642-355 Cisco Storage Networking Solutions Design Specialist (CSSDS)

642-354 Cisco Storage Networking Support Specialist(CSNSS)

Other Cisco Exams

<u>642-426</u>	<u>350-021</u>	<u>642-983</u>	<u>350-001-</u>	<u>350-024</u>	<u>642-181</u>	<u>642-372</u>	<u>642-731</u>
			<u>LAB</u>	<u>642-515</u>	<u>642-521</u>	<u>646-411</u>	<u>642-414</u>
<u>642-071</u>	<u>642-274</u>	<u>642-053</u>	<u>350-001</u>	<u>350-018-</u>	<u>642-552</u>	<u>646-171</u>	<u>642-532</u>
				<u>LAB</u>			