

## 642-891 braindumps

### Cisco CCNP

#### 642-891: Composite Exam

**Practice Exam:** 642-891 Exams

**Exam Number/Code:** 642-891

**Exam Name:** Composite Exam

**Questions and Answers:** 330 Q&As

( [CCNP](#) )



"Composite Exam", also known as 642-891 exam, is a Cisco certification.

Exam : [642-891](#)

With the complete collection of exam questions, Just4Study has assembled to take you through 330 Q&As to your 642-891 exam preparation. In the 642-891 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Cisco CCNP 642-891 (Composite Exam) examination of original title complete coverage. 642-891 exam questions help you pass the exam.

#### **Just4Study 642-891 Feature:**

\* High quality - High quality and valued for the 642-891 Exam: 100% Guarantee to Pass Your 642-891 exam and get your CCNP certification.

\* Authoritative - Authoritative braindumps with complete details about 642-891 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed CCNP resources, you will minimize your **Cisco CCNP** cost and be ready to pass your 642-891 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free CCNP demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 642-891 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 642-891 Demo Download**

Just4Study offers free demo for CCNP 642-891 exam (Composite Exam). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Cisco CCNP 642-891** examination of original title complete coverage. 642-891 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 642-891**

Exam Name: Composite Exam( CCNP )

Questions and Answers: 330 Q&A

[Cisco 642-891](#) Test belongs to one of the CCNP certified test, if needs to obtain the CCNP certificate, you also need

to participate in other related test, the details you may visit the [CCNP](#) certified topic, in there, you will see all related CCNP certified subject of examination.

Just4Study professional provide CCNP 642-891 the newest Q&A, completely covers 642-891 test original topic. With our complete CCNP resources, you will minimize your CCNP cost and be ready to pass your 642-891 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

*Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : Cisco 642-891

Title : Composite Exam

1. Which VTP information does a Catalyst switch advertise on its trunk ports when using VTP? (Choose two.)

- A. VTP mode
- B. STP root status
- C. negotiation status
- D. management domain
- E. configuration revision number

Answer: DE

2. Which three IP addresses are valid multicast addresses? (Choose three.)

- A. 169.254.23.59
- B. 223.254.255.254
- C. 225.1.1.1
- D. 227.43.34.2
- E. 238.3.3.3
- F. 249.1.2.3

Answer: CDE

3. Which two table types are CEF components?(Choose two.)

- A. forwarding information base
- B. adjacency tables
- C. neighbor tables
- D. caching tables
- E. route tables

Answer: AB

4. Given the following configuration on a switch interface, what happens when a host with the MAC address of 0003.0003.0003 is directly connected to the switch port? switchport mode access switchport port-security switchport port-security maximum 2 switchport port-security mac-address 0002.0002.0002 switchport port-security violation shutdown

- A. The port will shut down.
- B. The host will be allowed to connect.
- C. The host will be refused access.
- D. The host can only connect through a hub/switch where 0002.0002.0002 is already connected.

Answer: B

5. A new workstation has consistently been unable to obtain an IP address from the DHCP server when the workstation boots. Older workstations function normally, and the new workstation obtains an address when manually

forced to renew its address. What should be configured on the switch to allow the workstation to obtain an IP address at boot?

- A. UplinkFast on the switch port connected to the server
- B. BackboneFast on the switch port connected to the server
- C. PortFast on the switch port connected to the workstation
- D. trunking on the switch

Answer: C

6. On a multilayer Catalyst switch, which interface command is used to convert a Layer 3 interface to a Layer 2 interface?

- A. switchport
- B. no switchport
- C. switchport mode access
- D. switchport access vlan vlan-id

Answer: A

7. Refer to the show spanning-tree mst configuration output shown in the exhibit. What should be changed in the configuration of the switch SW\_2 in order for it to participate in the same MST region?

- A. Switch SW\_2 must be configured with a different VLAN range.
- B. Switch SW\_2 must be configured with a different MST name.
- C. Switch SW\_2 must be configured with the revision number of 1.
- D. Switch SW\_2 must be configured with an instance number of 2.

Answer: C

8. Given the above partial configuration, which two statements are true about VLAN traffic? (Choose two.)

- A. VLANs 1-5 will be blocked if fa0/10 goes down.
- B. VLANs 1-5 will use fa0/10 as a backup only.
- C. VLANs 6-10 will use fa0/10 as a backup only.
- D. VLANs 6-10 have a port priority of 128 on fa0/10.
- E. VLANs 1-10 are configured to load share between fa0/10 and fa0/12.

Answer: CE

9. When the BGP path selection process is being performed on a Cisco router, which BGP attribute is used first when determining the best path?

- A. local preference
- B. MED
- C. weight
- D. origin
- E. next-hop
- F. AS-path

Answer: C

10. Examine the above configuration. What does the route map named test accomplish?

- A. marks all prefixes advertised to the 10.1.1.1 neighbor with a MED of 200
- B. marks all prefixes received from the 10.1.1.1 neighbor with a MED of 200
- C. marks the 10.0.0.0/8 prefix advertised to the 10.1.1.1 neighbor with a MED of 200
- D. marks the 10.0.0.0/8 prefix received from the 10.1.1.1 neighbor with a MED of 200
- E. permits only the 10.0.0.0/8 prefix to be advertised to the 10.1.1.1 neighbor
- F. permits only the 10.0.0.0/8 prefix to be received from the 10.1.1.1 neighbor

Answer: C

11. What can be determined about the HSRP relationship from the displayed debug output?

- A. The preempt feature is not enabled on the 172.16.11.111 router.

- B. The nonpreempt feature is enabled on the 172.16.11.112 router.
- C. Router 172.16.11.111 will be the active router because its HSRP priority is preferred over router 172.16.11.112.
- D. Router 172.16.11.112 will be the active router because its HSRP priority is preferred over router 172.16.11.111.
- E. The IP address 172.16.11.111 is the virtual HSRP router IP address.
- F. The IP address 172.16.11.112 is the virtual HSRP router IP address.

Answer: A

12. Router E is configured with the EIGRP variance 2 command. What path will Router E take to reach Router A?

- A. only E-D-A
- B. only E-B-A
- C. only E-C-A
- D. both E-B-A and E-C-A
- E. both E-B-A and E-D-A
- F. all available paths.

Answer: D

13. Why should iBGP sessions be fully meshed within a Transit AS?

- A. BGP requires redundant TCP sessions between iBGP peers.
- B. A full mesh allows for optimal routing within the Transit AS.
- C. Routes learned via iBGP are never propagated to other eBGP peers.
- D. Routes learned via iBGP are never propagated to other iBGP peers.
- E. Routes learned via eBGP are never propagated to other iBGP peers.

Answer: D

14. A medium-sized network with a redundant topology that uses core and access switches is experiencing intermittent end-station accessibility. The root bridge is on one of the core switches. It is determined that the problem occurs during STP convergence and that accessibility issues depend on the STP state of the individual switch port. What is the best way to decrease STP convergence time in this situation?

- A. Enable PortFast on the core switches to accelerate the choice of a new root port.
- B. Enable UplinkFast on the VLAN that is having the most accessibility problems.
- C. Enable UplinkFast on the wiring closet switches at the edge of the network.
- D. Enable PortFast on all IOS based switches that have been configured for bridge priority.

Answer: C

15. When IP multicast is enabled via PIM, which mode uses the flood and prune method?

- A. PIM sparse-dense
- B. Bidir-PIM
- C. PIM-RP
- D. PIM-DM
- E. PIM-SM

Answer: D

16. Refer to the exhibit. Which two statements are true? (Choose two.)

- A. RTB will receive only the summary address of 2.0.0.0/8.
- B. RTB will receive two routes, the manual summary address of 2.1.0.0/16 and the automatic, summarized classful address of 2.0.0.0/8.
- C. The summary route will be sourced from the RTA s0/0 interface in the RTA routing table.
- D. The summary route will be sourced from the RTA Null0 interface in the RTA routing table.
- E. The summary route will be assigned the administrative distance of 90 in the RTA routing table.
- F. The summary route will be assigned the administrative distance of 5 in the RTB routing table.

Answer: AD

17. Look at the picture.

The information of the question

1. Seed metric for EIGRP must have the following characteristics:

Bandwidth=512 Kbps

2. Delay=100

3. Reliability=255

4. Load=1

5. MTU=1500

Seed metric for IS-IS must be set to 50.

Only redistribute Level-1 IS-IS routes into EIGRP.

Redistribute EIGRP routes into IS-IS as Level-1 routes.

Correct Answers:

Blockade# conf t

Blockade(config)# router isis

Blockade(config-router)# redistribute eigrp 100 level-1 metric 50

Blockade(config)# router eigrp 100

Blockade(config-router)# redistribute isis level-1 metric 512 10 255 1 1500

Blockade(config-router)# redistribute connected

Blockade# copy run start

15. Refer to the exhibit. What is the effect of the distribute-list command in the R1 configuration?

A. R1 will filter only the 172.24.1.0/24 route from the R2 RIP updates.

B. R1 will permit only the 10.0.0.0/24 route in the R2 RIP updates.

C. R1 will filter the 10.1.0.0/24 and the 172.24.1.0/24 routes from the R2 RIP updates.

D. R1 will not filter any routes because there is no exact prefix match.

Answer: C

18. Which two methods advertise internal networks to external ISPs via BGP? (Choose two.)

A. using aggregate routes

B. disabling synchronization

C. forcing the next-hop address

D. defining routes via the network statement

Answer: AD

19. Refer to the exhibit. What is the effect of the distribute-list command in the R1 configuration?

A. R1 will filter only the 172.24.1.0/24 route from the R2 RIP updates.

B. R1 will permit only the 10.0.0.0/24 route in the R2 RIP updates.

C. R1 will filter the 10.1.0.0/24 and the 172.24.1.0/24 routes from the R2 RIP updates.

D. R1 will not filter any routes because there is no exact prefix match.

Answer: C

20. Refer to the exhibit. An administrator is verifying that a CEF FIB entry exists to destination network 192.168.150.0.

Given the output generated by the show ip cef and show adjacency detail commands, which three statements are true? (Choose three.)

A. There is a valid CEF entry for the destination network 192.168.150.0.

B. The "valid cached adjacency" entry indicates that CEF will put all packets going to such an adjacency to the next best switching mode.

C. The counters (0 packets, 0 bytes) indicate a problem with the 192.168.199.3 next hop IP address.

D. There is an adjacency for the 192.168.199.3 next hop IP address.

E. The number 003071506800 is the MAC address of the 192.168.199.3 next hop IP address.

F. The number 003071506800 is the MAC address of the source IP address.

Answer: ADE

## Related 642-891 Exams

642-825 *Implementing Secure Converged Wide Area Networks*

642-892 *Composite Exam*

642-812 *Building Cisco Multilayer Switched Networks*

642-901 *Building Scalable Cisco Internetworks*

642-845 *Optimizing Converged Cisco Networks*

642-801 *Building Scalable Cisco Internetworks(BSCI)*

642-811 *Building Cisco Multilayer Switched Networks (BCMSN)*

642-891 *Composite Exam*

642-821 *Building Cisco Remote Access Networks (BCRAN)*

642-831 *Cisco Internetwork Troubleshooting (CIT)*

642-746 *Implementing Cisco Unified Wireless Mobility Services*

642-813 *implementing cisco switched networks*

642-902 *implementing cisco ip routing*

642-832 *Troubleshooting and maintaing cisco ip networks*

## Other Cisco Exams

642-821      642-112      646-202      350-018-      646-363      650-575      646-671      642-061

LAB      642-545      642-812      646-588      350-040

646-002      350-021      642-892      646-574      640-802      642-825      642-414      642-356