

920-167 braindumps

Nortel NCSS

920-167: NCSS-Contact Center RIS.6.0 Application Developer

Practice Exam: 920-167 Exams

Exam Number/Code: 920-167

Exam Name: NCSS-Contact Center RIS.6.0 Application Developer

Questions and Answers: 60 Q&As

([NCSS](#))



Exam : [920-167](#)

"NCSS-Contact Center RIS.6.0 Application Developer", also known as 920-167 exam, is a Nortel certification. With the complete collection of exam questions, Just4Study has assembled to take you through 60 Q&As to your 920-167 exam preparation. In the 920-167 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Nortel NCSS 920-167 (NCSS-Contact Center RIS.6.0 Application Developer) examination of original title complete coverage. 920-167 exam questions help you pass the exam.

Just4Study 920-167 Feature:

* High quality - High quality and valued for the 920-167 Exam: 100% Guarantee to Pass Your 920-167 exam and get your NCSS certification.

* Authoritative - Authoritative braindumps with complete details about 920-167 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed NCSS resources, you will minimize your **Nortel NCSS** cost and be ready to pass your 920-167 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free NCSS demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 920-167 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 920-167 Demo Download

Just4Study offers free demo for NCSS 920-167 exam (NCSS-Contact Center RIS.6.0 Application Developer). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Nortel NCSS 920-167** examination of original title complete coverage.920-167 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 920-167

Exam Name: NCSS-Contact Center RIS.6.0 Application Developer(NCSS)

Questions and Answers: 60 Q&A

[Nortel 920-167](#) Test belongs to one of the NCSS certified test, if needs to obtain the NCSS certificate, you also need to participate in other related test, the details you may visit the [NCSS](#) certified topic, in there, you will see all related NCSS certified subject of examination.

Just4Study professional provide NCSS 920-167 the newest Q&A, completely covers 920-167 test original topic. With our complete NCSS resources, you will minimize your NCSS cost and be ready to pass your 920-167 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Nortel 920-167

Title : NCSS-Contact Center RIS.6.0 Application Developer

1. A customer with a Contact Center Manager Server Ris. 6.0 wants to provide for the handling of emergency conditions. Assume that emergency_gv = variable type of BOOLEAN. Which script sequence can be used for handling emergency conditions?

- A. IF emergency_gv = "1" THEN EXECUTE Emergency_treatment END IF
- B. IF emergency_gv = YES THEN EXECUTE Emergency_treatment END IF
- C. IF emergency_gv = "0" THEN EXECUTE Emergency_treatment END IF
- D. IF emergency_gv = TRUE THEN EXECUTE Emergency_treatment END IF

Answer: D

2. A customer has Contact Center Manager Server Ris. 0 and Symposium TAPI Ris. 3.0 integrated together. Which type of variable in the SEND INFO command identifies when to send information to the designated TAPI server?

- A. String call variable
- B. Integer call variable
- C. String global variable
- D. Integer global variable

Answer: A

3. A customer with a Contact Center Manager Server Ris. 6.0 is currently in the process of writing scripts using Contact Center Manager Administration Ris. 6.0. If the customer needs to check the syntax of some scripting commands in the Script Command Reference Panel, where can the syntax be found?

- A. in the Script Editor
- B. in the Script Wizard
- C. in the Script Variable window
- D. in the Script Reference window

Answer: A

4. Your customer has a Contact Center Manager Server Ris. 6.0 and wants to "speak" back the numbers to the callers, after the customer has responded to a query for an ID number. What are the three script steps to do this? (Choose three)

- A. END VOICE SESSION
- B. OPEN VOICE SESSION 2299
- C. COLLECT 7 DIGITS INTO vardigit_cv
- D. PLAY PROMPT NUMBERBYDIGIT vardigit_cv
- E. PLAY PROMPT VOICE SEGMENT enter_ID_number_v s

Answer: CDE

5. A customer has Contact Center Manager Server RIs. 6.0. They want to use intrinsics. Decision-making in a script is based on four intrinsic sets. What are three of the sets? (Choose three.)

- A. Call Intrinsic
- B. Time Intrinsic
- C. Skillset Intrinsic
- D. Agent ID Intrinsic
- E. Return Value Intrinsic

Answer: ABC

6. A customer has a Communication Server (CS) 1000M RIs. 0 system that is running Contact Center Manager Server (CCMS) RIs. 6.0 and CallPilot RIs. 0. As part of CCMS-CallPilot integration, CallPilot agents (voice channels) must be configured on the CS 1000M. What is the correct configuration for CallPilot voice channels?

- A. Key 0 of each channel must be configured as an AST set, while IAPG must be set to 0.
- B. Keys 0 and 1 of each channel must be configured as an AST set, while IAPG must be set to 0.
- C. Key 1 of each channel must be configured as an AST set, while IAPG must be set to 1 for each channel.
- D. Keys 0 and 1 of each channel must be configured as an AST set, while IAPG must be set to 1 for each channel.

Answer: B

7. A customer with a Contact Center Manager Server RIs. 6.0 wants to use EVENT HANDLER script command for handling emergency and failed conditions. Which script section shows the proper use of EVENT HANLDER script command?

- A. EVENT HANDLER EVENT COLLECT DIGITS FAIL: LOG "Collect digits failed" WAIT 2 QUEUE TO SKILLSET backup_sk END HANDLER
- B. EVENT HANDLER EVENT IVR RESPONSE FAIL: LOG "IVR failed" END HANDLER WAIT 2 QUEUE TO SKILLSET backup_sk
- C. EVENT HANDLER EVENT IVR RESPONSE FAIL: LOG "IVR failed" WAIT 2 QUEUE TO SKILLSET backup_sk END HANDLER
- D. IF EVENT HANDLER IVR RESPONSE FAILED = TRUE LOG "IVR failed" END HANDLER WAIT 2 QUEUE TO SKILLSET backup_sk

Answer: B

8. Your customer uses Contact Center Manager Server RIs. 6.0 and wants to understand the effect on a call when a blind transfer occurs. The call variables change. What is the change?

- A. The call variables are lost.
- B. The call variables become invalid.
- C. Two sets of call variable are generated.
- D. The call variables of the original call are combined with the consultative call.

Answer: D

9. A customer has Contact Center Manager Server (CCMS) RIs. 6.0 with a Communication Server 1000 RIs. 4.0, and Meridian Mail 13. The customer wants to use the Access Link between Meridian Mail and the CCMS for advanced voice-processing functionality. How is the Access Directory Number (DN) defined in Meridian Mail?

- A. The Controlled Directory Number (CDN) access queue is defined as Meridian Access service in the Voice Services DN table.
- B. The Automatic Call Distribution Directory Number (ACD-DN) access queue is defined as Meridian Access service in the Voice Services DN table.
- C. The ACD-DN access queue is defined as Voice Messaging in the Meridian Mail User Administration.
- D. The ACD-DN access queue is defined as Meridian Access service in the Meridian Mail Channel Allocation Table.

Answer: B

10. A customer has Contact Center Manager Server RIs. 6.0. Which commands are used to access the value of a wild variable?

- A. Get Info

- B. Assign To
 - C. Send Request
 - D. Readvar/Savevar
- Answer: D

[920-167 Braindumps](#)

Related 920-167 Exams

<u>920-803</u>	<i>Nortel technology standards and protocol for ip telephony solutions</i>
<u>922-097</u>	<i>Comm.Server 1000 Upgrades to RIs.5.0 for Technicians</i>
<u>920-250</u>	<i>nncss-passport 8600</i>
<u>920-322</u>	<i>nncss succession 1000/1000m rls 3.0 db for technicians</i>
<u>922-093</u>	<i>Communication Server 1000 RIs.5.0 System Admin & Mgmt</i>
<u>922-096</u>	<i>Comm.Server 1000 RIs.5.0 Branch Office Install & Comm.</i>
<u>922-095</u>	<i>Communication Server 1000E RIs.5.0 Install & Commisioning</i>
<u>920-215</u>	<i>nncss-passport 7000/15000 exam</i>
<u>920-331</u>	<i>Mommunication Server 1000 Ris.5.0 Database Administrator</i>
<u>920-326</u>	<i>nncds-symposium contact center pofffolio</i>
<u>920-138</u>	<i>NNCSS Succession 1000/1000M Ris.3.0 Exam</i>
<u>920-251</u>	<i>nncss-alteon</i>
<u>920-133</u>	<i>NNCSS Baystack Switching</i>
<u>920-501</u>	<i>nncss-optera metro 5000</i>
<u>920-170</u>	<i>symposium call center server 5.0 applicaiont developer</i>
<u>920-249</u>	<i>Nortel Application Switch Ris.23XConfig &Admin</i>
<u>920-460</u>	<i>ncse wireless lan</i>
<u>920-330</u>	<i>Mommunication Server 1000 Ris.5.0 IP Networking Design</i>
<u>920-245</u>	<i>Ethernet Switching</i>
<u>920-172</u>	<i>NCSS-Nortel Communication Control Toolkit Ris.6.0</i>

Other Nortel Exams

<u>920-220</u>	<u>920-020</u>	<u>922-109</u>	<u>920-021</u>	<u>922-072</u>	<u>920-448</u>	<u>920-165</u>	<u>920-553</u>
<u>920-108</u>	<u>922-094</u>	<u>920-105</u>	<u>920-197</u>	<u>922-020</u>	<u>920-332</u>	<u>920-461</u>	<u>922-054</u>
<u>920-532</u>	<u>920-246</u>	<u>920-196</u>	<u>920-261</u>				