

## 920-183 braindumps

### Nortel NCSS

#### 920-183: Callpilot RIS.5.0 System Administrator

**Practice Exam:** 920-183 Exams

**Exam Number/Code:** 920-183

**Exam Name:** Callpilot RIS.5.0 System Administrator

**Questions and Answers:** 56 Q&As

( [NCSS](#) )



"Callpilot RIS.5.0 System Administrator", also known as 920-183 exam, is a Nortel certification. With the complete collection of exam questions, Just4Study has assembled to take you through 56 Q&As to your 920-183 exam preparation. In the 920-183 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

Exam : [920-183](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Nortel NCSS 920-183 (Callpilot RIS.5.0 System Administrator) examination of original title complete coverage. 920-183 exam questions help you pass the exam.

#### **Just4Study 920-183 Feature:**

\* High quality - High quality and valued for the 920-183 Exam: 100% Guarantee to Pass Your 920-183 exam and get your NCSS certification.

\* Authoritative - Authoritative braindumps with complete details about 920-183 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed NCSS resources, you will minimize your **Nortel NCSS** cost and be ready to pass your 920-183 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free NCSS demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 920-183 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free 920-183 Demo Download**

Just4Study offers free demo for NCSS 920-183 exam (Callpilot RIS.5.0 System Administrator). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Nortel NCSS 920-183** examination of original title complete coverage. 920-183 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: 920-183**

Exam Name: Callpilot RIS.5.0 System Administrator( NCSS )

Questions and Answers: 56 Q&A

[Nortel 920-183](#) Test belongs to one of the NCSS certified test, if needs to obtain the NCSS certificate, you also need to participate in other related test, the details you may visit the [NCSS](#) certified topic, in there, you will see all related NCSS certified subject of examination.

Just4Study professional provide NCSS 920-183 the newest Q&A, completely covers 920-183 test original topic. With our complete NCSS resources, you will minimize your NCSS cost and be ready to pass your 920-183 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Nortel 920-183

Title : Callpilot RIS.5.0 System Administrator

1. You are installing the Messaging Waiting Indication (MWI) icon for Desktop Messaging and My CallPilot users.

Which statement about the MWI icon feature is true?

- A. You can install the MWI software by using only the desktop client installer.
- B. You can install the MWI software by using only the standalone desktop player.
- C. You can install the MWI software by using the desktop client installer or the standalone desktop player.
- D. You cannot download the MWI software from My CallPilot. You must download from Desktop Messaging.

Answer: C

2. After a user attempts to launch an Email-By-Phone session by pressing 8-9, the system responds by stating that the message list is empty and returns the user to CallPilot messages. What is a possible cause for this scenario?

- A. The message list on the email server is empty.
- B. The user has an incorrect user ID or password.
- C. The Email-By-Phone feature is not enabled for this user.
- D. The email address is entered incorrectly in the mailbox properties.

Answer: A

3. A block can be added to an Application Builder application to allow editing of recordings from a remote location.

What is the Application Builder block for this purpose?

- A. Customer block
- B. Remote Location block
- C. Custom Recording block
- D. Voice Item Maintenance block

Answer: D

4. A customer wants to implement a User Privacy Option for all My CallPilot users. How can the administrator let the users self-administer the privacy option?

- A. In the Mailbox settings of Security Administration, deselect Name Dialing and Name Addressing.
- B. In the Name Dialing settings of the Messaging Management page, deselect Name Dialing and Name Addressing.
- C. In the Privacy and Blocking settings of the User Creation Template, deselect Name Dialable by External Callers.
- D. In the Desktop and Web Messaging Configuration settings of the Mailbox Class Details page, select Allow User to Hide Entry in Address Book.

Answer: D

5. You are configuring the Telephone Remote Service Activation feature. What is true about the Telephone Remote Service Activation feature?

- A. You can use only CallPilot Manager to change a regularly scheduled service to an alternate service.

- B. You can use a telephone to remotely change a regularly scheduled service to an alternate service.
- C. When you configure the Telephone Remote Service Activation in CallPilot Manager's Service Directory Number (SDN) Details page, at the SDN field you must enter the SDN of the application you want to remotely modify.
- D. When you configure the Telephone Remote Service Activation in CallPilot Manager's SDN Details page, at the Service DN field you must enter the SDN of the application to which you want to switch.

Answer: B

6. CallPilot Desktop Messaging clients at a company are unable to send messages from the desktop interface. Which messaging protocol must be configured to enable this capability?

- A. Simple Mail Transfer Protocol (SMTP)
- B. Internet Message Access Protocol (IMAP)
- C. Lightweight Directory Access Protocol (LDAP)
- D. Simple Network Management Protocol (SNMP)

Answer: A

7. After installing CallPilot Desktop Messaging, an end user needs to retrieve the messages from the CallPilot mailbox. Which protocol enables desktop messaging clients to retrieve messages from the CallPilot server?

- A. Simple Mail Transfer Protocol (SMTP)
- B. Internet Message Access Protocol (IMAP)
- C. Lightweight Directory Access Protocol (LDAP)
- D. Simple Network Management Protocol (SNMP)

Answer: B

8. In a single site scenario, an administrator cannot log into CallPilot Manager from the login web page. You have confirmed that the correct mailbox number and password are being entered and that the mailbox is not disabled. However, the administrator login still fails. What should you check?

- A. The user's PC is running Internet Information Server (IIS).
- B. The Server field contains the correct server name for the CallPilot system.
- C. The Location field contains the correct server name for the CallPilot system.
- D. The Secure Sockets Layer (SSL) option is turned on because passwords can only be passed over SSL.

Answer: B

9. CallPilot administrators can provide centralized control of desktop options. Which two are configurable services for Desktop and Web Messaging? (Choose two.)

- A. fax printing
- B. desktop playback
- C. address book location
- D. creation of a revert directory number

Answer: BC

10. When logging into CallPilot, the CallPilot Manager menu banner is displayed. From this banner, it is possible to navigate through the system, if access has been given. What determines the level of access?

- A. mailbox keycode
- B. the LDAP server
- C. mailbox number and password
- D. the LDAP server and time of day

Answer: C

11. Remote maintenance capabilities require a security setup. To use the Voice Item Maintenance (VIM) or Fax Item Maintenance (FIM) service on an application, a security parameter must be defined. What is the security parameter called?

- A. FIM password
- B. VIM password

- C. Access password
- D. Telset maintenance password

Answer: D

12. The CallPilot Voice Item Maintenance (VIM) and Fax Item Maintenance (FIM) services must be defined in CallPilot before remote application maintenance services will function. The VIM and FIM must have a number defined in a table on the system. Which table contains the definition?

- A. SDN table
- B. VIM Service table
- C. FIM Service table
- D. Remote Service table

Answer: A

13. You are implementing the Outlook Single Inbox feature at your company. The IT team asks you how this feature affects the Exchange Server. Which information will you share to answer their question?

- A. The original CallPilot message and all copies are transferred to the Exchange Server.
- B. Synchronization between the Exchange Server and the CallPilot Server occurs even when CallPilot is not running.
- C. Copies of users' CallPilot messages are saved to the Exchange Server. The original messages reside on the CallPilot server.
- D. Desktop Messaging synchronization does not require that Microsoft Outlook be actively running on the user's computer.

Answer: C

14. The performance and capabilities for Remote Notification are important for both the system administrator and the user. Which two statements about configuring Remote Notification are true? (Choose two.)

- A. The schedule is defined in the mailbox class.
- B. It can be set up with telephone keypad commands.
- C. It can be configured for up to three target Directory Numbers (DNs).
- D. It allows only a specific number of retries before notification is turned off.

Answer: BD

15. The system ready indicator is a visual indication of the status of the CallPilot system and shows at a glance what is happening with the system. Which two statements about the system ready indicator icons are true? (Choose two.)

- A. When the CallPilot server is starting, the icon is an hourglass.
- B. When calls are not being processed, an X appears on the icon.
- C. When the CallPilot server is in normal operation, the icon is flashing green.
- D. When calls are being processed but some services are not working, the icon is red.

Answer: AB

### [920-183 Braindumps](#)

#### **Related 920-183 Exams**

[920-803](#) Nortel technology standards and protocol for ip telephony solutions

[922-097](#) Comm. Server 1000 Upgrades to RIs.5.0 for Technicians

[920-250](#) nncss-passport 8600

[920-322](#) nncss succession 1000/1000m rls 3.0 db for technicians

[922-093](#) Communication Server 1000 RIs.5.0 System Admin & Mgmt

[922-096](#) Comm. Server 1000 RIs.5.0 Branch Office Install & Comm.

[922-095](#) Communication Server 1000E RIs.5.0 Install & Commissioning

[920-215](#) nncss-passport 7000/15000 exam

920-331 *Mommunication Server 1000 Ris.5.0 Database Administrator*

920-326 *nncds-symposium contact center poftfolio*

920-138 *NNCSS Succession 1000/1000M Ris.3.0 Exam*

920-251 *nncss-alteon*

920-133 *NNCSS Baystack Switching*

920-501 *nncss-optera metro 5000*

920-170 *symposium call center server 5.0 applicaiont developer*

920-460 *ncse wireless lan*

920-249 *Nortel Application Switch Ris.23XConfig &Admin*

920-330 *Mommunication Server 1000 Ris.5.0 IP Networking Design*

920-245 *Ethernet Switching*

920-172 *NCSS-Nortel Communication Control Toolkit Ris.6.0*

### **Other Nortel Exams**

920-462      920-106      920-270      920-253      922-097      920-470      920-332      920-238

920-255      920-114      920-111      920-220      920-199      920-163      920-355      920-451

922-058      920-327      920-181      920-241