

920-449 braindumps

Nortel NCSE

920-449: nncse contivity security

Practice Exam: 920-449 Exams

Exam Number/Code: 920-449

Exam Name: nncse contivity security

Questions and Answers: 52 Q&As

([NCSE](#))



Exam : [920-449](#)

"nncse contivity security", also known as 920-449 exam, is a Nortel certification. With the complete collection of exam questions, Just4Study has assembled to take you through 52 Q&As to your 920-449 exam preparation. In the 920-449 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Nortel NCSE 920-449 (nncse contivity security) examination of original title complete coverage. 920-449 exam questions help you pass the exam.

Just4Study 920-449 Feature:

* High quality - High quality and valued for the 920-449 Exam: 100% Guarantee to Pass Your 920-449 exam and get your NCSE certification.

* Authoritative - Authoritative braindumps with complete details about 920-449 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed NCSE resources, you will minimize your **Nortel NCSE** cost and be ready to pass your 920-449 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free NCSE demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 920-449 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 920-449 Demo Download

Just4Study offers free demo for NCSE 920-449 exam (nncse contivity security). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Nortel NCSE 920-449** examination of original title complete coverage. 920-449 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: 920-449

Exam Name: nncse contivity security(NCSE)

Questions and Answers: 52 Q&A

[Nortel 920-449](#) Test belongs to one of the NCSE certified test, if needs to obtain the NCSE certificate, you also need

to participate in other related test, the details you may visit the [NCSE](#) certified topic, in there, you will see all related NCSE certified subject of examination.

Just4Study professional provide NCSE 920-449 the newest Q&A, completely covers 920-449 test original topic. With our complete NCSE resources, you will minimize your NCSE cost and be ready to pass your 920-449 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Nortel 920-449

Title : NNCSE Contivity Security

1. A company has a main office and three branch offices. Each branch office has a branch office tunnel (BOT) connection to the main office. The following conditions exist: - Contivity firewall is disabled but each BOT has a default setting of ermit all?tunnel filter configured under the group profile. - Contivity firewall is disabled but each BOT has a default setting of ?ermit all?tunnel filter configured under the group profile. - The company has their own internal/private DNS server which resides in the main office. - Contivity from each branch offices is acting as DNS proxy. - Workstations from the branch offices are pointing to their local Contivity as the default gateway and DNS server. All workstations from the branch offices can reach all devices in the main office via IP address but cannot reach them through DNS names. What is the most likely cause of the problem?

- A. The access control of ermit all?given to the BOT group is enough to allow DNS to pass through the tunnel so the DNS server could be The access control of ?ermit all?given to the BOT group is enough to allow DNS to pass through the tunnel so the DNS server could be down.
- B. DNS server is up but main office's Contivity has DNS setting unchecked under the allow management traffic for remote servers portion of the permit all rule.
- C. DNS server is up but branch offices' Contivity has DNS setting unchecked under the allow management traffic for remote servers portion of the permit all rule.
- D. Main office's Contivity has DNS setting checked under the allow management traffic for remote servers portion of the permit all rule but DNS server could be down.

Answer: C

2. A technician is setting up a rule base for a Contivity Stateful Firewall configuration. The technician plans to enable a Lockdown rule. What will be the impact of this rule?

- A. non-tunneled traffic will be blocked
- B. access to the firewall will be blocked
- C. outgoing traffic through the firewall will be blocked
- D. incoming traffic through the firewall will be blocked

Answer: B

3. Company A and Company B established a branch office tunnel connection using Contivity v4.8 with the following setup: Company A - private interface (LAN A) has an IP address of 192.168.3.1/24 Company A - FTP server with IP address 192.168.3.3/24 which resides in LAN A Company B - private interface (LAN B) has an IP address of 192.168.30.2/24 The security policy allows users from LAN B to access Company A's FTP server to download files with no other access to the rest of Company A's network. In Company A's Contivity Stateful Firewall configuration, what would be the most likely default rule?

- A. Source interface = LAN B ; Destination Interface = LAN A ; Source = 192.168.30.0/24 ; Destination = 192.168.3.3/24 ; Service = FTP ; Action = Allow
- B. Source interface = LAN B ; Destination Interface = Trusted ; Source = 192.168.30.0/24 ; Destination = 192.168.3.3/24 ; Service = FTP ; Action = Allow

C. Source interface = Tunnel: Any; Destination Interface = LAN A ; Source = 192.168.30.0/24; Destination = 192.168.3.3/24 ; Service = FTP ; Action = Allow

D. Source interface = Branch Tunnel: Any ; Destination Interface = Trusted ; Source = 192.168.30.0/24 ; Destination = 192.168.3.3/24 ; Service = FTP; Action = Allow

Answer: D

4. A Contivity configuration has two private interfaces (LAN 0 and LAN 1) and one public interface (LAN 3) with Application servers residing on LAN 0. An administrator needs to create a default rule in order to allow users from LAN 1 and tunneled users from LAN 3 to access the application servers in LAN 0. What would be the most secure interface classification for the source interface?

A. Any

B. Trusted

C. Tunnel: Any

D. LAN 1 and LAN 3

Answer: B

5. A Contivity has a private interface (LAN) and a public interface (DMZ). Workstation1 with an IP address of 10.10.10.1/24 is in the network that is directly attached to the private interface LAN. Workstation2 with an IP address of 20.20.20.1/24 is in the network that is directly attached to public interface DMZ. The requirement is to block only traffic from workstation1 to workstation2 using interface filters applied to the private interface LAN. Select the most appropriate filter action, direction, and address for the access control filter.

A. Filter action = Deny ; Direction = Inbound ; Address = 20.20.20.1

B. Filter action = Deny ; Direction = Inbound ; Address = 10.10.10.1

C. Filter action = Deny ; Direction = Outbound ; Address = 20.20.20.1

D. Filter action = Deny ; Direction = Outbound ; Address = 10.10.10.1

Answer: A

6. A customer's Contivity system is currently supporting a network of tunneled and non-tunneled traffic. Assume Contivity Stateful Firewall has just been enabled but no specific rules have been configured. How will the tunneled and non-tunneled traffic be handled?

A. Tunneled and non-tunneled traffic is allowed until rules restricting specific traffic are established.

B. Tunneled traffic is allowed but non-tunneled traffic is disallowed until rules allowing for specific traffic are established

C. Non-tunneled traffic is allowed but tunneled traffic is disallowed until rules allowing for specific traffic are established.

D. Tunnels can be established, but all data traffic is disallowed from passing through the CES until rules allowing for specific traffic are established.

Answer: D

7. Contivity Stateful Firewall has been enabled on a customer's Contivity system. The customer wants to extend user authentication on traffic between branch office connections in their VPN environment and a technician has set up Firewall User Authentication (FWUA). How will this affect system users?

A. Users will now have transparent access to the Contivity Stateful Firewall.

B. Users will be automatically authenticated for internal authorization services such as LDAP.

C. Users will be automatically authenticated for external authorization services such as RADIUS.

D. Users will be required to log into the Contivity Stateful Firewall before they are granted network access.

Answer: D

8. A company has a Contivity v4.8 configured with branch office tunnel connections under /Base/Partners group for all of its business partners. User tunnel access is also provided for all employees and partners. The Contivity has two private interfaces (LAN and DMZ) and one public interface. Application servers reside in the DMZ. The following rules are in effect: Interface specific rule 1 : Source interface rule = LAN ; Source interface = LAN ; Destination interface = DMZ ; Source = Any ; Destination = Any ; Service = Any ; Action = Allow Default rule 1 : Source interface = Trusted ;

Destination Interface = Trusted ; Source = Any ; Destination = Any ; Service = Any ; Action = Allow The company's security policy dictates that only local users and remote users through a branch office tunnel can access application servers in the DMZ. However, even users via user tunnel connection also appear to have access to the application servers in the DMZ. How can the rules be changed to resolve the problem?

- A. Interface specific rule 1 is correct but the source interface for default rule 1 is wrong and should be changed to Branch Tunnel: Any.
- B. Default rule 1 is correct but the source interface for interface specific rule 1 is wrong and should be changed to Branch Tunnel: Any.
- C. Interface specific rule 1 is correct but the source interface for default rule 1 is wrong and should be changed to Branch Tunnel:/Base/Partners.
- D. Default rule 1 is correct but the source interface for interface specific rule 1 is wrong and should be changed to Branch Tunnel:/Base/Partners.

Answer: A

9. A technician is debugging a problem on a Contivity system and has input Override rules to be in effect during this time. Which statement best describes how the Override rules will function?

- A. will be processed first
- B. will override all rules in the policy
- C. will override the rest of the rules described later in the policy
- D. will apply only to the specific interface identified in the override rule

Answer: C

10. A Contivity has two private interfaces (LAN and DMZ) and one public interfaces (INT). Workstation1 with an IP address of 10.10.10.1/24 is in the network that is directly attached to the private interface LAN. Workstation2 with an IP address of 20.20.20.1/24 is in the network that is directly attached to private interface DMZ. The requirement is to block only traffic from workstation1 to workstation2 using interface filters to be applied to the private interface DMZ.

Select the most appropriate filter action, direction, and address for the access control filter.

- A. Filter action = Deny ; Direction = Inbound ; Address = 20.20.20.1
- B. Filter action = Deny ; Direction = Inbound ; Address = 10.10.10.1
- C. Filter action = Deny ; Direction = Outbound ; Address = 10.10.10.1
- D. Filter action = Deny ; Direction = Outbound ; Address = 20.20.20.1

Answer: C

[920-449 Braindumps](#)

Related 920-449 Exams

[920-448](#) *nncse-alteon security*

[920-453](#) *ncse callpilot 2.x/3.0 unified messaging*

[920-804](#) *Nortel technology standards and protocols for converged networks*

[920-441](#) *nncde contivity security exam*

[920-447](#) *nncse-contact center exam*

[920-468](#) *Nortel VPN Router RIs.7.0 Advanced Configuration & Mgmt*

[920-458](#) *CSE- CallPilot RIs.4.0 Unified Messaging*

[920-452](#) *NCSE-Communication Server 1000 RIs.4.0*

[920-443](#) *nncse-succession 1000/1000m rls.3.0*

[920-449](#) *nncse contivity security*

Other Nortel Exams

[920-105](#)

[920-481](#)

[920-464](#)

[922-054](#)

[920-170](#)

[920-804](#)

[920-163](#)

[920-124](#)

[922-099](#)

[920-182](#)

[920-110](#)

[922-081](#)

[920-431](#)

[920-338](#)

[920-322](#)

[920-112](#)

920-571

920-108

922-058

920-468