

HH0-440 braindumps

Hitachi Hitachi Data Systems

HH0-440: Storage Architect - Performance & Virtualization

Practice Exam: HH0-440 Exams

Exam Number/Code: HH0-440

Exam Name: Storage Architect - Performance & Virtualization

Questions and Answers: 118 Q&As

([Hitachi Data Systems](#))



"Storage Architect - Performance & Virtualization", also known as HH0-440 exam, is a Hitachi certification. With the complete collection of exam questions, Just4Study has assembled to take you through 118 Q&As to your HH0-440 exam preparation. In the HH0-440 exam resources, you will cover every field and category in Hitachi Certification helping to ready you for your successful Hitachi Certification.

Exam : [HH0-440](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Hitachi Hitachi Data Systems HH0-440 (Storage Architect - Performance & Virtualization) examination of original title complete coverage. HH0-440 exam questions help you pass the exam.

Just4Study HH0-440 Feature:

* High quality - High quality and valued for the HH0-440 Exam: 100% Guarantee to Pass Your HH0-440 exam and get your Hitachi Data Systems certification.

* Authoritative - Authoritative braindumps with complete details about HH0-440 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Hitachi Data Systems resources, you will minimize your **Hitachi Hitachi Data Systems** cost and be ready to pass your HH0-440 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Hitachi Data Systems demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HH0-440 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free HH0-440 Demo Download

Just4Study offers free demo for Hitachi Data Systems HH0-440 exam (Storage Architect - Performance & Virtualization). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Hitachi Hitachi Data Systems HH0-440** examination of original title complete coverage. HH0-440 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: HH0-440

Exam Name: Storage Architect - Performance & Virtualization(Hitachi Data Systems)

Questions and Answers: 118 Q&A

[Hitachi HH0-440](#) Test belongs to one of the Hitachi Data Systems certified test, if needs to obtain the Hitachi Data Systems certificate, you also need to participate in other related test, the details you may visit the [Hitachi Data Systems](#) certified topic, in there, you will see all related Hitachi Data Systems certified subject of examination. Just4Study professional provide Hitachi Data Systems HH0-440 the newest Q&A, completely covers HH0-440 test original topic. With our complete Hitachi Data Systems resources, you will minimize your Hitachi Data Systems cost and be ready to pass your HH0-440 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Hitachi HH0-440

Title : Storage Architect - Performance & Virtualization

1. Click the Exhibit button.

Which three conditions are likely causes for the write pending rates illustrated in the exhibit? (Choose three.)

- A.insufficient cache
- B.loss of redundancy in write cache
- C.heavy random writes to RAID5
- D.heavy random writes to SATA drives
- E.failure to distribute workload among sufficient array groups

Answer: CDE

2. Which three actions will help to reduce the level of Write Pending data in cache during periods of intense random update processing? (Choose three.)

- A.Switch to faster disk drives.
- B.Migrate from RAID5 to RAID1.
- C.Spread the load across more RAID Groups.
- D.Spread the load across more ports.
- E.Spread the load across more LUNs.

Answer: ABC

3. Which three metrics aid in calculating how long a block of data remains available in cache after its last access? (Choose three.)

- A.IOPS rate into the cache partition or storage system
- B.number of available cache segments
- C.the cache hit rate
- D.average response time
- E.average LUN queue size

Answer: ABC

4. Which two workloads gain a performance improvement by using Tagged Command Queuing? (Choose two.)

- A.multi-user transaction database access
- B.sequential, single-threaded scan
- C.archival writes to tape drive
- D.corporate mail and notes server

Answer: AD

5. Which three parameters indicate that LUN ownership access or changes may be causing a performance problem in an HDS modular storage system? (Choose three.)

- A.The total cache queue drops below 100% for any 1 minute measurement period.
- B.The cache free queue drops below 100% for any 1 minute measurement period.
- C.IOPS are recorded to the same LUN from different controllers over several measurement periods.
- D.The LUN C-CTL value does not match the D-CTL value.
- E.The Cache Write Pending level is at a high threshold level.

Answer: ACD

6. Which three key metrics are needed for sizing industry standard applications? (Choose three.)

- A.IO read/write ratios
- B.port speed
- C.IO rates and data transfer rates
- D.cache read hit ratios
- E.number of ACP/BED pairs

Answer: ACD

7. Which Solaris MPXIO multi-pathing scheme should be used to avoid non-owning access with HDS modular storage systems?

- A.load_balance_none
- B.load_balance_rr
- C.load_balance_lba
- D.load_balance_fixed

Answer: A

8. Which three statements are true for Hitachi Global Link Availability Manager (HGLAM)? (Choose three.)

- A.HGLAM manages multiple instances of Hitachi Dynamic Link Manager (HDLM).
- B.HGLAM assigns load balancing algorithms only at the server level.
- C.HGLAM can alert which server is impacted when a fabric switch goes down.
- D.HGLAM reports IO rate at the HBA level.
- E.HGLAM can report a USP cache failure.

Answer: ACD

9. The performance of an audio streaming modular storage system has deteriorated as more streams have been added. Audio streaming is the only workload on the array and the store consists of many thousands of separate audio files. Cache hit rates drop quickly as several streams are started.

Which two will improve the prefetch for the audio but prevent prefetch taking place for the directory accesses?

(Choose two.)

- A.multi-stream mode
- B.count of sequential judgment
- C.high speed write mode
- D.disable verify after write

Answer: AB

10. Performance monitor data indicates that CHP utilization may be causing a bottleneck in a Universal Storage Platform (USP) series system during periods of intense processing.

Which two actions should be considered to increase IOPS during the bottleneck periods? (Choose two.)

- A.Configure the paths using high-speed mode.
- B.Spread the load across more CHP processors and paths.
- C.Spread the load across more RAID Groups.
- D.Spread the load across more LUNs.

Answer: AB

11. Which component in an enterprise back-end director (BED) assists performance with write and data recovery operations to a 7D+1P RAID5 array group?

- A.DRR RAID processors
- B.DKP/DKA processors
- C.back-end loops
- D.dedicated data paths from the BED to the cache switch

Answer: A

12. Solaris IOSTAT shows that response times are degrading for a number of LUNs and that these LUNs are 100% busy. The active queue values are in a range up to, but not exceeding 8, and the wait queue values are in the range from 0 to 5 when the active queue is 7 or 8.

Which condition is implied by these values?

- A.These are normal values for busy LUNs with a LUN queue depth of 8.
- B.There are no more Tags available on this storage port due to heavy IO load.
- C.There are no more Tags available for these LUNs at the port due to heavy IO load.
- D.The HBA LUN queue depth is set incorrectly.

Answer: A

13. Which two techniques can be used in an HDS modular array to ensure maximum throughput (MB/s) in a large block application such as oil exploration analysis, medical, or video file storage? (Choose two.)

- A.Build the RAID Groups so that all the back-end loops have the same number of disks.
- B.Build the RAID Groups vertically so that all disks in the same slot position are in the same RAID Group.
- C.Use LUSE to build volumes that are spread across multiple RAID Groups.
- D.Use host based striping to distribute the load across both controllers.

Answer: AD

14. The performance of a response critical application generating a majority of 4 KB IOs has progressively deteriorated on a new modular storage system as unplanned development and general file serving workloads have been added. The system administrator is convinced that this is due to falling cache hit rates.

Which three actions will improve the cache hit rates of the response critical application? (Choose three.)

- A.Place the response critical application in its own cache partition.
- B.Upgrade the cache from 8 GB to 16 GB.
- C.Reduce the application cache partition segment size from 16 KB to 8 KB.
- D.Move the development and general file server workloads to another storage system.
- E.Move the development and general file server workloads to lower performance tier RAID Groups.

Answer: ABC

15. Which two metrics indicate that a modular storage system is receiving write IOPS much faster than they can be destaged or written to disk, and that inflow control has occurred? (Choose two.)

- A.Cache Write Pending is at a high threshold limit.
- B.Port Write Hit Rate % is less than 100.
- C.The number of Write IOPS is higher than the number of Read IOPS.
- D.The Write MB/s throughput is greater than the Read MB/s throughput.

Answer: AB

16. Which level of Write Pending is normal for a busy OLTP Universal Storage Platform (USP) system adequately managing the destaging of writes?

- A.0% to 20%
- B.20% to 30%
- C.30% to 40%
- D.40% to 50%

Answer: B

17. In the Universal Storage Platform (USP) family, what is the maximum number of external ports that one external LDEV can be attached to?

- A.2
- B.4
- C.8
- D.16

Answer: C

18. Which three parameters will help to calculate a server's maximum LUN queue depth to avoid the risk of SCSI timeouts? (Choose three.)

- A.The number of active LUNs mapped to a storage port.
- B.The number of active servers in the cluster accessing the active LUNs.
- C.The number of command tags supported by the storage port.
- D.The number of disk drives supporting the LUN configuration.
- E.The total number of LUNs mapped to the storage port.

Answer: ABC

19. Which three actions provide a way of increasing the number of Tags available to a database volume in an enterprise storage system? (Choose three.)

- A.Build the volume across multiple LUNs with host-based logical volume manager striping.
- B.Construct the LUN using LUSE with LDEVS from different RAID Groups.
- C.Use a VDEV LUN from a VDEV striping pool (LDEV concatenation).
- D.Map the LUN across more host paths.
- E.Increase the HBA LUN Queue Depth value.

Answer: ADE

20. Which VMware multi-pathing scheme should be used to avoid non-owning access with HDS modular storage systems with multiple VMware servers?

- A.Most Recently Used (MRU)
- B.Fixed
- C.Round-Robin
- D.Extended Round-Robin

Answer: B

[HH0-440 Braindumps](#)

Related HH0-440 Exams

[hh0-120](#) *Hitachi Data Systems Storage Foundations - Modular Exam*

[hh0-110](#) *Hitachi Data Systems Storage Foundations - Enterprise Exam*

[HH0-210](#) *HDS Certified Implmenter-Enterprise*

[HH0-400](#) *Hitachi Data Systems Architect-Business Continuity*

[HH0-330](#) *HDS Storage Manager-Business Continuity Enterprise*

[HH0-380](#) *Hitachi Data Systems Architect - Business Continuity*

[HH0-220](#) *HDS Certified Implmenter-Modular*

[HH0-015](#) *TagmaStore NSC-Installation and Configuration*

[HH0-340](#) *Hitachi Data Systems Storage Manager-Storage Management*

[HH0-280](#) *HDS Implimentation Specialist - Storage Management*

[HH0-440](#) *Storage Architect - Performance & Virtualization*

[HH0-270](#) *HDS Implimentation Specialist-Business Continuity Exam*

[HH0-240](#) *HDS Storage Manager-Business Continuity Modular*

[HH0-005](#) *TagmaStore AMS and WMS-Installation and Configuration*

hh0-200 certified modular integration specialist exam

HH0-230 HDS Storage Manager-Business Continuity Enterprise

Other Hitachi Exams

HH0-270 HH0-280 hh0-110 hh0-200 hh0-120 HH0-330 HH0-220 HH0-400
HH0-005 HH0-440 HH0-210 HH0-380 HH0-240 HH0-230 HH0-015 HH0-340