

HP0-144 braindumps

HP Certification III

HP0-144: ProCurve Secure WAN

Practice Exam: HP0-144 Exams

Exam Number/Code: HP0-144

Exam Name: ProCurve Secure WAN

Questions and Answers: 111 Q&As

([Certification III](#))



Exam : [HP0-144](#)

"ProCurve Secure WAN", also known as HP0-144 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 111 Q&As to your HP0-144 exam preparation. In the HP0-144 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP Certification III HP0-144 (ProCurve Secure WAN) examination of original title complete coverage. HP0-144 exam questions help you pass the exam.

Just4Study HP0-144 Feature:

* High quality - High quality and valued for the HP0-144 Exam: 100% Guarantee to Pass Your HP0-144 exam and get your Certification III certification.

* Authoritative - Authoritative braindumps with complete details about HP0-144 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Certification III resources, you will minimize your **HP Certification III** cost and be ready to pass your HP0-144 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Certification III demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-144 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free HP0-144 Demo Download

Just4Study offers free demo for Certification III HP0-144 exam (ProCurve Secure WAN). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP Certification III HP0-144** examination of original title complete coverage. HP0-144 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: HP0-144

Exam Name: ProCurve Secure WAN(Certification III)

Questions and Answers: 111 Q&A

[HP HP0-144](#) Test belongs to one of the Certification III certified test, if needs to obtain the Certification III certificate,

you also need to participate in other related test, the details you may visit the [Certification III](#) certified topic, in there, you will see all related Certification III certified subject of examination.

Just4Study professional provide Certification III HP0-144 the newest Q&A, completely covers HP0-144 test original topic. With our complete Certification III resources, you will minimize your Certification III cost and be ready to pass your HP0-144 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-144

Title : ProCurve Secure WAN

1. Which feature does the ProCurve Secure Router 7203dl provide that the ProCurve Secure Router 7102dl does not?

- A. built-in encryption module
- B. support for redundant power source (RPS)
- C. one additional Ethernet port
- D. support for up to 6 ADSL lines

Answer: B

2. How many access control lists (ACLs) can you apply directly to one interface?

- A. 1
- B. 2
- C. 5
- D. unlimited number

Answer: B

3. How can you configure the ProCurve Secure Router so that a backup module does not establish a backup connection with an unauthenticated peer?

- A. Set the backup call mode so that the module cannot answer calls until the primary connection goes down.
- B. Configure PAP or CHAP on the backup interface.
- C. Add an authentication, authorization, and accounting (AAA) list to the backup interface.
- D. Add authenticated routers' hostnames to the global configuration mode database.

Answer: B

4. What must you do to configure Point-to-Point Protocol over Ethernet (PPPoE) for an Asymmetric Digital Subscriber Line (ADSL)?

- A. Configure and bind the ATM interface to the ADSL interface; then bind the ATM subinterface to a PPP interface.
- B. Configure a PPP interface; then bind the PPP interface to the ADSL interface.
- C. Configure both an ATM interface and a PPP interface, and bind the ADSL interface to both virtual interfaces.
- D. Configure a PPPoE interface and bind it directly to the ADSL interface.

Answer: A

5. Which interfaces can be configured as DHCP clients? Select TWO.

- A. BRI interface
- B. ADSL interface
- C. ATM subinterface
- D. Ethernet interface
- E. Frame Relay interface
- F. DSX-1 or G. 703 interface

Answer: CD

6. What determines the number of Asynchronous Transfer Mode (ATM) subinterfaces you configure for an Asymmetric Digital Subscriber Line (ADSL) connection?

- A. the number of LANs you want to connect to the Internet
- B. the number of access control lists (ACLs) you want to apply to the ADSL interface
- C. the amount of bandwidth you want to reserve for upstream and downstream transmissions
- D. the number of virtual circuits you want to establish

Answer: D

7. Before the ProCurve Secure Router and the DSL Access Multiplexer (DSLAM) exchange Asynchronous Transfer Mode (ATM) cells, they utilize physical-layer signaling to establish an Asymmetric DSL (ADSL) connection. Which monitor evaluates the signal-to-noise ratio (SNR) margin while the router and the DSLAM establish the physical ADSL connection?

- A. ADSL monitor
- B. showtime monitor
- C. phase 1 monitor
- D. training monitor

Answer: D

8. Which Quality of Service (QoS) features does the ProCurve Secure Router support? Select TWO.

- A. custom queuing
- B. low latency queuing (LLQ)
- C. weighted fair queuing (WFQ)
- D. generic traffic shaping (GTS)
- E. Frame Relay traffic shaping (FRTS)

Answer: BC

9. The Asymmetric Digital Subscriber Line (ADSL) keeps going into training mode. What is causing this problem?

- A. The signaling type configured for the router does not match the signaling type used by the service provider.
- B. The encapsulation type configured for the router does not match the type used by the service provider.
- C. The signal-to-noise (SNR) margin configured for the router is too high.
- D. The ADSL interface has not been assigned an IP address.

Answer: C

10. Which command allows you to use enable mode commands from any mode except basic mode?

- A. the get command
- B. the go command
- C. the nomode command
- D. the do command

Answer: D

11. When you are configuring an Asymmetric Digital Subscriber Line (ADSL), what is the purpose of training mode?

- A. ADSL is dependent upon line quality; ADSL devices must determine the best way to use the line.
- B. ADSL devices always negotiate the signaling standard used, based on the type of DSLAM used by the public carrier.
- C. The ADSL device and the DSLAM must identify the fastest switched virtual circuit (SVC) available.
- D. The training mode is essentially a testing phase to determine if the ADSL module itself is working correctly.

Answer: A

12. Which type of connection may be used for the backup modules on the ProCurve Secure Router?

- A. Asymmetric Digital Subscriber Line (ADSL)2+, Annex A or Annex B
- B. T1 or E1 connections

C. Integrated Services Digital Network (ISDN) connection

D. Asynchronous Transfer Mode (ATM) connection

Answer: C

13. Which function does the virtual path identifier/virtual channel identifier (VPI/VCI) perform?

A. It identifies the endpoint for an Asynchronous Transfer Mode (ATM) connection.

B. It identifies the tunnel endpoint for virtual private network (VPN) peers.

C. It identifies the permanent virtual circuit (PVC) in a Frame Relay network.

D. It defines each peer in a Point-to-Point Protocol (PPP) connection, if authentication is configured.

Answer: A

14. What is a disadvantage of dynamic routing?

A. Dynamic routing does not allow you to restrict which networks are included in routing tables.

B. Dynamic routing can consume bandwidth and CPU processes on the router.

C. Dynamic routing is less scalable than static routing.

D. Dynamic routing makes adding new networks to a WAN difficult.

Answer: B

15. The status of the BRI interface is "connected." What does a connected status indicate?

A. The backup module is installed in the ProCurve Secure Router and is ready to be configured.

B. The BRI interface has been assigned to a primary connection.

C. The BRI interface is ready to provide a backup connection.

D. The BRI interface is currently providing a backup connection.

Answer: D

16. Which steps must you complete to enable access to the ProCurve Secure Router's web interface? Select TWO.

A. Enable the ftp server.

B. Enable the http server.

C. Configure a Telnet password.

D. Configure an enable mode password.

E. Configure a username and password.

F. Configure an ACL permitting FTP traffic.

Answer: BE

17. Click the Exhibit button.

You want your ProCurve Secure Router to act as a gateway device for any remote VPN client who initiates IKE in its most secure mode. Which policy shown contains the correct configurations for this use?

A. 1

B. 2

C. 3

D. 4

E. 5

F. 6

G. 7

Answer: C

18. You have configured an Integrated Services Digital Network (ISDN) backup for your organization's Frame Relay connection. When this connection goes down, which virtual interface could establish and maintain the backup connection?

A. a backup Asynchronous Transfer Mode (ATM) interface

B. a backup Frame Relay interface

C. a backup Point-to-Point Protocol (PPP) interface

D. a backup BRI ISDN interface

Answer: C

19. Which type of firewall monitors traffic on several layers of the Open Systems Interconnection (OSI) model?

- A. packet-filtering firewall
- B. circuit-level gateway
- C. application-level gateway
- D. stateful-inspection firewall

Answer: D

20. Which tasks can you use CompactFlash to complete? Select TWO.

- A. Configure routers at remote sites.
- B. Increase RAM on the router by configuring virtual memory.
- C. Enter bootstrap mode.
- D. Back up configuration files.
- E. Enable IPsec security.
- F. Store and view the Secure Router OS in an uncompressed format.

Answer: AD

[HP0-144 Braindumps](#)

Related HP0-144 Exams

[HP0-S16](#) *Implementing HP BladeSystem*

[HP0-J26](#) *Designing and Implementing HP SAN Solutions*

[HP0-D04](#) *Planning and Designing HP Enterprise Solutions*

[HP0-P13](#) *Planning & Design of HP Integrity Server Solutions*

[HP0-M23](#) *HP Business Availability Center Foundation*

[HP0-M28](#) *Implementing HP Asset Manager Software*

[HP0-918](#) *HP Storage Data Protector 6.0 Fundamentals for Windows*

[HP0-239](#) *Supporting the Modular Array(MA) Storage Family*

[HP0-080](#) *HP Multi-User System Product T500/T600 Certification*

[HP0-205](#) *Supporting the Enterprise Modular Library*

[HP0-286](#) *HP Openview Servicecenter 6.x*

[HP0-265](#) *Servicing HP Color LaserJet MFP Printers,High-End*

[HP0-144](#) *ProCurve Secure WAN*

[HP0-263](#) *Servicing HP Color LaserJet Printers, High-End*

[HP0-266](#) *Servicing HP Monochrome LaserJet MFP Printers,High-End*

[HP0-S14](#) *Design & Implementation of HP SIM for ISS Solutions*

[HP0-240](#) *Supporting the Virtual Array(VA) Storage Family*

[HP0-084](#) *HP Integrity Server Multi-OS Installation&Deployment*

[HP0-J27](#) *Advanced SAN Architecture*

[HP0-Y18](#) *ProCurve Mobility*

Other HP Exams

[HP0-603](#) [HP0-638](#) [HP0-262](#) [HP0-390](#) [HP0-509](#) [HP0-236](#) [HP0-M14](#) [HP0-944](#)

[HP0-601](#) [HP0-S18](#) [HP0-241](#) [HP0-J18](#) [HP0-054](#) [HP0-A21](#) [HP0-094](#) [HP0-752](#)

[HP0-302](#) [HP0-449](#) [HP0-285](#) [HP0-729](#)