

## HP0-238 braindumps

### HP Certification I

#### HP0-238: Supporting the MSA1000 and SCSI JBODS

**Practice Exam:** HP0-238 Exams

**Exam Number/Code:** HP0-238

**Exam Name:** Supporting the MSA1000 and SCSI JBODS

**Questions and Answers:** 99 Q&As

( [Certification I](#) )



"Supporting the MSA1000 and SCSI JBODS", also known as HP0-238 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 99 Q&As to your HP0-238 exam preparation. In the HP0-238 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

Exam : [HP0-238](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP Certification I HP0-238 (Supporting the MSA1000 and SCSI JBODS) examination of original title complete coverage. HP0-238 exam questions help you pass the exam.

#### **Just4Study HP0-238 Feature:**

\* High quality - High quality and valued for the HP0-238 Exam: 100% Guarantee to Pass Your HP0-238 exam and get your Certification I certification.

\* Authoritative - Authoritative braindumps with complete details about HP0-238 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Certification I resources, you will minimize your **HP Certification I** cost and be ready to pass your HP0-238 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Certification I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-238 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free HP0-238 Demo Download**

Just4Study offers free demo for Certification I HP0-238 exam (Supporting the MSA1000 and SCSI JBODS). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP Certification I HP0-238** examination of original title complete coverage. HP0-238 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

#### **VUE/Prometric Code: HP0-238**

Exam Name: Supporting the MSA1000 and SCSI JBODS( Certification I )

Questions and Answers: 99 Q&A

[HP HP0-238](#) Test belongs to one of the Certification I certified test, if needs to obtain the Certification I certificate, you also need to participate in other related test, the details you may visit the [Certification I](#) certified topic, in there, you will see all related Certification I certified subject of examination.

Just4Study professional provide Certification I HP0-238 the newest Q&A, completely covers HP0-238 test original topic. With our complete Certification I resources, you will minimize your Certification I cost and be ready to pass your HP0-238 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-238

Title : Supporting the MSA1000 and SCSI JBODS

1. What are the correct statements about Fibre Channel cable routing or handling? Select THREE.

- A. You must firmly attach the cables to the cabinet with cable ties.
- B. Route cables at a 90 degree angle with a bending radius less than 2.5 cm/1 inch.
- C. Never bend the cables with a bending radius less than 7.62 cm/3 inch.
- D. When removing a cable from a transceiver, pull on the cable, not on the connector.
- E. If you must use cable ties, do not tighten them completely around Fibre Channel cables.
- F. Excess Fibre Channel cables should be coiled and tied loosely.

Answer: CEF

2. The customer has a redundant MSA1000 configuration. Identify the correct statement about replacing an array accelerator (cache) module.

- A. The array accelerator modules in both controllers must be the same size.
- B. The array accelerator module can be replaced by a larger one. The extra space will not be used.
- C. The array accelerator module can be replaced by a smaller one. The cache will be switched off.
- D. If you have only different size modules available, you must power off the array during replacement.

Answer: A

3. Click the Exhibit button.

On an MSA1000 disk, all LEDs are OFF. What are possible causes for the status and which actions should you take? Select TWO.

- A. The array is rebuilding. Do not remove this drive without verifying the configuration.
- B. The array is performing an online expansion. Do not remove this drive without verifying the configuration.
- C. The drive is not configured as part of an array. You can remove the drive.
- D. The drive is part of the selection of the array configuration utility. Do not remove this drive without verifying the configuration.
- E. The drive is configured as a hot spare. If needed, you can remove the drive.

Answer: CE

4. The customer has a single controller MSA1000 configuration. What is the recommended action to replace the failed controller?

- A. Power down the MSA1000. Remove the failed controller and install the old cache module in the replacement controller.
- B. Push the right arrow push button on the front panel to clear the cache of the controller and replace the failed controller.
- C. Replace the failed controller online, with a new cache installed.
- D. Push the left arrow push button on the front panel to clear the cache of the controller and replace the failed

controller.

Answer: A

5. You are assigning DISK109 as a spare drive to array B containing logical drives 2 and 3. What is the correct CLI (command line interface) command?

- A. ADD SPARE UNIT=2 DISK109
- B. ADD SPARE ARRAY B DISK109
- C. SET SPARE ARRAY B DISK109
- D. SET SPARE UNIT 3 DISK109

Answer: A

6. Click the Exhibit button.

Which LED on the MSA1000 controller indicates a failure on a configured hard disk?

- A. LED 9
- B. LED 15
- C. LED 16
- D. LED 17

Answer: B

7. The MSA1000 controller display module can hold up to 100 messages. Once the maximum is reached, the older messages will be \_\_\_\_.

- A. copied to the connected host using ACU-XE
- B. copied to the connected host using the serial line
- C. deleted
- D. copied to the connected metadata part of the disks

Answer: C

8. Click the Exhibit button.

The EMU in a MSA1000 has detected a temperature problem. Which LED of the enclosure status indicators reports the problem and how does the LED display the error condition?

- A. LED 1 is off.
- B. LED 2 is amber.
- C. LED 3 is off.
- D. LED 3 is amber.

Answer: D

9. Click the Exhibit button.

How does LED number 2 appear when power is supplied to the MSA1000 and the power switch in the front is switched to on?

- A. Flashing green
- B. Green
- C. Off
- D. Amber

Answer: B

10. Click the Exhibit button.

Which LED on the MSA1000 controller indicates an error message was sent to the controller display?

- A. LED 9
- B. LED 15
- C. LED 16
- D. LED 17

Answer: D

11. Click the Exhibit button.

Which LED indicates the MSA1000 controller is active or passive?

- A. LED 9
- B. LED 15
- C. LED 16
- D. LED 17

Answer: A

12. You are replacing a defective power supply in a redundant MSA1000 configuration. Which statement is correct?

- A. Remove the power supply. Note the part number of the unit and order the replacement part. Install the replacement part when it arrives.
- B. Power off the MSA1000 during replacement to reduce the risk of personal injury.
- C. Replace both power supplies at the same time because they contain the cache battery assembly.
- D. Removing a power supply significantly changes the airflow in the cabinet. The remaining power supply will shutdown the array after 5 minutes.

Answer: D

13. What is the recommended action to take when a controller fails in a redundant MSA1000 configuration?

- A. Power off the MSA1000 and replace the failed controller.
- B. Replace the failed controller online.
- C. Push the right arrow push button on the front panel to failover the controller and replace the failed controller.
- D. Modify the zoning so that the MSA1000 is not accessible during the online replacement of the failed controller.

Answer: B

14. Which statement about blanking panels is correct?

- A. The drive blanking panels are not necessary and can be removed.
- B. The interconnect blanking panel is not necessary and can be removed.
- C. One drive blanking panel at a time can be removed.
- D. Install blanking panels in every empty slot to avoid thermal failures.

Answer: D

15. Click the Exhibit button.

On an MSA1000 disk, LEDs 1 and 2 are OFF, and LED 3 is ON. What is the possible cause for the status and which action should you take?.

- A. The drive is part of the selection of the array configuration utility. Do not remove this drive without verifying the configuration.
- B. The array is rebuilding. Do not remove this drive without verifying the configuration.
- C. The array is performing an online expansion. Do not remove this drive without verifying the configuration.
- D. The drive failed and has been taken offline. You can remove the drive.

Answer: D

### [HP0-238 Braindumps](#)

#### **Related HP0-238 Exams**

[HP0-M15](#) *HP Quality Center 9.2 Software*

[HP0-S18](#) *Implementing HP ProLiant ML/DL Servers*

[HP0-M16](#) *HP Quick Test Professional 9.2 Software*

[HP0-M18](#) *HP LoadRunner Software*

[HP0-M19](#) *HP Virtual User Generator Software*

[HP0-Y19](#) *ProCurve Accelerated ASE Mobility*

[HP0-Y20](#) *ProCurve Adaptive EDGE Fundamentals*

[HP0-A01](#) *HP-UX 11i v3 System Administration*

[HP0-X02](#) *Designing &Implementing HP Enterprise Backup Solutions*

[HP0-063](#) *LF PROFESSIONAL COLOR WORKFLOW MANAGEMENT*

[HP0-S19](#) *Integrating and Managing HP ProLiant ML/DL in the Enterprise*

[HP0-J24](#) *Designing and Implementing HP Enterprise Backup Solutions*

[HP0-M22](#) *Implementing HP Service Manager Software*

[HP0-Y11](#) *ProCurve Security 7.31*

[HP0-S01](#) *HP AssetCenter v5 x Software Exam*

[HP0-S17](#) *Integrating and Managing HP BladeSystem in the Enterprise*

[HP0-058](#) *Configuration &Management of HP Integrity Mid-Range Servers*

[HP0-P10](#) *HP Integrity Server Multi-OS Installation &Deployment*

[HP0-P17](#) *HP-UX 11i v3 Security Administration*

[HP0-A22](#) *NonStop Systems and Technologies*

### **Other HP Exams**

[HP0-241](#)   [HP0-660](#)   [HP0-864](#)   [HP0-171](#)   [HP0-Y13](#)   [HP0-M20](#)   [HP0-J25](#)   [HP0-173](#)

[HP0-914](#)   [HP0-K02](#)   [HP0-273](#)   [HP0-710](#)   [HP0-M17](#)   [HP0-083](#)   [HP0-P19](#)   [HP0-Y20](#)

[HP0-052](#)   [HP0-S21](#)   [HP0-T01](#)   [HP0-J11](#)