

HP0-752 braindumps

HP HP MASTER ASE

HP0-752: ProCurve Mobility

Practice Exam: HP0-752 Exams

Exam Number/Code: HP0-752

Exam Name: ProCurve Mobility

Questions and Answers: 129 Q&As

([HP MASTER ASE](#))



"ProCurve Mobility", also known as HP0-752 exam, is a HP certification.

Exam : [HP0-752](#)

With the complete collection of exam questions, Just4Study has assembled to take you through 129 Q&As to your HP0-752 exam preparation. In the HP0-752 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP HP MASTER ASE HP0-752 (ProCurve Mobility) examination of original title complete coverage. HP0-752 exam questions help you pass the exam.

Just4Study HP0-752 Feature:

* High quality - High quality and valued for the HP0-752 Exam: 100% Guarantee to Pass Your HP0-752 exam and get your HP MASTER ASE certification.

* Authoritative - Authoritative braindumps with complete details about HP0-752 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed HP MASTER ASE resources, you will minimize your **HP HP MASTER ASE** cost and be ready to pass your HP0-752 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free HP MASTER ASE demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-752 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free HP0-752 Demo Download

Just4Study offers free demo for HP MASTER ASE HP0-752 exam (ProCurve Mobility). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP HP MASTER ASE HP0-752** examination of original title complete coverage. HP0-752 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: HP0-752

Exam Name: ProCurve Mobility(HP MASTER ASE)

Questions and Answers: 129 Q&A

[HP HP0-752](#) Test belongs to one of the HP MASTER ASE certified test, if needs to obtain the HP MASTER ASE

certificate, you also need to participate in other related test, the details you may visit the [HP MASTER ASE](#) certified topic, in there, you will see all related HP MASTER ASE certified subject of examination.

Just4Study professional provide HP MASTER ASE HP0-752 the newest Q&A, completely covers HP0-752 test original topic. With our complete HP MASTER ASE resources, you will minimize your HP MASTER ASE cost and be ready to pass your HP0-752 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-752

Title : ProCurve Mobility

1. Which steps should you take during a site survey to test the coverage provided by access points (APs) or Radio Ports (RPs)? (Select two.)

- A. Analyze the signal to noise ratio (SNR) at different hours of operation.
- B. Set up wireless bridges between the APs to ensure that they can reach each other.
- C. Configure encryption keys and attempt to crack them using readily-available software.
- D. Look for areas of overlap between nearby cells and set overlapping cells to different channels.
- E. Compare the coverage provided by an RP 210 and an RP 230, and decide between the products.

Answer: AD

2. Your company is setting up a wireless network using a ProCurve Access Point (AP) 4 Users throughout the building complain that they cannot see the name for your wireless network in their wireless client utilities. You ping the AP 420 and receive a response. What might be the problem? (Select two.)

- A. The AP's country code has not been set.
- B. The AP has failed to boot.
- C. The AP uses a different security option than the users' stations do.
- D. The AP operates in open system, but users' stations operate in closed system.
- E. The AP's radio has been dedicated to AP detection.

Answer: AE

3. Click the Exhibit button.

The ProCurve Radio Port (RP) shown in the exhibit has not been adopted by the Wireless Edge Services xl Module. What could be the reason?

- A. The Wireless Edge Services xl Module runs rogue AP detection.
- B. The switch port that connects to the RP enforces 802.1X authentication.
- C. The switch port that connects to the RP should be tagged for VLAN 2100.
- D. The Wireless Module's internal uplink port should be untagged for VLAN 2100.

Answer: B

4. Which ProCurve Wireless LAN System feature protects your company if a Radio Port (RP) fails?

- A. redundancy group
- B. network self-healing
- C. interference avoidance
- D. radio frequency (RF) patching

Answer: B

5. Which type of message does a Radio Port (RP) transmit so that a ProCurve Wireless Edge Services xl Module can detect it on the network?

- A. Inter-Access Point Protocol (IAPP)
- B. Address Resolution Protocol (ARP)
- C. Link Layer Discovery Protocol (LLDP)
- D. Internet Control Message Protocol (ICMP)

Answer: C

6. Which statements describe 802.11a? (Select two.)

- A. It interferes with 802.11b/g.
- B. It requires support for 802.11h in Europe.
- C. It experiences interference from microwaves.
- D. It has higher data rates than 802.11b.
- E. It was the first adopted and most widely used standard.

Answer: BD

7. When configuring a Wireless LAN (WLAN) on the ProCurve Wireless Edge Services xl Module, you can use Normal mode or Advanced mode. Why would you use Advanced mode, rather than Normal mode?

- A. You want to configure 16 WLANs.
- B. You want to customize the transmit power for only one RP.
- C. You want one WLAN to be supported on only one of the RPs.
- D. You want the adopted Radio Ports (RPs) to beacon a WLAN that has an index number of 4.

Answer: C

8. You configure two access points (APs) to support a single wireless LAN (WLAN). One station associates with one AP, and one station associates with the other AP. What do the two stations have in common?

- A. wireless cell
- B. service set identifier (SSID)
- C. basic service set identifier (BSSID)
- D. independent basic service set identifier (IBSSID)

Answer: B

9. Which virtual LAN (VLAN) or VLANs are automatically created on the wireless services-enabled switch if auto-provisioning is enabled?

- A. Radio Port VLAN
- B. the VLAN assigned to WLAN 1
- C. any dynamic VLAN assigned to wireless users
- D. any VLAN created on the Wireless Edge Services xl Module

Answer: A

10. What is one reason to choose ProCurve's Wireless LAN System over its standalone AP solution?

- A. Your network requires many wireless devices that are managed from a central location.
- B. You need your wireless network solution to provide RADIUS services.
- C. Your network requires Layer 3 roaming and advanced authentication options.
- D. You want to manage your wireless network using ProCurve Manager (PCM) Plus.

Answer: A

11. A company installs the ProCurve Wireless LAN System and requires two Radio Ports (RPs) for the cafeteria. One RP must be installed outside and one RP must be installed inside. Both RPs must support 802.11a, b, and g. Which RPs should the company purchase?

- A. two RP 210s
- B. one RP 220 and one RP 230
- C. one RP 220 and one RP 210
- D. one RP 230 and one RP 210

Answer: B

12. In which mode does the ProCurve Access Point (AP) 420 operate?

- A. mixed-cell mode
- B. in-cell relay mode
- C. peer-to-peer mode
- D. infrastructure mode

Answer: D

13. When does supplemental authentication occur?

- A. after both the open-key 802.11 authentication and the 802.11 association are completed successfully
- B. after both the shared-key 802.11 authentication and the 802.11 association are completed successfully
- C. after the open-key 802.11 authentication is completed successfully but before the 802.11 association process begins
- D. after the shared-key 802.11 authentication is completed successfully but before the 802.11 association process begins

Answer: A

14. Which statement describes a ProCurve Radio Port (RP)?

- A. If you change an RP's configuration, you must always reload the RP before that configuration can take effect.
- B. When the RP receives a wireless frame, it removes the 802.11 header and replaces it with an Ethernet header.
- C. When the RP receives wireless traffic from stations, it encapsulates that traffic before sending it to the Wireless Edge Services xl Module.
- D. After receiving a configuration from the Wireless Edge Services xl Module, the RP saves that configuration to its internal flash.

Answer: C

15. Click the Exhibit button.

Which channel should you select for the cell with the question mark?

- A. 4
- B. 6
- C. 8
- D. 10
- E. 12

Answer: B

16. Ten stations are associated to a ProCurve Access Point (AP) 530 radio, and all are downloading data. Each station is operating at the 54 Mbps data rate. What average throughput can any individual user most realistically expect?

- A. 2 Mbps
- B. 6 Mbps
- C. 27 Mbps
- D. 54 Mbps

Answer: A

17. Which statement describes a closed system?

- A. In a closed system, the wireless network name is encrypted in the 802.11 header.
- B. In a closed system, the wireless network name cannot be detected in any 802.11 frames.
- C. In a closed system, the wireless network name is not advertised in the 802.11 beacon frame.
- D. In a closed system, the wireless network name is not included in the header of any 802.11 frames.

Answer: C

18. You connect a Radio Port (RP) to a ProCurve Switch 2600-PWR Series, which is connected to a wireless services-enabled switch. On the 2600-PWR Switch, port 5 connects to the RP, and port 1 connects to the wireless

services-enabled switch. The 2600-PWR Switch is sending traffic from other VLANs to the wireless services-enabled switch. Which commands must you enter on the 2600-PWR Switch to enable the Wireless Module to detect the RP? (Select two.)

- A. vlan 2100 tagged 1
- B. vlan 2100 tagged 5
- C. vlan 2100 untagged 5
- D. vlan 2100 untagged 1
- E. autoprovisioning enable

Answer: AC

19. ProCurve Mobility Infrastructure Solutions help you meet the challenges posed by a wireless network (as compared to a traditional wired network). What is one of these challenges?

- A. 802.11 standards do not provide any guidelines for Layer 2 roaming.
- B. Studies have found that users tend to be less productive when they have mobile access to a network.
- C. Multiple users connect to the network through the same access point (AP), but access must be customized for each user.
- D. 802.11 standards do not provide any encryption, so you must create virtual private network (VPN) tunnels to each end station.

Answer: C

20. For which scenario might you recommend the use of 802.11 pure-g mode?

- A. a public wireless network for customers and contractors
- B. an environment with potential interference from military radar
- C. a controlled environment with the latest high-tech equipment
- D. a wireless network that carries sensitive financial information

Answer: C

[HP0-752 Braindumps](#)

Related HP0-752 Exams

[HP0-729](#) *ProCurve Secure Mobility Solutions6.41*

[HP0-728](#) *Replication Solutions for the HP StorageWorks EVA*

[HP0-752](#) *ProCurve Mobility*

Other HP Exams

HP0-A21	HP0-J15	HP0-914	HP0-072	HP0-A08	HP0-683	HP0-490	HP0-236
HP0-891	HP0-784	HP0-429	HP0-273	HP0-729	HP0-M20	HP0-775	HP0-216
HP0-095	HP0-286	HP0-S23	HP0-794				