

## HP0-785 braindumps

### HP Certification I

**HP0-785: NonStop Hardware Install, Maintain, Upgrade**

**Practice Exam:** HP0-785 Exams

**Exam Number/Code:** HP0-785

**Exam Name:** NonStop Hardware Install, Maintain, Upgrade

**Questions and Answers:** 156 Q&As

( [Certification I](#) )



Exam : [HP0-785](#)

"NonStop Hardware Install, Maintain, Upgrade", also known as HP0-785 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 156 Q&As to your HP0-785 exam preparation. In the HP0-785 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP Certification I HP0-785 (NonStop Hardware Install, Maintain, Upgrade) examination of original title complete coverage. HP0-785 exam questions help you pass the exam.

#### **Just4Study HP0-785 Feature:**

\* High quality - High quality and valued for the HP0-785 Exam: 100% Guarantee to Pass Your HP0-785 exam and get your Certification I certification.

\* Authoritative - Authoritative braindumps with complete details about HP0-785 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Certification I resources, you will minimize your **HP Certification I** cost and be ready to pass your HP0-785 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Certification I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-785 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free HP0-785 Demo Download**

Just4Study offers free demo for Certification I HP0-785 exam (NonStop Hardware Install, Maintain, Upgrade). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP Certification I HP0-785** examination of original title complete coverage. HP0-785 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: HP0-785**

Exam Name: NonStop Hardware Install, Maintain, Upgrade( Certification I )

Questions and Answers: 156 Q&A

**HP HP0-785** Test belongs to one of the Certification I certified test, if needs to obtain the Certification I certificate, you also need to participate in other related test, the details you may visit the [Certification I](#) certified topic, in there, you will see all related Certification I certified subject of examination.

Just4Study professional provide Certification I HP0-785 the newest Q&A, completely covers HP0-785 test original topic. With our complete Certification I resources, you will minimize your Certification I cost and be ready to pass your HP0-785 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

**Just4Study.com** offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-785

Title : NonStop Hardware Install, Maintain, Upgrade

1. What is used to configure MSP users?

- A. TSM service connection
- B. ADDUSER command
- C. TSM low level link
- D. SP tool

Answer: C

2. Which SCF command assigns IP addresses to each path of a CLIP on a SWAN concentrator?

- A. add path \$SW03.1.A, IPADDRESS 192.168.5.100  
add path \$SW03.1.B, IPADDRESS 192.168.5.101
- B. add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100  
add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.7.100
- C. add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100  
add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.5.101
- D. add path \$SW03.1.A, IPADDRESS 192.168.5.100  
add path \$SW03.1.B, IPADDRESS 192.168.7.100

Answer: B

3. Which SCF command changes the speed of a TRSA from 4Mbps to 16Mbps?

- A. alter ADAPTER,T0153,speed 16
- B. alter PIF,T0153.0.A,speed 16
- C. alter ADAPTER,T0153,ringspeed 16
- D. alter PIF,T0153.0.A,ringspeed 16

Answer: D

4. Which SCF command makes a TRSA participate on the ring as a monitor?

- A. alter PIF T2153.0.A,monitor on
- B. alter ADAPTER T2153.0.A,monitor on
- C. alter PIF T2153.0.A, activemonitor on
- D. alter ADAPTER T2153.0.A, activemonitor on

Answer: C

5. Which SCF command adds a ServerNet/FX adapter to the Y ring?

- A. add adapter \$ZZFOX.#Y, location (1,1,53), clusternum 5
- B. add LBU \$ZZFOX.#Y, location (1,1,54), clusternum 5
- C. add LBU \$ZZFOX.#Y, location (1,1,53), clusternum 5

D. add adapter \$ZZFOX.#Y, location (1,1,54), clusternum 5

Answer: B

6. Which SCF command changes the alternate name of a disk drive?

A. rename disk \$data,label \$data5

B. alter disk \$data,altname \$data5

C. alter disk \$data,label \$data5

D. rename disk \$data,altname \$data5

Answer: B

7. Which command adds the ATM subsystem manager?

A. TACL> ATMASM/, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZKRN.#ZZATM, program \$system.system.ATMASM, startmode kernel/

B. SCF add process \$ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel

C. TACL> ATMASM/autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel/

D. SCF add process \$ZZKRN.#ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel

Answer: D

8. Which file must be edited with TCP/IP information when connecting a TSM workstation to a public LAN?

A. c:zservicetsm.ini

B. \$system.zservice.tsmini

C. c:zsupporttsm.ini

D. \$system.zsupport.tsmini

Answer: B

9. Which SCF command adds the FOX monitor process?

A. add process \$ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

B. add process \$ZZWAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

C. add process \$ZZLAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

D. add process \$ZZKRN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

Answer: D

10. The SP tool has identified a faulty X fabric cable between enclosure 1 and enclosure 3. Which connector on the SEB in enclosure 1 is affected?

A. 1

B. 2

C. 3

D. 4

Answer: B

11. Which components must be configured and started on the customer's TSM console for the GCSC to dial-in?

A. Carbon Copy and low level link

B. Carbon Copy and RAS

C. notification director and RAS

D. notification director and Carbon Copy

Answer: B

12. When installing a NonStop Kernel release, which document determines relevant IPMs?

- A. SPML document
- B. IPM README file list
- C. IPM installation document
- D. recommended IPM list

Answer: D

13. Which SCF command adds a X.25 line to a SWAN concentrator?

- A. add line \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, resize 32767, adapter SW01,clip 2, line 0, startdown
- B. add line \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, resize 32767, adapter SW01,clip 2, line 0, startdown
- C. add device \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, resize 32767, adapter SW01,clip 2, line 0, startdown
- D. add device \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, resize 32767, adapter SW01,clip 2, line 0, startdown

Answer: C

14. Which tool changes the system topology from Tetra 8 to Tetra 16?

- A. SP tool
- B. TSM service connection
- C. SCF alter topology
- D. TSM low level link

Answer: D

15. Which SCF command changes the interval between loss of AC power and a power fail condition to 40 seconds?

- A. ALTER PROCESS \$ZZKRN, POWERFAIL\_DELAY\_TIME 40
- B. ALTER PROCESS \$ZZKRN, SYSTEM\_RIDE\_THROUGH 40
- C. ALTER SUBSYS \$ZZKRN, POWERFAIL\_DELAY\_TIME 40
- D. ALTER SUBSYS \$ZZKRN, SYSTEM\_RIDE\_THROUGH 40

Answer: C

16. Which TSM tool locates TSM ALARM details?

- A. SP tool
- B. low level link
- C. inventory tool
- D. service connection

Answer: D

17. Which SCF command adds and configures the SANMAN process?

- A. add process \$ZZWAN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- B. add process \$ZZKRN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- C. add process \$ZZFOX.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- D. add process \$ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,startmode system

Answer: B

18. Which SCF command changes the node name to MEXICO?

- A. alter process \$zexp,system\_name mexico

- B. alter subsys \$zzkm, system\_name mexico
- C. alter process \$zzkrn, system\_name mexico
- D. alter subsys \$zzwan, system\_name mexico

Answer: B

19. Which SCF command enables automatic configuration and starting of disk drives?

- A. alter device \$zzsto, autoconfig on, autostart on
- B. alter config \$zzsto, autoconfig on, autostart on
- C. alter process \$zzsto, autoconfig on, autoconfig on, autostart on
- D. alter subsys \$zzsto, autoconfig on, autostart on

Answer: D

20. Which devices are replaceable using the guided replacement toolkit? Select TWO.

- A. PMCU
- B. PWRCRU
- C. FESA
- D. CCSA
- E. SNDA

Answer: BE

### [HP0-785 Braindumps](#)

#### Related HP0-785 Exams

[HP0-M15](#) HP Quality Center 9.2 Software

[HP0-S18](#) Implementing HP ProLiant ML/DL Servers

[HP0-M16](#) HP Quick Test Professional 9.2 Software

[HP0-M18](#) HP LoadRunner Software

[HP0-M19](#) HP Virtual User Generator Software

[HP0-Y19](#) ProCurve Accelerated ASE Mobility

[HP0-Y20](#) ProCurve Adaptive EDGE Fundamentals

[HP0-A01](#) HP-UX 11i v3 System Administration

[HP0-X02](#) Designing & Implementing HP Enterprise Backup Solutions

[HP0-063](#) LF PROFESSIONAL COLOR WORKFLOW MANAGEMENT

[HP0-S19](#) Integrating and Managing HP ProLiant ML/DL in the Enterprise

[HP0-J24](#) Designing and Implementing HP Enterprise Backup Solutions

[HP0-M22](#) Implementing HP Service Manager Software

[HP0-Y11](#) ProCurve Security 7.31

[HP0-S01](#) HP AssetCenter v5 x Software Exam

[HP0-S17](#) Integrating and Managing HP BladeSystem in the Enterprise

[HP0-058](#) Configuration & Management of HP Integrity Mid-Range Servers

[HP0-P10](#) HP Integrity Server Multi-OS Installation & Deployment

[HP0-P17](#) HP-UX 11i v3 Security Administration

[HP0-A22](#) NonStop Systems and Technologies

#### Other HP Exams

<a href="#">HP0-802</a>	<a href="#">HP0-J14</a>	<a href="#">HP0-093</a>	<a href="#">HP0-427</a>	<a href="#">HP0-210</a>	<a href="#">HP0-087</a>	<a href="#">HP0-K02</a>	<a href="#">HP0-A01</a>
<a href="#">HP0-Y20</a>	<a href="#">HP0-Y22</a>	<a href="#">HP0-733</a>	<a href="#">HP0-M29</a>	<a href="#">HP0-239</a>	<a href="#">HP0-762</a>	<a href="#">HP0-P19</a>	<a href="#">HP0-S18</a>
<a href="#">HP0-A22</a>	<a href="#">HP0-276</a>	<a href="#">HP0-T01</a>	<a href="#">HP0-460</a>				

