

## HP0-790 braindumps

### HP HP ASE

#### HP0-790: HP ProCurve Routing Switch Essentials v5.21

**Practice Exam:** HP0-790 Exams

**Exam Number/Code:** HP0-790

**Exam Name:** HP ProCurve Routing Switch Essentials v5.21

**Questions and Answers:** 57 Q&As

( [HP ASE](#) )



Exam : [HP0-790](#)

"HP ProCurve Routing Switch Essentials v5.21", also known as HP0-790 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 57 Q&As to your HP0-790 exam preparation. In the HP0-790 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP HP ASE HP0-790 (HP ProCurve Routing Switch Essentials v5.21) examination of original title complete coverage. HP0-790 exam questions help you pass the exam.

#### **Just4Study HP0-790 Feature:**

\* High quality - High quality and valued for the HP0-790 Exam: 100% Guarantee to Pass Your HP0-790 exam and get your HP ASE certification.

\* Authoritative - Authoritative braindumps with complete details about HP0-790 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed HP ASE resources, you will minimize your **HP HP ASE** cost and be ready to pass your HP0-790 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free HP ASE demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-790 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free HP0-790 Demo Download**

Just4Study offers free demo for HP ASE HP0-790 exam (HP ProCurve Routing Switch Essentials v5.21). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP HP ASE HP0-790** examination of original title complete coverage. HP0-790 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

#### **VUE/Prometric Code: HP0-790**

Exam Name: HP ProCurve Routing Switch Essentials v5.21( HP ASE )

Questions and Answers: 57 Q&A

[HP HP0-790](#) Test belongs to one of the HP ASE certified test, if needs to obtain the HP ASE certificate, you also need to participate in other related test, the details you may visit the [HP ASE](#) certified topic, in there, you will see all related HP ASE certified subject of examination.

Just4Study professional provide HP ASE HP0-790 the newest Q&A, completely covers HP0-790 test original topic.

With our complete HP ASE resources, you will minimize your HP ASE cost and be ready to pass your HP0-790 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-790

Title : HP ProCurve Routing Switch Essentials

1. On the ProCurve Routing Switch 9300m, which step is necessary to enable the logging of system events related to ACL matching?

- A. Enable ACL logging in the global configuration context.
- B. Enable ACL logging in the configuration context for a named ACL.
- C. Use the log parameter in the statement that creates an ACL entry.
- D. Use the log parameter in the statement that binds an ACL to an interface.

Answer: C

2. A customer network includes a ProCurve Routing Switch 9300m and several 5300xl switches. If the 5300s are configured at default, which protocol must be enabled on the 9300m in order for all the switches to participate in a single Spanning Tree domain?

- A. IEEE 802.1X
- B. IEEE 802.1Q
- C. IEEE 802.1s
- D. IEEE 802.1w

Answer: D

3. On the ProCurve Routing Switch 9300m, what is a difference between hardware-based ACLs and flow-based ACLs?

- A. Hardware-based ACLs must be extended ACLs. Flow-based ACLs can be extended or standard.
- B. Hardware-based ACLs use the route table in the management module to perform lookups. Flow-based ACLs use the interface module's session table.
- C. Packets subject to flow-based ACLs are compared with session table entries. Packets subject to hardware-based ACLs are compared with CAM entries.
- D. The application of hardware-based ACLs results in static CAM entries. CAM entries for flow-based ACLs are created as needed and aged out when not needed.

Answer: D

4. What is the effect of the following ACL when it is applied inbound to a router interface? access-list 101 permit tcp any any eq telnet

- A. The router will allow all Telnet traffic sent through this interface. Other traffic will be denied.
- B. The router will allow all Telnet traffic received through this interface. Other traffic will be denied.
- C. The router will deny all Telnet traffic sent through this interface. All other traffic will be permitted.
- D. The router will allow all Telnet traffic sent or received on this interface. Other traffic will be denied.

Answer: B

5. You must issue the dual-mode command for port 1 in slot 4 on a ProCurve Routing Switch 9304m provisioned with two eight-port management modules and two 16-port 100/1000 modules. Which command will place you in the correct context?

- A. 9304m(config)#int e 4/1
- B. 9304m(config)#int e d1
- C. 9304m(config)#int e 33
- D. 9304m(config)#int e 1/4

Answer: A

6. Why are extended ACLs more appropriate for traffic-filtering applications than standard ACLs?

- A. Extended ACLs use simpler syntax.
- B. Extended ACLs use bandwidth more efficiently.
- C. Extended ACLs support more matching criteria.
- D. Extended ACLs are easier to deploy on multiple switches.

Answer: C

7. Which step is necessary to enable administrators to use the web interface to make configuration changes on a ProCurve Routing Switch 9300m?

- A. Configure local user accounts.
- B. Assign a password to the system-defined super user.
- C. Configure SNMP management workstations at the CLI.
- D. Define a read/write SNMP community.

Answer: D

8. The administrator of a ProCurve Routing Switch 9300m enters spanning-tree in the global configuration context. Which Spanning Tree topology is enabled on the switch?

- A. Single-instance Spanning Tree
- B. Rapid Spanning Tree
- C. Extended Spanning Tree
- D. Per-VLAN Spanning Tree

Answer: D

9. You must configure a ProCurve Routing Switch 9300m that has two management modules and is set to factory defaults. You will use a direct serial connection to perform the initial configuration. To which management module should you connect?

- A. The module with the Active LED lit.
- B. The module in the highest numbered slot.
- C. Either management module can be used.
- D. The module with the lowest MAC address.

Answer: A

10. The global context in the running configuration of a ProCurve Routing Switch 9300m includes the spanning-tree single 802-1w command. However, each of the VLAN contexts includes the spanning-tree command. How will the switch implement Spanning Tree?

- A. The switch will implement the Spanning Tree version included in BPDUs it receives from neighbors.
- B. The switch will implement a single instance of IEEE 802.1w.
- C. The switch will not join a Spanning Tree because of the mismatch between configured versions.
- D. The switch will implement per-VLAN IEEE 802.1D and ignore the global configuration command.

Answer: B

11. You must set 802.1w Bridge Priorities for a ProCurve Routing Switch 9300m and a Switch 5300xl. What is a

difference between the Bridge Priority settings on these two models?

- A. On the 9300m, the Bridge Priority is set at actual value. The 5300xl uses a multiplier.
- B. The 9300m supports 4096 Bridge Priority values. The 5300xl supports 16.
- C. On the 5300xl, 0 is the lowest Bridge Priority. On the 9300m, 0 is the normal priority.
- D. The 5300xl supports a separate Bridge Priority for each STP instance. On the 9300m, a single priority is applied to all STP instances.

Answer: A

12. How are changes to the running configuration of a ProCurve Routing Switch 9300m retained?

- A. immediately written to dynamic memory
- B. written to dynamic memory when the administrator issues the write memory command
- C. immediately written to flash memory
- D. written to non-volatile memory when the switch is restarted

Answer: A

13. How can you apply four ACL entries to a single interface on a 9300m?

- A. Assign the same ACL ID to each of the four entries and use a single statement to associate the common ACL ID with the interface.
- B. Assign a unique ACL ID to each of the four entries and use a single command to associate the four IDs with the interface.
- C. Assign a unique ACL ID to each of the four entries and use a separate statement to associate each ACL ID with the interface.
- D. Each interface can support only one inbound ACL entry and one outbound ACL entry.

Answer: A

14. What is the size of the address range specified in the following ACL entry? access-list 1 permit 192.168.192.0 0.0.1.255?

- A. 256 addresses
- B. 512 addresses
- C. 1,024 addresses
- D. 65,536 addresses
- E. 16,777,216 addresses

Answer: B

15. What is a valid application for ACLs on the ProCurve Routing Switch 9300m?

- A. balancing traffic across redundant links
- B. defining address pools to be used in NAT
- C. summarizing routes learned through OSPF
- D. choosing between equal-cost paths in the IP route table

Answer: B

### [HP0-790 Braindumps](#)

#### **Related HP0-790 Exams**

[HP0-S21](#) *Integrating and Managing HP BladeSystem in the Enterprise*

[HP0-Y22](#) *Implementing HP ProCurve MultiService*

[HP2-K14](#) *Supporting HP ProLiant Storage Server Workgroup Products*

[HP0-J14](#) *HP StorageWorks ASE 2008 Delta Exam*

[HP0-790](#) *HP ProCurve Routing Switch Essentials v5.21*

[HP0-725](#) *Enterprise Integration and Management of HP ProLiant Servers*

**Other HP Exams**

<u>HP0-064</u>	<u>HP2-037</u>	<u>HP0-449</u>	<u>HP0-082</u>	<u>HP0-764</u>	<u>HP0-M15</u>	<u>HP0-725</u>	<u>HP0-M26</u>
<u>HP0-500</u>	<u>HP0-277</u>	<u>HP2-027</u>	<u>HP0-J17</u>	<u>HP0-A25</u>	<u>HP0-J22</u>	<u>HP0-197</u>	<u>HP0-195</u>
<u>HP0-M19</u>	<u>HP0-Y11</u>	<u>HP0-P16</u>	<u>HP0-M25</u>				