

HP0-914 braindumps

HP HP CSA

HP0-914: HP-UX High Availability

Practice Exam: HP0-914 Exams

Exam Number/Code: HP0-914

Exam Name: HP-UX High Availability

Questions and Answers: 149 Q&As

([HP CSA](#))



Exam : [HP0-914](#)

"HP-UX High Availability", also known as HP0-914 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 149 Q&As to your HP0-914 exam preparation. In the HP0-914 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP HP CSA HP0-914 (HP-UX High Availability) examination of original title complete coverage. HP0-914 exam questions help you pass the exam.

Just4Study HP0-914 Feature:

* High quality - High quality and valued for the HP0-914 Exam: 100% Guarantee to Pass Your HP0-914 exam and get your HP CSA certification.

* Authoritative - Authoritative braindumps with complete details about HP0-914 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed HP CSA resources, you will minimize your **HP HP CSA** cost and be ready to pass your HP0-914 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free HP CSA demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-914 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free HP0-914 Demo Download

Just4Study offers free demo for HP CSA HP0-914 exam (HP-UX High Availability). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP HP CSA HP0-914** examination of original title complete coverage. HP0-914 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: HP0-914

Exam Name: HP-UX High Availability(HP CSA)

Questions and Answers: 149 Q&A

[HP HP0-914](#) Test belongs to one of the HP CSA certified test, if needs to obtain the HP CSA certificate, you also

need to participate in other related test, the details you may visit the [HP CSA](#) certified topic, in there, you will see all related HP CSA certified subject of examination.

Just4Study professional provide HP CSA HP0-914 the newest Q&A, completely covers HP0-914 test original topic.

With our complete HP CSA resources, you will minimize your HP CSA cost and be ready to pass your HP0-914 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-914

Title : HP-UX High Availability

1. Which statements are true for a server running Quorum service? (Select three.)

- A. It cannot be used for any other purpose.
- B. It can be a Red Hat or SuSE Linux system.
- C. It can be a Microsoft Windows 2003 system.
- D. It can be an HP 9000 System running HP-UX 11.x.
- E. There cannot be a Serviceguard package on the Quorum server.
- F. It should reside outside the cluster for which it provides the service.

Answer: BDF

2. What are the advantages for a customer using Serviceguard in an HA environment? (Select two.)

- A. Application database corruptions will be minimized.
- B. An upgrade of the operating system will only require a package switch.
- C. A power outage in the customer's computer room will not affect the users.
- D. Rolling upgrades of the application can be performed in a Serviceguard environment.
- E. A failure in a redundant power supply will only cause a package switch to the adoptive node.

Answer: BD

3. What is the main feature of OLAR?

- A. the ability to replace a cell board on an HP-UX system that supports OLAR
- B. the ability to repair a PCI I/O card on an HP-UX system that supports OLAR
- C. the ability to online replace a PCI I/O card on an HP-UX system that supports OLAR
- D. the ability to online replace an HP-UX system that supports OLAR while it is configured in a Serviceguard cluster

Answer: C

4. In the context of high availability, which phrase describes Mean Time Between Failure (MTBF)?

- A. the amount of time to restart a failed service
- B. the amount of time to restart a service after a failure
- C. the amount of time a system can provide service without failure
- D. the amount of time between stopping and starting a service after a failure

Answer: C

5. Which statements are true regarding Serviceguard? (Select two.)

- A. There are two high-level user access roles available; root and non-root.
- B. Setting up the `/.rhosts` file is required to install and configure Serviceguard and cluster nodes.
- C. Setting up the file `cmclnodelist` is recommended to configure or add Serviceguard cluster nodes.
- D. The `cmclnodelist` is used permanently in a Serviceguard cluster to authorize communication between cluster nodes.

Answer: AC

6. Which components are NOT considered single points of failure within a single HP-UX server? (Select two.)

- A. CPUs
- B. FC HBAs
- C. backplane
- D. LAN interfaces
- E. memory DIMMs
- F. mirrored root disks
- G. redundant power supply

Answer: FG

7. In a two node HA cluster, two identical servers (same CPU, memory, and I/O card configurations) are designed to host the database tier of a 3-tier application. They are connected to a large external disk array through two fibre channel links. Under normal operations the production database is hosted on server A and a batch reporting tool is hosted on server B. What are the best-practice remedies for slow performance of the production database during non-failure operation? (There are three correct answers. Select any two.)

- A. Implement PVlinks on both servers.
- B. Activate available iCAP CPUs on server A.
- C. Use I/O load balancing software with dynamic multipathing.
- D. Terminate batch reporting on server B to reduce disk array load.
- E. Terminate gWLM and Perview middleware to free up additional CPU.

Answer: ABCDE

8. Serviceguard allows a choice of volume managers for data storage. Which volume managers are supported by Serviceguard. (Select three.)

- A. JFS (Journal File System)
- B. CFS (Cluster File System)
- C. LVM (Logical Volume Manager)
- D. SVM (Shared Volume Manager)
- E. CVM (Cluster Volume Manager)
- F. VxVM (Veritas Volume Manager)

Answer: CEF

9. In a two node cluster, two identical servers (same CPU, memory, and I/O card configurations) are designed to host the application and database servers of a 3-tier application. Under normal operations the database is hosted on server A and the application server is hosted on server B; server A will load at 50% of capacity and server B will load at 75% of capacity. What is likely to occur in the event of a single server failure, after both applications have migrated to the surviving node?

- A. Both applications run in degraded mode.
- B. The application server runs in degraded mode.
- C. Nothing; both applications will perform as usual.
- D. The database application runs in degraded mode.

Answer: A

10. Which components are the minimum required to implement a Metrocluster solution for two data centers with XP arrays? (Select three.)

- A. a Quorum server residing in one of the data centers
- B. configuration of Business Copies (BCs) on each XP
- C. physical data replication links between XP storage arrays
- D. configuration of LVM mirroring between the two XP arrays
- E. redundant network connection between the two data centers
- F. a standard Serviceguard installation on all potential cluster nodes

Answer: CEF

11. In a Serviceguard CFS cluster, which statement is true in regards to disk I/O?

- A. Only the CFS primary can update the mirrored data.
- B. All CFS secondaries can write user data directly to disk.
- C. Only the CFS primary can write user data directly to disk.
- D. All CFS secondaries read data via the cluster interconnect.

Answer: B

12. Which statements are correct regarding a Serviceguard cluster with SGeRAC and Oracle RAC? (Select two.)

- A. If CFS is used then RAW devices are not allowed.
- B. Each Oracle instance must have its own unique database.
- C. The shared disk devices can be a SLVM RAW device or a CFS.
- D. SGeRAC cannot be configured together with Cluster File System (CFS).
- E. You can have more than one Oracle instance accessing the same database at the same time.

Answer: CE

13. What are the advantages of RAC cluster? (Select three.)

- A. user scalability
- B. hardware scalability
- C. application scalability
- D. larger database size
- E. better database security
- F. operating system scalability
- G. shorter package failover time

Answer: BCF

14. Which statements are true regarding High Availability (HA)? (Select three.)

- A. HA can be implemented just by purchasing expensive hardware.
- B. HA is a technical high-performance environment that does not consider business needs.
- C. Downtime is any amount of time when the application is unavailable (planned or unplanned).
- D. HA systems provide a disaster recovery solution to recover from the loss of an entire data center.
- E. HA is a combination of environmental, process, software and computing hardware enhancements that are made to maximize the time that the application and system are available.
- F. Highly available systems typically contain data redundancy through mirroring or RAID, some kind of backup system hardware, a UPS for power outage protection, and multiple LANs.

Answer: CEF

15. Which statement is true regarding Metrocluster?

- A. Metrocluster is actually two clusters with manual failover from one cluster to another.
- B. Metrocluster is actually two clusters with automatic failover from one cluster to another.
- C. Metrocluster can utilize a Quorum service or arbitrator nodes to prevent split brain syndrome between locations.
- D. Metrocluster is one cluster spread across long geographic distances utilizing dual lock disks to avoid split brain syndrome.

Answer: C

16. A cost sensitive customer wants to utilize Oracle Disk Manager (ODM) for an Oracle single instance database within a Serviceguard cluster. Which HP Serviceguard Storage Management Suite bundles should you recommend?

- A. Bundle 1: HP Serviceguard Storage Management
- B. Bundle 2: HP Serviceguard Storage Management Premium
- C. Bundle 3: HP Serviceguard Storage Management for Oracle
- D. Bundle 4: HP Serviceguard Storage Management for Oracle Premium
- E. Bundle 5: HP Serviceguard Cluster File System

F. Bundle 6: HP Serviceguard Cluster File System for Oracle

G. Bundle 7: HP Serviceguard Cluster File System for RAC

Answer: C

17. What is the purpose of the node interconnect in a Serviceguard cluster with Oracle RAC implementation?

A. Nodes coordinate their online/offline status.

B. Nodes coordinate the status of their hardware.

C. Nodes coordinate the consistency of their Serviceguard cluster membership.

D. Nodes coordinate the consistency of their individual memory resident database buffer pools.

Answer: D

18. Which statements are true in a standard Serviceguard cluster environment? (Select two.)

A. The cluster coordinator node exchanges heartbeat packets with the cluster member nodes.

B. A cluster lock disk ensures that the LVM cluster volume group is activated only on one node.

C. Redundant LAN interfaces can be configured as standby LANs for data and heartbeat traffic.

D. The "vgchange -a e /dev/vg10" command activates the volume group /dev/vg10 in shared mode.

E. The cmclsd process runs on each node to ensure that the LVM cluster volume group is activated in exclusive mode.

Answer: AC

19. When a Serviceguard package fails over in a highly available vPar environment, WLM integrates with Serviceguard and disaster tolerant solutions by doing which process?

A. WLM can move processors from one virtual partition to another.

B. cmclsd can move processors from one virtual partition to another.

C. WLM creates a new vPar to assume the load of the failed partition.

D. cmclsd creates a new vPar to assume the load of the failed partition.

E. WLM can move a Serviceguard package from one virtual partition to another.

Answer: A

20. In the context of high availability, what is the effect of split-brain syndrome?

A. different partitions accessing the same disks without knowledge of each other

B. two sub-clusters initiated from a single cluster without knowledge of each other

C. different applications accessing the same disk without knowledge of each other

D. two clusters initiating an application that accesses the same disk simultaneously

Answer: B

[HP0-914 Braindumps](#)

Related HP0-914 Exams

[HP0-091](#) *HP-UX System Administration*

[HP0-095](#) *HP-UX System Administration*

[HP0-914](#) *HP-UX High Availability*

[HP0-G13](#) *Advanced Remote Client Solutions*

[HP0-094](#) *HP-UX Networking and Security*

[HP0-096](#) *HP-UX Advanced System Administration*

Other HP Exams

[HP0-P16](#)

[HP0-M17](#)

[HP0-S13](#)

[HP0-710](#)

[HP0-664](#)

[HP0-725](#)

[HP2-037](#)

[HP0-648](#)

[HP0-719](#)

[HP0-J24](#)

[HP0-764](#)

[HP2-K09](#)

[HP0-092](#)

[HP0-763](#)

[HP0-Y21](#)

[HP0-075](#)

[HP2-K08](#)

[HP0-Y20](#)

[HP0-780](#)

[HP0-003](#)