

## HP0-Y17 braindumps

### HP Certification I

#### HP0-Y17: ProCurve Secure Mobility Solutions

**Practice Exam:** HP0-Y17 Exams

**Exam Number/Code:** HP0-Y17

**Exam Name:** ProCurve Secure Mobility Solutions

**Questions and Answers:** 128 Q&As

( [Certification I](#) )



"ProCurve Secure Mobility Solutions", also known as HP0-Y17 exam, is a HP certification. With the complete collection of exam questions, Just4Study has assembled to take you through 128 Q&As to your HP0-Y17 exam preparation. In the HP0-Y17 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

Exam : [HP0-Y17](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP Certification I HP0-Y17 (ProCurve Secure Mobility Solutions) examination of original title complete coverage. HP0-Y17 exam questions help you pass the exam.

#### **Just4Study HP0-Y17 Feature:**

\* High quality - High quality and valued for the HP0-Y17 Exam: 100% Guarantee to Pass Your HP0-Y17 exam and get your Certification I certification.

\* Authoritative - Authoritative braindumps with complete details about HP0-Y17 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Certification I resources, you will minimize your **HP Certification I** cost and be ready to pass your HP0-Y17 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free Certification I demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-Y17 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free HP0-Y17 Demo Download**

Just4Study offers free demo for Certification I HP0-Y17 exam (ProCurve Secure Mobility Solutions). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **HP Certification I HP0-Y17** examination of original title complete coverage.HP0-Y17 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

#### **VUE/Prometric Code: HP0-Y17**

Exam Name: ProCurve Secure Mobility Solutions( Certification I )

Questions and Answers: 128 Q&A

[HP HP0-Y17](#) Test belongs to one of the Certification I certified test, if needs to obtain the Certification I certificate, you

also need to participate in other related test, the details you may visit the [Certification I](#) certified topic, in there, you will see all related Certification I certified subject of examination.

Just4Study professional provide Certification I HP0-Y17 the newest Q&A, completely covers HP0-Y17 test original topic. With our complete Certification I resources, you will minimize your Certification I cost and be ready to pass your HP0-Y17 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

*Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.*

Exam : H P HP0-Y17

Title : ProCurve Secure Mobility Solutions

1. You must configure an ACL on a Wireless Edge Services zl Module, and attach the ACL to VLAN 55. This VLAN is associated with the Marketing WLAN on the module and does not exist on any other infrastructure device in the customer network. When will traffic be filtered by this ACL?

- A. when it arrives on VLAN 55 from a wireless client
- B. only when it is forwarded from the module downlink to the module uplink
- C. when it arrives from the wired network and is forwarded to VLAN 55 hosts
- D. when it is routed from VLAN 55 to another VLAN configured on the module

Answer: D

2. When routing is enabled on a Wireless Module, which configuration is necessary on adjacent enterprise routers?

- A. a dynamic routing protocol such as RIP or OSPF
- B. interfaces in all VLANs configured on the Wireless Module
- C. DHCP relay for all VLANs configured on the Wireless Module
- D. static routes to IP networks configured on the Wireless Module

Answer: D

3. At a customer site, you have enabled and activated 802.1X authentication for ports 1-4 on a Switch 3500yl. VLAN membership of the ports is at default settings. Users connecting to the switch will authenticate using Windows IAS and be assigned to VLANs based on policies applied by Identity Driven Manager. You enter the following command:  
3500yl(config)#aaa port-access authenticator ethernet 1-4 unauth-vid 33

What is the VLAN membership of these ports while no clients are connected?

- A. VLAN 1
- B. VLAN 33
- C. VLAN assigned by IDM
- D. VLAN assigned by RADIUS server

Answer: A

4. At a customer site, you have configured a Guest WLAN on a Wireless Edge Services zl Module. The WLAN will use Web-Auth to authenticate Guest users, who will be placed in VLAN 5. What other step is required to enable this configuration?

- A. Enable IP routing for all VLANs configured on the module.
- B. Configure a static route to VLAN 55 on the enterprise's routers.
- C. Configure an IP interface associated with VLAN 55 on the module.
- D. Add the address of the VLAN 55 default gateway to the module's Allowed List.

Answer: C

5. You must configure a Wireless Edge Services zl Module so that clients will be subject to router-based ACLs based

on IP address range. Which module feature enables you to support this strategy?

- A. DHCP relay
- B. Layer 3 mobility
- C. built-in RADIUS server
- D. dynamic VLAN assignment

Answer: D

6. What is the rule governing the number and type of ACLs that can be applied to a VLAN on a Wireless Edge Services z1 Module?

- A. The VLAN can support one IP ACL.
- B. The VLAN can support one IP ACL or one MAC ACL.
- C. The VLAN can support one IP ACL and one MAC ACL.
- D. The VLAN can support all ACLs configured on the module.

Answer: A

7. Which option is provided by the advanced customization feature for Web-Auth pages on the Wireless Edge Services z1 Module?

- A. the ability to customize logos and text on Web-Auth pages
- B. the ability to use Web-Auth pages stored on an external web server
- C. the ability to install and use customized Web-Auth pages on the module
- D. the ability to display different Web-Auth pages for failed and successful authentication

Answer: C

8. Which configuration step will enable a ProCurve Radio Port to obtain the IP address of a Wireless Module during Layer 3 adoption?

- A. Configure DHCP Relay on the Wireless Module.
- B. Define the Wireless Module as a RADIUS client in Windows IAS.
- C. Define Option 189 on the DHCP server for the scope serving the RP.
- D. Configure IP helper on the RP's default gateway to forward requests to the Wireless Module's DHCP server.

Answer: C

9. What is an advantage of implementing Layer 3 routing instead of Layer 2 forwarding on the Wireless Edge Services z1 Module?

- A. It enables termination of user VLANs at the network edge.
- B. It enables wireless users to have different access than wired users.
- C. It enables the application of different security policies for wired and wireless users.
- D. It enables communication between wireless users without using resources of the switch hosting the module.

Answer: A

10. At a customer site, you must configure a Switch 5400z1 and Identity Driven Manager to authenticate Sales users and place them in VLAN 48. Which steps are necessary to complete this configuration? (Select three.)

- A. Configure VLAN 48 on the Switch 5400z1.
- B. Enable 802.1X authentication for all affected switch ports.
- C. Assign all affected switch ports to VLAN 48 as tagged members.
- D. Define VLAN 48 as the unauthorized VID for all affected switch ports.
- E. Add all Sales users to the list of RADIUS clients on the authentication server.
- F. Define an IDM Access Profile and Access Rule associating Sales users with VLAN 48.

Answer: ABF

11. You have configured 802.1X authentication for four ports on a Switch 2600-8-PWR. One of the ports is connected to an AP 530 in a conference room at a customer site. To ensure users connecting through both devices have the same access rights, you have added the switch ports to an IDM Location that already includes the AP 530. During a test, users connecting to the AP 530 are assigned to the correct Access Policy. Users connecting through the switch

ports receive the Default Access Policy. How can you correct this configuration?

- A. Edit the Location to support 802.1X over wired devices.
- B. Add the switch and the AP 530 to the same group in Mobility Manager.
- C. Configure 802.1X authentication on the switch port connected to the AP.
- D. Set the WLAN parameter to ANY in the IDM Access Rule for the users.

Answer: D

12. What is an advantage of using Web-Auth, instead of 802.1X, for authentication of guests?

- A. Web-Auth eliminates the need for data encryption.
- B. Web-Auth places less load on enterprise RADIUS servers.
- C. Web-Auth does not require the installation of supplicant software on client computers.
- D. Web-Auth enables the authentication of devices that do not provide interfaces for users to enter credentials.

Answer: C

13. In Identity Driven Manager, what is the default setting for access control based on time of connection?

- A. Access is allowed at all times.
- B. Access is not permitted at any time.
- C. Access is permitted during normal business hours.
- D. Access is permitted at times configured during installation.

Answer: A

14. Which secure mobility features are available on a standalone AP 530? (Select two.)

- A. Web-Auth
- B. built-in firewall
- C. built-in RADIUS
- D. VLAN-based ACLs
- E. user-based policies

Answer: AC

15. Which ProCurve secure mobility solution requires the installation of a RADIUS agent on the enterprise RADIUS server?

- A. Access Point 530
- B. Identity Driven Manager
- C. ProCurve Mobility Manager
- D. Wireless Edge Services zl Module

Answer: B

16. On the Wireless Edge Services zl Module, which interfaces can be associated with a single IP ACL?

- A. all VLAN interfaces and the downlink
- B. all VLAN interfaces, the downlink, and the uplink
- C. one VLAN interface, the downlink, and the uplink
- D. all VLAN interfaces and either the downlink or the uplink

Answer: B

17. Which circumstance requires Layer 3 adoption of a radio port by a Wireless Edge Services zl Module?

- A. The RP must be part of a Layer 3 mobility domain.
- B. The RP is located in a different broadcast domain than the module's downlink.
- C. The RP must support users who will be assigned IP addresses in different networks.
- D. The RP must obtain an IP address for enforcement of ACLs configured on the module.

Answer: B

18. Which feature of the Wireless Edge Services zl Module enables the reporting of excessive authentication attempts?

- A. AP detection
- B. built-in firewall
- C. Access Control Lists
- D. Intrusion Detection System

Answer: D

19. At a customer site, you have enabled routing on a Wireless Edge Services z1 Module installed in a 5406z1 switch. Under what circumstance is configuration of a default route on the module unnecessary?

- A. when the 5406z1 is the only router adjacent to the Wireless Module
- B. when RIP is configured on the router upstream from the Wireless Module
- C. when VLANs configured on the Wireless Module also are configured on other routers
- D. when a default gateway has already been defined on the Wireless Module to enable Layer 2 connectivity

Answer: D

20. Which statement describes the relationship between Identity Driven Manager and an enterprise RADIUS server?

- A. IDM acts as a graphical interface for the configuration of RADIUS policies.
- B. IDM provides a RADIUS proxy server for users affected by IDM Access Rules.
- C. IDM applies the RADIUS server's Remote Access Policies to authenticated users.
- D. IDM enables the RADIUS server to specify VLAN assignments for authenticated users.

Answer: A

### [HP0-Y17 Braindumps](#)

#### Related HP0-Y17 Exams

[HP0-M15](#) HP Quality Center 9.2 Software

[HP0-S18](#) Implementing HP ProLiant ML/DL Servers

[HP0-M16](#) HP Quick Test Professional 9.2 Software

[HP0-M18](#) HP LoadRunner Software

[HP0-M19](#) HP Virtual User Generator Software

[HP0-Y19](#) ProCurve Accelerated ASE Mobility

[HP0-Y20](#) ProCurve Adaptive EDGE Fundamentals

[HP0-A01](#) HP-UX 11i v3 System Administration

[HP0-X02](#) Designing & Implementing HP Enterprise Backup Solutions

[HP0-063](#) LF PROFESSIONAL COLOR WORKFLOW MANAGEMENT

[HP0-S19](#) Integrating and Managing HP ProLiant ML/DL in the Enterprise

[HP0-J24](#) Designing and Implementing HP Enterprise Backup Solutions

[HP0-M22](#) Implementing HP Service Manager Software

[HP0-Y11](#) ProCurve Security 7.31

[HP0-S01](#) HP AssetCenter v5 x Software Exam

[HP0-S17](#) Integrating and Managing HP BladeSystem in the Enterprise

[HP0-058](#) Configuration & Management of HP Integrity Mid-Range Servers

[HP0-P10](#) HP Integrity Server Multi-OS Installation & Deployment

[HP0-P17](#) HP-UX 11i v3 Security Administration

[HP0-A22](#) NonStop Systems and Technologies

#### Other HP Exams

[HP0-S11](#)    [HP0-661](#)    [HP0-095](#)    [HP0-757](#)    [HP0-240](#)    [HP0-238](#)    [HP0-634](#)    [HP0-451](#)

[HP0-790](#)    [HP0-645](#)    [HP0-425](#)    [HP0-054](#)    [HP0-727](#)    [HP0-X02](#)    [HP0-W03](#)    [HP0-065](#)

HP0-145

HP0-136

HP0-794

HP0-720