

HP0-Y18 braindumps

HP Certification III

HP0-Y18: ProCurve Mobility

Practice Exam: HP0-Y18 Exams

Exam Number/Code: HP0-Y18

Exam Name: ProCurve Mobility

Questions and Answers: 118 Q&As

([Certification III](#))



"ProCurve Mobility", also known as HP0-Y18 exam, is a HP certification.

Exam : [HP0-Y18](#)

With the complete collection of exam questions, Just4Study has assembled to take you through 118 Q&As to your HP0-Y18 exam preparation. In the HP0-Y18 exam resources, you will cover every field and category in HP Certification helping to ready you for your successful HP Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for HP Certification III HP0-Y18 (ProCurve Mobility) examination of original title complete coverage. HP0-Y18 exam questions help you pass the exam.

Just4Study HP0-Y18 Feature:

* High quality - High quality and valued for the HP0-Y18 Exam: 100% Guarantee to Pass Your HP0-Y18 exam and get your Certification III certification.

* Authoritative - Authoritative braindumps with complete details about HP0-Y18 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Certification III resources, you will minimize your **HP Certification III** cost and be ready to pass your HP0-Y18 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Certification III demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the HP0-Y18 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free HP0-Y18 Demo Download

Just4Study offers free demo for Certification III HP0-Y18 exam (ProCurve Mobility). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **HP Certification III HP0-Y18** examination of original title complete coverage. HP0-Y18 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: HP0-Y18

Exam Name: ProCurve Mobility(Certification III)

Questions and Answers: 118 Q&A

[HP HP0-Y18](#) Test belongs to one of the Certification III certified test, if needs to obtain the Certification III certificate,

you also need to participate in other related test, the details you may visit the [Certification III](#) certified topic, in there, you will see all related Certification III certified subject of examination.

Just4Study professional provide Certification III HP0-Y18 the newest Q&A, completely covers HP0-Y18 test original topic. With our complete Certification III resources, you will minimize your Certification III cost and be ready to pass your HP0-Y18 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

Just4Study.com offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : HP HP0-Y18

Title : ProCurve Mobility

1. Which Quality of Service (QoS) mechanism do both the ProCurve AP 420 and the ProCurve AP 530 support?

- A. Wi-Fi Multimedia (WMM)
- B. SpectraLink Voice Priority (SVP)
- C. Differentiated Services (DiffServ)
- D. Wi-Fi Multimedia Extensions (WME)

Answer: B

2. Which security option was part of the original 80 11 standard?

- A. 802. 1X
- B. Shared-key WEP
- C. Dynamic Wired Equivalent Privacy (WEP)
- D. Wi-Fi Protected Access with preshared keys (WPA-PSK)

Answer: B

3. What purpose does the second software image on the ProCurve AP 420 serve?

- A. It allows you to choose two different images to load onto the AP.
- B. It allows you to keep the last software image that was loaded onto the AP.
- C. It provides a failsafe image in the event the primary image becomes corrupted.
- D. It provides an alternate software version in the event the primary does not support your configuration.

Answer: C

4. A network administrator accesses the Marketing WLAN, which is assigned to VLAN 32 on the ProCurve AP 530. When the AP 530 submits the administrator's login credentials to the RADIUS server, the RADIUS server returns a dynamic VLAN assignment of 10 to the AP 530. The AP 530 is using the default settings for dynamic and static VLAN support.

In which VLAN does the AP 530 place the network administrator's traffic?

- A. 32, because dynamic VLANs are disabled by default
- B. the default management VLAN, because there is a VLAN conflict
- C. 10, because dynamic VLAN assignments override static VLAN assignments
- D. 32, because static VLAN assignments override dynamic VLAN assignments

Answer: C

5. When can a station no longer communicate with an AP?

- A. when the received signal falls below 0 dBm
- B. when the received signal falls below the background noise
- C. when the received signal falls below the station's receiver sensitivity
- D. when the received signal falls below the fade margin for the wireless cell

Answer: C

6. The ProCurve Mobility Manager (PMM) site-planning tool provides an Auto Placement tool. What does this tool take into account as it places devices on the floor plan?

- A. the existing RF interference
- B. the obstacles that you have defined
- C. other devices already placed on the floor plan
- D. the floor plan dimensions and desired capacity

Answer: D

7. You are configuring a WLAN on the ProCurve AP 420. When students, faculty members, and administrators associate to the WLAN, you want them to receive the dynamic VLAN assignment for their particular group. However, when staff members associate to the WLAN you want their traffic to be placed in the VLAN that is assigned to the WLAN. How do you configure the AP 420 to support these VLAN assignments?

- A. You select the Dynamic VLAN option for the WLAN. Static VLANs are supported by default.
- B. You select both the Static and Dynamic VLAN options. These global options apply to the entire AP 420.
- C. You select the Enable VLAN option for the WLAN. This option enables support for both static and dynamic VLANs on this WLAN only.
- D. You select the Dynamic VLAN option, which enables both static and dynamic VLANs. This global option applies to the entire AP 420.

Answer: D

8. What does the slot time determine?

- A. the number of seconds the AP waits between sending beacons
- B. the length of time the station waits between detecting a transmission and sending a frame
- C. the beginning of the 802.11 frame, which enables the AP and the station to synchronize their transmissions
- D. how long the station can "sleep" before it must become active and check the AP to see if there are any transmissions waiting for it

Answer: B

9. What is the default management username and password on the ProCurve AP 530?

- A. The username is admin, and the password is admin.
- B. The username is admin, and the password is procurve.
- C. The username is manager, and the password is procurve.
- D. The username is admin, and there is no default password.

Answer: A

10. The ProCurve AP 420 radio has one Basic Service Set Identifier (BSSID), and each of the two AP 530 radios has 16 BSSIDs. What is the implication of this difference?

- A. The AP 420 can advertise only 1 WLAN, but the AP 530 can advertise 16.
- B. The AP 420 can support only 1 WLAN, but the AP 530 can support 32.
- C. The AP 420 can support only 1 WLAN, but the AP 530 can support 16.
- D. The AP 420 can advertise only 1 WLAN, but the AP 530 can advertise 32.

Answer: A

11. What does Spanning Tree Protocol (STP) on the ProCurve AP 530 prevent?

- A. loops over connections to stations in the wireless network
- B. loops over the APs Ethernet and wireless bridge connections
- C. loops over connections between stations in the wireless and the wired network
- D. loops over connections between only wireless stations associated with multiple APs

Answer: B

12. What is a function of ProCurve Identity Driven Manager (IDM)?

- A. It identifies which wireless users must associate to the wireless network.
- B. It enables you to load different configuration files onto your ProCurve Mobility Infrastructure devices.
- C. It guides you in creating policies that can be applied, through RADIUS, to either wired or wireless users.
- D. It adds special features to ProCurve Manager (PCM) for configuring radio and wireless security settings.

Answer: C

13. How many configuration files can be stored on the ProCurve AP 420?

- A. 2: the startup-config and the factory default config
- B. 3: the startup-config, the factory default config, and one custom config
- C. 3: the factory default config, the startup-config, and the backup startup-config
- D. 4: the factory default config, the startup-config, the backup startup-config, and one custom config

Answer: A

14. You need to provide a wireless network for a small area that will require two access points. For this wireless network, you want to support both 802.11b/g and 802.11a radios throughout the entire coverage area. What would you choose?

- A. two ProCurve AP 420s
- B. two ProCurve AP 530s
- C. ProCurve Wireless LAN System with two Radio Port (RP) 210s
- D. ProCurve Wireless LAN System with one RP 230 and one RP 210

Answer: B

15. Your company wants to use the 2.4GHz frequency on both of your ProCurve AP 530 radios. What must you do so that both radios can use this frequency?

- A. Set both radios to either 802.11g or 802.11b.
- B. Set both radios to either 802.11g or 802.11b, and install an external antenna for radio 2.
- C. Install an 802.11b/g card on radio 2, and set both radios to either 802.11g or 802.11b.
- D. Set one radio to 802.11g and one radio to 802.11b, install an external antenna for radio 1, and configure radio 1 to use an external antenna.

Answer: B

16. You are configuring a ProCurve AP 530. You configure two WLANs. What is one reason to enable the first WLAN only on radio 1 and the second WLAN only on radio 2?

- A. to overcome environmental obstacles
- B. to double the capacity of each WLAN by using two radios
- C. to separate different types of wireless traffic into different collision domains
- D. to allow users to choose their radio but still connect to the same Basic Service Set (BSS)

Answer: C

17. Your company has a branch office down the street from your main office. You want to connect the networks between the two offices, and physical cabling is not an option. Which wireless devices should you select for this environment?

- A. two ProCurve AP 420s
- B. two ProCurve AP 530s
- C. two RP 230s and a Wireless Edge Services xl Module
- D. two RP 220s with Yagi antennas and a Wireless Edge Services zl Module

Answer: B

18. Which ProCurve AP 530 feature is most beneficial for a small to medium business that has strong security needs?

- A. It monitors for excessive probes to detect possible intrusion attempts.
- B. Its internal RADIUS server provides standalone support for 802.1X authentication.
- C. Unlike the ProCurve AP 420, it can operate all 16 of its wireless LANs in closed system.

D. It supports 802. 11a, and hackers generally do not check for networks on this frequency.

Answer: B

19. Wireless networks present certain challenges.Which wireless network challenge does ProCurve Mobility Infrastructure Solutions help you address?

- A. Users are less productive when using a wireless connection.
- B. 802. 11 standards do not provide any guidelines for Layer 2 roaming.
- C. 802. 11 standards do not provide any encryption, so you must create VPN tunnels to each end station.
- D. Multiple users connect to the network through the same AP, but access must be authorized for each user.

Answer: D

20. You want ProCurve Radio Port (RP) 1's radio to function as a neighbor for RP 2's radio.RP 1 will monitor RP 2 and take action if RP 2 becomes unavailable.You configure RP 1's radio to take which action if RP 2 becomes unavailable? (Select two.)

- A. Open its data rates.
- B. Change the radio's channel.
- C. Increase the radio's transmit power.
- D. Order stations associated with RP 2 to roam.
- E. Change the radio mode from 802. 11a to 802. 11b/g.

Answer: AC

[HP0-Y18 Braindumps](#)

Related HP0-Y18 Exams

[HP0-S16](#) *Implementing HP BladeSystem*

[HP0-J26](#) *Designing and Implementing HP SAN Solutions*

[HP0-D04](#) *Planning and Designing HP Enterprise Solutions*

[HP0-P13](#) *Planning & Design of HP Integrity Server Solutions*

[HP0-M23](#) *HP Business Availability Center Foundation*

[HP0-M28](#) *Implementing HP Asset Manager Software*

[HP0-918](#) *HP Storage Data Protector 6.0 Fundamentals for Windows*

[HP0-239](#) *Supporting the Modular Array(MA) Storage Family*

[HP0-080](#) *HP Multi-User System Product T500/T600 Certification*

[HP0-286](#) *HP Openview Servicecenter 6.x*

[HP0-205](#) *Supporting the Enterprise Modular Library*

[HP0-263](#) *Servicing HP Color LaserJet Printers, High-End*

[HP0-265](#) *Servicing HP Color LaserJet MFP Printers,High-End*

[HP0-144](#) *ProCurve Secure WAN*

[HP0-266](#) *Servicing HP Monochrome LaserJet MFP Printers,High-End*

[HP0-S14](#) *Design & Implementation of HP SIM for ISS Solutions*

[HP0-084](#) *HP Integrity Server Multi-OS Installation&Deployment*

[HP0-J27](#) *Advanced SAN Architecture*

[HP0-Y18](#) *ProCurve Mobility*

[HP0-240](#) *Supporting the Virtual Array(VA) Storage Family*

Other HP Exams

[HP0-381](#)

[HP0-S21](#)

[HP0-J26](#)

[HP0-914](#)

[HP0-402](#)

[HP0-382](#)

[HP0-790](#)

[HP0-720](#)

[HP0-758](#)

[HP0-S01](#)

[HP2-K14](#)

[HP0-891](#)

[HP0-335](#)

[HP0-245](#)

[HP0-821](#)

[HP0-Y19](#)

HP0-P16

HP2-T14

HP0-T01

HP0-A25