

I10-001 braindumps

XML Master XML Master

I10-001: XML Master Basic V2

Practice Exam: I10-001 Exams

Exam Number/Code: I10-001

Exam Name: XML Master Basic V2

Questions and Answers: 129 Q&As

([XML Master](#))



Exam : [I10-001](#)

"XML Master Basic V2", also known as I10-001 exam, is a XML Master certification. With the complete collection of exam questions, Just4Study has assembled to take you through 129 Q&As to your I10-001 exam preparation. In the I10-001 exam resources, you will cover every field and category in XML Master Certification helping to ready you for your successful XML Master Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for XML Master XML Master I10-001 (XML Master Basic V2) examination of original title complete coverage. I10-001 exam questions help you pass the exam.

Just4Study I10-001 Feature:

* High quality - High quality and valued for the I10-001 Exam: 100% Guarantee to Pass Your I10-001 exam and get your XML Master certification.

* Authoritative - Authoritative braindumps with complete details about I10-001 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed XML Master resources, you will minimize your **XML Master XML Master** cost and be ready to pass your I10-001 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free XML Master demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the I10-001 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free I10-001 Demo Download

Just4Study offers free demo for XML Master I10-001 exam (XML Master Basic V2). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **XML Master XML Master I10-001** examination of original title complete coverage. I10-001 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: I10-001

Exam Name: XML Master Basic V2(XML Master)

Questions and Answers: 129 Q&A

[XML Master I10-001](#) Test belongs to one of the XML Master certified test, if needs to obtain the XML Master certificate, you also need to participate in other related test, the details you may visit the [XML Master](#) certified topic, in there, you will see all related XML Master certified subject of examination.

Just4Study professional provide XML Master I10-001 the newest Q&A, completely covers I10-001 test original topic. With our complete XML Master resources, you will minimize your XML Master cost and be ready to pass your I10-001 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : XML Master I10-001

Title : XML Master Basic V2

1. Select which of the following is coded using XML syntax:

- A. XHTML documents
- B. SOAP headers
- C. XSLT Stylesheets
- D. DOM

Answer: ABC

2. Select which of the following correctly describes the DTD attribute list declaration when the "date" attribute and the "reception" attribute are included in the "Customer_Visit" element.

- A. <!ATTLIST Customer_Visit (date,reception) CDATA #IMPLIED>
- B. <!ATTLIST Customer_Visit (date|reception) CDATA #IMPLIED>
- C. <!ATTLIST Customer_Visit date && reception CDATA #IMPLIED>
- D. <!ATTLIST Customer_Visit date CDATA #IMPLIED reception CDATA #IMPLIED>

Answer: D

3. Select which of the following correctly describes an element type declaration that includes either the "home" element or the "mobile" element as a child element of the "telephone_number" element.

- A. <!ELEMENT telephone_number (home,mobile)>
- B. <!ELEMENT telephone_number (home?mobile)>
- C. <!ELEMENT telephone_number (home)>
<!ELEMENT telephone_number (mobile)>
- D. <!ELEMENT telephone_number (home|mobile)>

Answer: D

4. Press the Exhibit button to view "XML Schema Document". Which of the following is a valid XML document with respect to "XML Schema Document".

[XML Schema Document]

```
< xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="Output_file" type="outputType" />
<xs:complexType name="outputType">
<xs:sequence>
<xs:element ref="file" minOccurs="0" maxOccurs="20" />
</xs:sequence>
</xs:complexType>
<xs:element name="file" type="fileType" />
```

```
<xs:complexType name="fileType">
<xs:sequence>
<xs:element ref="file_Name" />
</xs:sequence>
</xs:complexType>
<xs:element name="file_Name" type="xs:string" />
</xs:schema>
```

A. < xml version="1.0"?>

```
<file>
<file_Name>map1.bmp</file_Name>
</file>
```

B. < xml version="1.0"?>

```
<Output_file>
<file>
<file_Name>map1.bmp</file_Name>
</file>
</Output_file>
```

C. < xml version="1.0"?>

```
<Output_file>
<file>
<file_Name>map1.bmp</file_Name>
<file_Name>map2.bmp</file_Name>
</file>
</Output_file>
```

D. < xml version="1.0"?>

```
<Output_file>
<file>
<file_Name>map1.bmp</file_Name>
</file>
<file>
<file_Name>map2.bmp</file_Name>
</file>
</Output_file>
```

Answer: ABD

5. Select which of the following correctly describes a namespace to which the "price" element in the XML document below belongs.

```
<message xmlns="urn:sample:order"
xmlns:product="urn:sample:product">
<product:list xmlns="urn:sample:list">
<name>XML study guide</name>
<price>536</price>
</product:list>
<order>
<customerID>J058974</customerID>
<number>1</number>
</order>
</message>
```

A. urn:sample:order

B. urn:sample:product

C. urn:sample:list

D. Does not belong to any namespace.

Answer: C

6. Select which DTD element type declaration correctly defines the "XML Documents" structure below.

[XML Documents]

```
<Documents>
<Product_Name>black pen</Product_Name>
+
<Product_Name> red pencil </Product_Name>
=
<Price>100</Price>
yen.
</Documents>
```

- A. <!ELEMENT Documents (Product_Name|Price)*>
<!ELEMENT Product_Name (#PCDATA)>
<!ELEMENT Price (#PCDATA)>
- B. <!ELEMENT Documents (Product_Name|Price|#PCDATA)*>
<!ELEMENT Product_Name (#PCDATA)>
<!ELEMENT Price (#PCDATA)>
- C. <!ELEMENT Documents (Product_Name*|Price)>
<!ELEMENT Product_Name (#PCDATA)>
<!ELEMENT Price (#PCDATA)>
- D. <!ELEMENT Documents (#PCDATA|Product_Name|Price)*>
<!ELEMENT Product_Name (#PCDATA)>
<!ELEMENT Price (#PCDATA)>

Answer: D

7. Select which answers are correct with respect to the relationship between "x", as expressed in the DTD element type declaration below, and its child element. Assume child elements "a" "b" "c" are all empty elements, expressed as like <a/>.

[DTD]

```
<!ELEMENT x (a, (b|c)*)>
```

- A. <x>
<a/>

<c/>
</x>
- B. <x>
<a/>
</x>
- C. <x>
<a/>
<c/>
<c/>

</x>
- D. <x>

<c/>
<a/>
</x>

Answer: ABC

8. Press the Exhibit button to view "XML Schema Document". Select which of the following correctly describes a valid XML document with respect to "XML Schema Document".

[XML Schema Document]

```
< xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="ContactInformation" type="ContactType" />
<xs:complexType name="ContactType">
<xs:sequence>
<xs:element name="Name" type="xs:string" maxOccurs="unbounded"/>
<xs:element name="eMail" type="xs:string" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="Date" type="xs:date" use="optional" />
</xs:complexType>
</xs:schema>
```

A. <ContactInformation Date="2004-07-31">

```
<Name>Taro Yamada</Name>
<eMail>Yamada@ABC.co.jp</eMail>
</ContactInformation>
```

B. <ContactInformation>

```
<Name/>
<eMail/>
</ContactInformation>
```

C. <ContactInformation Date="July 31, 2004">

```
<Name>Taro Yamada</Name>
<eMail>Yamada@ABC.co.jp</eMail>
</ContactInformation>
```

D. <ContactInformation/>

Answer: AB

9. Choose the statement about HTML or XML that is incorrect.

- A. In HTML, the types and meanings of tags are predefined.
- B. In XML, a tag can be given any name as long as the name obeys XML naming conventions and is well-formed.
- C. In XML, elements can be given any number of attributes as long as the attributes obey XML naming conventions and are well-formed.
- D. XML protocols are linguistic standards used to control views on a Web browser.

Answer: D

10. Select which of the following is the default character encoding for an XML document in which the XML declaration does not designate an encoding attribute.

- A. UNICODE
- B. Shift_JIS
- C. UTF-8 or UTF-16
- D. EUC-JP

Answer: C

11. Select which of the following correctly describes the XML namespace to which the -->(1) "product" element in the "XML Document" below belongs.

[XML Documents]

```
< xml version="1.0"?>
<products xmlns:A="urn:sample:A"
xmlns:B="urn:sample:B">
<A:product>
<B:product>
<product/> -->(1)
</B:product>
```

</A:product>

</products>

A. urn:sample:A

B. urn:sample:B

C. urn:sample:A and urn:sample:B

D. None

Answer: D

12. Choose the statement about a problem with DTDs that is incorrect.

A. The way statements are made in a DTD differs from how the same statements are made in XML. As a result, different algorithms must be made available for the XML processor to interpret XML documents, which is inefficient.

B. Any single DTD can only be used to validate a single XML document.

C. In a DTD, it is not possible to specify any explicit numerical data type.

D. DTDs fail to comply with the rules of namespaces.

Answer: B

13. Select which of the following correctly describes an XML Schema definition when the MarketPrice element must be a positive integer. Assume the Schema namespace prefix is "xs".

A. <xs:element name="MarketPrice" type="xs:negativeInteger"/>

B. <xs:element name="MarketPrice" type="xs:positiveInteger"/>

C. <xs:element name="MarketPrice" type="xs:duration"/>

D. <xs:element name="MarketPrice" type="xs:hexBinary"/>

Answer: B

14. Select which of the following is correct with respect to the attribute list declaration for setting "notebook" as the default value in the CDATA "type" attribute included in the "computer" element.

A. <!ATTLIST type CDATA "notebook">

B. <!ATTLIST computer type CDATA notebook>

C. <!ATTLIST computer type CDATA "notebook">

D. <!ATTLIST computer type="notebook" CDATA>

Answer: C

15. Select which statement correctly describes the XML document below.

[XML Documents]

```
<!DOCTYPE ElementA [
```

```
<!ELEMENT ElementA EMPTY>
```

```
<!ATTLIST ElementA Attribute (ABC|DEF|GHI) #IMPLIED>
```

```
]>
```

```
<ElementA Attribute ="
```

```
A
```

```
B
```

```
C"/>
```

A. This is not a well-formed document, because the attribute value cannot have a line feed in it.

B. This is not a valid XML document, because an attribute cannot be designated for an element that is designated as EMPTY.

C. This is not a valid XML document, because the attribute value is not a value listed in the attribute list declaration.

D. This is a valid XML document.

Answer: C

16. Press the Exhibit button to view "XML Document". Select which of the following correctly describes the results of applying "XSLT Stylesheet" to "XML Document". Assume that the input XML document and transformation results ignore meaningless whitespace.

[XML Documents]

```

<product_list>
<LIST>Product_List</LIST>
<product name="pen">
<name lang="ja">Pen</name>
</product>
<product name="paper">
<name lang="ja">Paper</name>
</product>
</product_list>

```

[XSLT Stylesheet]

```

< xml version="1.0"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" version="1.0">
<xsl:template match="/">
<LIST>
<xsl:for-each select="/product_list/product">
<xsl:value-of select="name"/>
</xsl:for-each>
</LIST>
</xsl:template>
</xsl:stylesheet>

```

A. A file that does not contain any content will be output, because the XML document LIST element does not contain a name attribute.

B. The following XML document will be output.

```

< xml version="1.0"?>
<LIST>PenPaper</LIST>

```

C. The following XML document will be output.

```

< xml version="1.0"?>
<LIST>
<name lang="jp">Pen</name>
<name lang="jp">Paper</name>
</LIST>

```

D. The following XML document will be output.

```

< xml version="1.0"?>
<LIST>
<name lang="jp">Pen</name>
<name lang="jp">Paper</name>
PenPaper
</LIST>

```

Answer: B

17. Select which of the following correctly describes (1) and (2) in the XML Schema document below when the content of the "Flag" element must be an integer of 0 or 1.

```

< xml version="1.0"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="Flag" type="flagData"/>
<xs:simpleType name="flagData">
<xs:restriction base="xs:integer">
<(1) value="0"/>
<(2) value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:schema>

```

A. (1) xs:minInclusive (2) xs:maxInclusive

- B. (1) xs:enumeration (2) xs:enumeration
- C. (1) xs:minOccurs (2) xs:maxOccurs
- D. (1) xs:minExclusive (2) xs:maxExclusive

Answer: AB

18. Select which statement is correct with regards to creating an XML document based on the DTD element type declaration below.

[element type declaration]

```
<!ELEMENT computer (notebook|server)*>
```

```
<!ELEMENT notebook (mouse*)>
```

```
<!ELEMENT mouse (#PCDATA)>
```

```
<!ELEMENT server (#PCDATA)>
```

- A. Both the "notebook" element and the "server" element can be written as a child element of the computer element.
- B. As a child element of the "computer" element, the "server" element can be written before the "notebook" element.
- C. When writing the "notebook" element, "mouse" must be written as a child element.
- D. Only one "mouse" element can be written as a child element of the "notebook" element.

Answer: AB

19. Select which of the following correctly describes a document type declaration when designating an external DTD file.

- A. <!ENTITY productlist SYSTEM "product.dtd">
- B. <!DOCTYPE productlist SYSTEM "product.dtd">
- C. <!DOCTYPE root [
<!ELEMENT productlist SYSTEM "product.dtd">
>
- D. <!DTD productlist SYSTEM "product.dtd">

Answer: B

20. Select which of the following is an absolute requirement for a well-formed XML document.

- A. an XML declaration
- B. a Schema definition
- C. a DOCTYPE declaration
- D. an element

Answer: D

[I10-001 Braindumps](#)

Related I10-001 Exams

[I10-001](#) XML Master Basic V2

[I10-002](#) XML Master: Professional V2

Other XML Master Exams

[I10-002](#) [I10-001](#)