

JN0-400 braindumps

Juniper Networks JNCIA

JN0-400: EX, Associate (JNCIA-EX)

Practice Exam: JN0-400 Exams

Exam Number/Code: JN0-400

Exam Name: EX, Associate (JNCIA-EX)

Questions and Answers: 104 Q&As

([JNCIA](#))



Exam : [JN0-400](#)

"EX, Associate (JNCIA-EX)", also known as JN0-400 exam, is a Juniper Networks certification. With the complete collection of exam questions, Just4Study has assembled to take you through 104 Q&As to your JN0-400 exam preparation. In the JN0-400 exam resources, you will cover every field and category in Juniper Networks Certification helping to ready you for your successful Juniper Networks Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Juniper Networks JNCIA JN0-400 (EX, Associate (JNCIA-EX)) examination of original title complete coverage. JN0-400 exam questions help you pass the exam.

Just4Study JN0-400 Feature:

* High quality - High quality and valued for the JN0-400 Exam: 100% Guarantee to Pass Your JN0-400 exam and get your JNCIA certification.

* Authoritative - Authoritative braindumps with complete details about JN0-400 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed JNCIA resources, you will minimize your **Juniper Networks JNCIA** cost and be ready to pass your JN0-400 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free JNCIA demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the JN0-400 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free JN0-400 Demo Download

Just4Study offers free demo for JNCIA JN0-400 exam (EX, Associate (JNCIA-EX)). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Juniper Networks JNCIA JN0-400** examination of original title complete coverage. JN0-400 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: JN0-400

Exam Name: EX, Associate (JNCIA-EX)(JNCIA)

Questions and Answers: 104 Q&A

[Juniper Networks JN0-400](#) Test belongs to one of the JNCIA certified test, if needs to obtain the JNCIA certificate, you also need to participate in other related test, the details you may visit the [JNCIA](#) certified topic, in there, you will see all related JNCIA certified subject of examination.

Just4Study professional provide JNCIA JN0-400 the newest Q&A, completely covers JN0-400 test original topic. With our complete JNCIA resources, you will minimize your JNCIA cost and be ready to pass your JN0-400 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Juniper JN0-400

Title : EX, Associate (JNCIA-EX)

1. What are two components of the JUNOS software architecture? (Choose two.)

- A. multiple software processes
- B. separation of control and forwarding planes
- C. shared memory environment for all processes
- D. efficient processing of all packets through the control plane

Answer: AB

2. What are two features of JUNOS software? (Choose two.)

- A. JUNOS facilitates separate control and forwarding planes.
- B. All processes use shared memory to make efficient use of available resources.
- C. The functionality of JUNOS is made possible through multiple processes that are dependant on each other.
- D. All processes run in their own protected memory space to prevent against complete system failure when a single process fails.

Answer: AD

3. You want to configure Layer 3 routing between two VLANs on a single EX-series switch.

In which configuration hierarchy would you configure the IP addresses for each VLAN?

- A. [edit vlans]
- B. [edit family inet]
- C. [edit interfaces vlan]
- D. [edit routing-options]

Answer: C

4. Click the Exhibit button.

Why will the configurations in the exhibit fail to provide gateway redundancy between Switch-1 and Switch-2?

3 Switch-1:

```
interfaces {
  ge-0/0/3 {
    unit 0 {
      family inet {
        address 10.1.1.2/24 {
          vrrp-group 100 {
            virtual-address 10.1.1.1;
            priority 110;
          }
        }
      }
    }
  }
}
```

```
}  
}  
}  
}  
Switch-2:  
interfaces {  
  vlan {  
    unit 100 {  
      family inet {  
        address 10.1.1.3/24 {  
          vrrp-group 200 {  
            virtual-address 10.1.1.1;  
            priority 90;  
          }  
        }  
      }  
    }  
  }  
}
```

- A. The IP addresses do not match.
- B. The group numbers do not match.
- C. The priority numbers do not match.
- D. VRRP is not supported between a physical interface and a VLAN interface.

Answer: B

5. An EX-series switch has two routes for the same prefix: one that it received through OSPF and one that is a static route.

How will the switch choose a route to use for this prefix?

- A. The switch will compare metrics and use the route with the lowest metric.
- B. The switch will compare metrics and use the route with the highest metric.
- C. The switch will compare route preferences and use the route with the highest route preference.
- D. The switch will compare route preferences and use the route with the lowest route preference.

Answer: D

6. Within a virtual chassis, which type of switch maintains the forwarding table?

- A. line card
- B. master switch
- C. routing switch
- D. forwarding switch

Answer: B

7. Which two statements describe the EX 3200 switches? (Choose two.)

- A. The single-blower fan tray used for the EX 3200 switches is field replaceable.
- B. The EX 3200 switches can be interconnected to form a single virtual chassis.
- C. The redundant AC power supply units on the EX 3200 switches are hot swappable and load sharing.
- D. The EX 3200 switches support either 4-port 1-Gigabit Ethernet or 2-port 10-Gigabit Ethernet uplink modules.

Answer: AD

8. You are configuring the voice VLAN feature on an EX-series switch on interface ge-0/0/5.

Which configuration would you use?

- A. ethernet-switching-options { voice-vlan { interface ge-0/0/5.0 { vlan voice-over-ip; forwarding-class expedited-forwarding; } }}
- B. ethernet-switching-options { voip { interface ge-0/0/5.0 { member-vlan voice-over-ip; forwarding-class expedited-forwarding; } }}

C.ethernet-switching-options { voip { interface ge-0/0/5.0 { vlan voice-over-ip; forwarding-class expedited-forwarding; } }}
D.ethernet-switching-options { voice-vlan { interface ge-0/0/5.0 { member-vlan voice-over-ip; forwarding-class expedited-forwarding; } }}

Answer: C

9. Which two are included in the EZsetup configuration for EX-series switches? (Choose two.)

- A.Configure syslog servers.
- B.Configure routing protocols.
- C.Configure root authentication.
- D.Configure me0 management Ethernet port.

Answer: CD

10. Which two statements are true regarding the Virtual Router Redundancy Protocol (VRRP)? (Choose two.)

- A.The routers participating in VRRP elect a master router by choosing the router with the lowest priority.
- B.The routers participating in VRRP all use the same virtual MAC address for a particular virtual IP address.
- C.The routers participating in VRRP must share a common group ID to provide redundancy for the virtual IP addresses defined under that group.
- D.The routers participating in VRRP always elect a common master on a network segment, rather than one master for each VRRP group configured on a network segment.

Answer: BC

11. Click the Exhibit button.

Given the configuration in the exhibit, which command would configure the IP address 10.10.10.1/24 for VLAN 2?

```
3 interfaces {
ge-0/0/0 {
unit 0 {
family ethernet-switching {
vlan {
members v2;
}
}
}
ge-0/0/1 {
unit 0 {
family ethernet-switching;
}
}
}
vlans {
v2 {
vlan-id 2;
interface {
ge-0/0/1.0;
}
}
}
}
I3-interface vlan.2;
}
```

- A.set vlans v2 family inet address 10.10.10.1/24
- B.set interfaces vlan v2 family inet address 10.10.10.1/24
- C.set interfaces vlan unit 2 family inet address 10.10.10.1/24
- D.set interfaces ge-0/0/1 unit 0 family inet address 10.10.10.1/24

Answer: C

12. On an EX-series switch, what information is gathered when building a bridge table? (Choose two.)

- A.interface
- B.IP address
- C.MAC address
- D.authentication information

Answer: AC

13. Which two statements regarding packet flow through an EX-series switch are correct? (Choose two.)

- A.Transit packets are processed by the Routing Engine.
- B.The destination MAC address determines which lookup table is used.
- C.If the egress port belongs to the ingress Packet Forwarding Engine, the packet is switched locally.
- D.If the egress port belongs to a remote Packet Forwarding Engine, the Routing Engine is consulted prior to forwarding the packet.

Answer: BC

14. Which two statements are true about route preferences? (Choose two.)

- A.Lower route preferences are more preferred.
- B.Higher route preferences are more preferred.
- C.Direct and local routes always have the best route preference.
- D.Static routes are always more preferred than routes from dynamic routing protocols.

Answer: AC

15. Which two major components make up the control and forwarding planes for an EX-series switch? (Choose two.)

- A.Routing Engine
- B.Switching Engine
- C.Switching Fabric Module
- D.Packet Forwarding Engine

Answer: AD

16. You want to configure the JUNOS software to run OSPF on interfaces ge-0/0/1.0 and ge-0/0/2.0 and to place these two interfaces in Area 0.

Which command(s) will accomplish this task?

- A.set protocols ospf interface ge-0/0/1.0 area 0.0.0.0set protocols ospf interface ge-0/0/2.0 area 0.0.0.0
- B.set protocols ospf area 0.0.0.0 interface ge-0/0/1.0set protocols ospf area 0.0.0.0 interface ge-0/0/2.0
- C.set protocols ospf area 0 interfaces [ge-0/0/1.0 ge-0/0/2.0]
- D.set interfaces ge-0/0/1 unit 0 family inet ospf area 0.0.0.0set interfaces ge-0/0/2 unit 0 family inet ospf area 0.0.0.0

Answer: B

17. Which statement regarding packet flow through an EX-series switch is correct?

- A.Transit packets are processed by the Routing Engine.
- B.The destination MAC address determines which lookup table is used.
- C.The Routing Engine is consulted when processing both transit and host packets.
- D.Routing protocol control packets are processed only by the Packet Forwarding Engine.

Answer: B

18. You want to configure a static default route to the gateway 10.1.1.1.

Which set command will accomplish this task?

- A.set routes static route 0.0.0.0/0 gateway 10.1.1.1
- B.set protocols static route 0.0.0.0/0 next-hop 10.1.1.1
- C.set family inet static route 0.0.0.0/0 next-hop 10.1.1.1
- D.set routing-options static route 0.0.0.0/0 next-hop 10.1.1.1

Answer: D

19. Which two statements describe the EX 4200 switches? (Choose two.)
- A. The fan tray used for the EX 4200 switches is not field replaceable.
 - B. The EX 4200 switches can be interconnected to form a single virtual chassis.
 - C. The EX 4200 switches support redundant load-sharing AC power supplies.
 - D. All EX 4200 switches support either partial or full Power over Ethernet (PoE) support.

Answer: BC

20. Which three functions are performed in the control plane? (Choose three.)

- A. protocol updates
- B. packet forwarding
- C. system management
- D. service implementation
- E. forwarding table maintenance

Answer: ACE

[JN0-400 Braindumps](#)

Related JN0-400 Exams

[JN0-100](#) Juniper Networks Certified Internet Associate (JNCIA-JUNOS)

[JN0-522](#) Juniper Networks Certified Internet Associate, FWV (JNCIA-FWV)

[JN0-400](#) EX, Associate (JNCIA-EX)

[JN0-342](#) ER, Associate (JNCIA-ER)

[JN0-141](#) Juniper Networks Certified Internet Associate, AC (JNCIA-AC)

[jn0-201](#) juniper networks certified internet associate.m (jncia-m)

[jn0-320](#) Juniper Networks Certified Juniper DX (DXAP) Associate Exam

[JN0-521](#) FWV.Associate (JNCIA-FWV)

[JN0-341](#) ER.Associate (JNCIA-ER)

[JN0-311](#) WX, Associate (JNCIA-WX)

[jn0-120](#) juniper networks certified internet associate.e (jncia-e)

[jn0-541](#) IDP, Associate (JNCIA-IDP)

[jn0-570](#) JN0-570 JNCIS-SSL EXAM

[jn0-540](#) juniper networks certified internet associate.idp (jncia-idp)

[jn0-140](#) Certified Internet Associate (JNCIA-AC) 140 Exam

[jn0-561](#) Juniper Networks Certified Internet Assoc (JNCIA-SSL) Exam

[jn0-520](#) juniper networks certified internet associate (jncia-fwv)

[JN0-321](#) DX, Associate (JNCIA-DX)

[JN0-562](#) Certified Internet Associate (JNCIA-SSL) 562 Exam

[jn0-310](#) Juniper Networks Certified Internet Associate, WX (JNCIA-WX)

Other Juniper Networks Exams

[jn0-330](#) [jn0-561](#) [jn0-201](#) [JN0-342](#) [JN0-521](#) [jn0-540](#) [jn0-530](#) [jn0-120](#)

[jn0-520](#) [JN0-400](#) [JN0-311](#) [jn0-130](#) [JN0-522](#) [jn0-570](#) [jn0-320](#) [jn0-531](#)

[JN0-341](#) [JN0-321](#) [jn0-303](#) [JN0-350](#)