

Exam : **[IBM LOT-712](#)**

Title : **IBM Lotus Notes Domino 7
Developing Web
Applications**

Version : **Demo**

1. Mary has a Web agent that needs to retrieve data from a remote relational database for processing submitted data from a Web form. Which of the following is NOT an appropriate solution to accomplish this?

- A. Use JDBC in a Java agent.
- B. Use ODBC in a LotusScript agent.
- C. Use CORBA to connect to a Web Service.
- D. Parse XML from a Web Service in an agent.

Answer: C

2. What does a Web Service provider make available to define its interface?

- A. WSDL (Web Services Description Language)
- B. WSDI (Web Services Diagnostic Interface)
- C. WSDL (Web Services Distribution Language)
- D. WSDI (Web Services Document Interaction)

Answer: A

3. Marc is creating a Web application. He wants to let Web users with "No Access" to view specific pages created with forms. How can he accomplish this?

- A. Create a form with a \$\$Public Access field. Set the "Available to public access users" form property. Create a view with a \$\$Public Access in the access list.
- B. Create a form with a \$Public Access field. Set the "Available to public access users" form property. Create a view with the "Available to public access users" property set.
- C. Create a form with a \$\$Public Access field. Set a Readers field to "Available to public access users". Create a view with the "Available to public access users" property set
- D. Create a form with a \$Public Access field. Set the "Available to public access users" form property. Create a view with a \$Public Access in the access list.

Answer: B

4. When the Print statement is used in a Web agent, such as WebQuerySave, what does the Print statement do?

- A. Nothing. The Print statement is ignored in Web agents.
- B. Output from all Print statements is sent to the server log.
- C. Output from all Print statements is sent to the browser for display.
- D. Output from all Print statements is sent to the browser's status bar.

Answer: C

5. Pete has created an agent in his Web application. What should he do to make sure that the agent has only the authority of the authenticated user?

- A. Select "Run agents as Web user" in the database properties.
- B. Select "Run as Web user" on the Security tab of the agent properties.
- C. Select "Run as Web user" in the design properties of the agent.
- D. Enter "Web User" in the "Run on behalf of" field on the Security tab of the agent properties.

Answer: B

6. Martin just moved his Domino Web application to a new server. Now, when a Web user calls an agent, a new security error occurs that did not appear on the old server. What is a possible cause for this?

- A. Martin is using outdated Java code that cannot run on the new server.
- B. Martin needs to register his Web application in the catalog.nsf database.
- C. Martin needs to be added to the Server Document's "Sign script libraries to run on behalf of someone else" field.
- D. Martin needs to rewrite his Script Libraries to utilize JavaScript.

Answer: C

7. Bill has a Java agent named All that will process the sales data for all documents created with the Sales form. He would like to have Web users launch the agent via the web browser. How can he do this?

- A. Set the WebQueryOpen event on the Sales form to run the All agent.
- B. Embed a Java applet on the form to call the agent.
- C. Create a view action in the Sales view and use the @ToolsRunAgent function to launch the agent.
- D. Create a view action in the Sales view and use the @Command([RunAgent]) function to launch the agent.

Answer: D

8. Jill needs to pass a field value via a URL. The value contains several words separated by spaces. What should she do to ensure that the value is passed properly?

- A. Nothing. HTML accommodates spaces automatically.
- B. Add an escape character before each space.
- C. Replace all spaces with a "+".
- D. Replace all spaces with "%40".

Answer: C

9. Parker is examining a WSDL file for his Domino Web service. What role does the Types element have in the file?

- A. It defines the data types used in the Web service.
- B. It defines the method types returned by the Web service.
- C. It defines the types of access allowed by the Web service.
- D. It defines the browser client types that can support the Web service.

Answer: A

10. Melissa has created a default outline in her application, and wants to display specific outline entries to Web users. How can she do this?

- A. Use Hide-when formulas on the page where the outline is embedded.
- B. Create a separate outline for Web users.
- C. Surround outline entries with HTML tags to enable make them visible to Web users.
- D. Select or deselect the "Hide entry from Web browsers?checkbox for the Outline entry.

Answer: D