

**Exam** : **[IBM LOT-950](#)**

**Title** : **Administering IBM Lotus  
Quickr 8.1 Services for  
Lotus Domino**

**Version** : **Demo**

1. In your Lotus Quickr environment, Lotus Quickr has been configured to control directory services. You have encountered two users with the same name when adding a new LDAP source. Which of the following is true regarding this scenario?

- A. Only one of the names can be added to a place as a member
- B. Neither name may be added to the place until the conflict is resolved
- C. Both names may be added to the place but only the first listed may authenticate
- D. Both names may be added to the place, and both users may authenticate because they are in alternate directories

**Answer: A**

2. The Marble Corporation has proceeded to upgrade to Lotus Quickr 8.x from a previous version. Multiple places are being upgraded on the server at the same time to expedite the process. By default, which of the following is true during this upgrade of the places?

- A. Only one place is locked at a time
- B. All places being upgraded are locked
- C. The entire server is available during the upgrade
- D. The entire server is locked during the places upgrade

**Answer: A**

3. By default, the server logs errors related to the use of expanded membership to which of the following locations for troubleshooting assistance?

- A. The Lotus Domino log
- B. Membership\_logging.xml
- C. The Site Administration log
- D. The Lotus Quickr administration log

**Answer: A**

4. Bernard has utilized the following command:

qptool remove

However, he is unable to create a new place with the same name, even after verifying that the command completed successfully. Which of the following must be done to allow him to reuse the place name?

- A. Restart the Domino HTTP server
- B. Run the command `qptool remove -cleanup`
- C. Run the command `Quickr place cache flush`
- D. Run the command `qptool -unregister placename`

**Answer: B**

5. The Lotus Quickr administrator has modified Site Administration to remove the ability to run PlaceBots. Existing PlaceBots, though, continue to run. Which of the following steps must be performed to disable existing PlaceBots?

- A. Restart HTTP
- B. Shut down the Lotus Domino Agent Manager
- C. Edit `qpconfig.xml` to remove the section enabling PlaceBots
- D. Log in to each place with PlaceBots running and delete each

**Answer: B**

6. What Lotus Domino rights must Emily have to create a cluster of Lotus Quickr servers?

- A. Author access and Delete Document rights in the Lotus Domino Directory, at least Reader access in the Administration Requests Database
- B. Author access and Delete Document rights, Server Modifier and Server Creator roles in the Lotus Domino Directory, at least Author access in the Administration Requests Database
- C. Reader access and Create Document rights, Server Modifier and Server Creator roles in the Lotus Domino Directory, at least Reader access in the Administration Requests Database
- D. Reader access and Delete Document rights, User Modifier and User Creator roles in the Lotus Domino Directory, at least Author access in the Administration Requests Database

**Answer: B**

7. If the Place Catalog server stops, which of the following will be true for users currently utilizing the Lotus Quickr server holding the Place Catalog?

- A. Users can create new places
- B. Users can edit documents in existing places
- C. Users can create new PlaceTypes on the server
- D. User cannot continue to work with existing places

**Answer: B**

8. A user in your Lotus Quickr environment has selected Exact Match lookup when searching for users to add for a place. Which of the following searches would be performed with this option selected and the following variables submitted?

sn=mil

mail=\*

A. sn=mil

mail=\*

B. sn=mil\*

mail=\*

C. sn=mil

mail=@acme

D. sn=mil\*

mail=@acme\*

**Answer: A**

9. Which of the following does NOT occur when you issue the following command on an existing place in a Lotus Quickr cluster?

```
load qptool replicamaker -t Server2/Acme -a
```

A. Creates replica stub for MAIN.NSF

B. Creates replica stub for Search.NSF

C. Creates replica stub for CONTACTS1.NSF

D. Creates replica stubs for any new place rooms

**Answer: B**

10. As the Lotus Quickr administrator, you are able to run qptool commands to specify the access a member has to the place's main room, such as -reader, -author, -editor, or -manager. Optionally, you can use which of the following options to apply the member's main room access to all subrooms?

A. -all

B. -place

C. -allrooms

D. -placetype

**Answer: C**