

## NS0-141 braindumps

### Network Appliance NACP

**NS0-141: Network Appliance High Availability Exam 7G**

**Practice Exam:** NS0-141 Exams

**Exam Number/Code:** NS0-141

**Exam Name:** Network Appliance High Availability Exam 7G

**Questions and Answers:** 122 Q&As

( [NACP](#) )



Exam : [NS0-141](#)

"Network Appliance High Availability Exam 7G", also known as NS0-141 exam, is a Network Appliance certification. With the complete collection of exam questions, Just4Study has assembled to take you through 122 Q&As to your NS0-141 exam preparation. In the NS0-141 exam resources, you will cover every field and category in Network Appliance Certification helping to ready you for your successful Network Appliance Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Network Appliance NACP NS0-141 (Network Appliance High Availability Exam 7G) examination of original title complete coverage. NS0-141 exam questions help you pass the exam.

#### **Just4Study NS0-141 Feature:**

\* High quality - High quality and valued for the NS0-141 Exam: 100% Guarantee to Pass Your NS0-141 exam and get your NACP certification.

\* Authoritative - Authoritative braindumps with complete details about NS0-141 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed NACP resources, you will minimize your **Network Appliance NACP** cost and be ready to pass your NS0-141 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free NACP demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the NS0-141 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free NS0-141 Demo Download**

Just4Study offers free demo for NACP NS0-141 exam (Network Appliance High Availability Exam 7G). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Network Appliance NACP NS0-141** examination of original title complete coverage. NS0-141 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: NS0-141**

Exam Name: Network Appliance High Availability Exam 7G( NACP )

Questions and Answers: 122 Q&A

[Network Appliance NS0-141](#) Test belongs to one of the NACP certified test, if needs to obtain the NACP certificate, you also need to participate in other related test, the details you may visit the [NACP](#) certified topic, in there, you will see all related NACP certified subject of examination.

Just4Study professional provide NACP NS0-141 the newest Q&A, completely covers NS0-141 test original topic. With our complete NACP resources, you will minimize your NACP cost and be ready to pass your NS0-141 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Network Appliance NS0-141

Title : Network Appliance High Availability Exam 7G

1. Which of the following hardware components is NOT required for Fabric Attached MetroCluster?

- A. VI-MC cluster adapter
- B. FC-HBA
- C. LC/LC node-to-node switch cables
- D. Network interface card

Answer: C

2. Which TWO commands could be used if the cf giveback command fails?

- A. cf giveback -force
- B. cf giveback -f
- C. cf forcegiveback -f
- D. cf forcegiveback

Answer: BD

3. What is the maximum distance between a standard clustered pair?

- A. 10 meters
- B. 50 meters
- C. 100 meters
- D. 500 meters

Answer: D

4. A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will:

- A. Choose spare disks to reconstruct from the opposite pool
- B. Warn you that there are no available spares from the proper pool
- C. "Halt" after 24 hours if spare disks are not added to the proper pool
- D. Stop all applications that are running

Answer: B

5. You cannot disable the SyncMirror license if one or more mirrored volumes exist.

- A. True
- B. False

Answer: A

6. Which of the following commands would you issue to perform a "clean" shutdown of a clustered system without allowing takeover to occur?

- A. halt
- B. halt -f
- C. halt -d
- D. sys-shutdown

Answer: B

7. In cluster takeover mode, the shared interface assumes the identity of the \_\_\_\_\_.

- A. local interface only
- B. failed partner interface only
- C. local and failed partner interfaces
- D. None of the above

Answer: C

8. Select the parameter for which the Cluster Configuration Checker does NOT test.

- A. Mismatched option settings
- B. Network interface configuration errors
- C. Different versions of Data ONTAP on the local and partner nodes
- D. Open firmware versions

Answer: D

9. Which one of the following statements is true of the cf forcetakeover -d command?

- A. The surviving cluster node takes over the functions of the failed partner.
- B. Mirrored volumes are implicitly split.
- C. Both of the above
- D. None of the above

Answer: C

10. Please click the "Exhibit" button.

Is this standard clustered pair properly cabled based on Network Appliance's standard cabling recommendation for the FAS900 series?

- A. Yes
- B. No

Answer: A

11. If an error message indicates that the cluster interconnect adapter itself is faulty, what is your corrective action?

- A. Check the cabling of the Channel A disk shelf loop and reseal and tighten any loose cables.
- B. Check the cabling of the Channel B disk shelf loop and reseal and tighten any loose cables.
- C. Re-cable the cluster interconnect adapter or replace the adapter if needed.
- D. Check for network activity.

Answer: C

12. What console message is a good indication that the storage appliance is ready to reinstate the cluster from a previous takeover?

- A. waiting for takeover
- B. waiting for giveback
- C. resume takeover
- D. enter cf giveback

Answer: B

13. To perform a motherboard replacement on a cluster node without initiating a takeover, Network Appliance recommends using the halt command to perform the replacement.

- A. True
- B. False

Answer: B

14. A storage appliance in a clustered configuration can't access its partner's mailbox disks. When you enter the cf status command, you see the following:

```
filer2> cf status
```

```
filer1 is up, takeover disabled because of reason (partner mailbox disks not accessible or invalid)
```

What should you check first to resolve this issue?

- A. Check volumes of all disks
- B. Check NIC adapter
- C. Check that initiator is set to "target" mode
- D. Check for disk viability or FC-AL problems

Answer: D

15. Which of the following MetroCluster configuration procedures is recommended for re-establishing a mirrored volume that was in a level-0 resynchronization state when it failed?

- A. Rejoin the two volumes.
- B. Re-create the synchronous mirror.
- C. Turn on power to the cluster node at the disaster site.
- D. Determine which volumes are at the remote and disaster sites.

Answer: B

16. Please click the exhibit button.

In this example, volX contains three 36-Gigabyte disk drives. To create a mirror for volX, you issue the command to create the mirror: vol mirror volX.

You immediately realize that the disks used to create the mirror are 72 Gigabytes in size. You want to take the plex offline and destroy it. You enter the vol status -r command and it displays the output shown in the exhibit.

To successfully take volX/plex1 offline and destroy it, which of the following must be done?

- A. Reboot the storage appliance.
- B. Wait for the "resyncing" operation to complete.
- C. Take volX/plex1 offline and split it off.
- D. Rename volX/plex1.

Answer: B

17. You are troubleshooting a clustered failover problem at a customer site. The customer explains that both storage appliances were NFS mounted onto the Solaris host. You attempt to create a file on the NFS mount point for the inaccessible appliance, but you get the following error:

```
NFS server filer2 not responding still trying.
```

Symptoms:

- 1) When not in takeover mode, both storage appliances operate normally.
- 2) In takeover mode, the taken over node is not accessible on the network.

You perform a "cf giveback" and you can now create a file over NFS on both appliances. What should you do first to resolve this issue?

- A. Replace the cluster interconnect card and run diagnostics "all" to ensure proper system operation.
- B. Replace the NIC adapter.
- C. Use the cluster-config-checker.cgi to identify the problem and corrective action.
- D. Submit a new bug report.

Answer: C

18. When using MetroCluster, identify TWO methods for restricting access to the disaster site node.

- A. Use manual fencing.
- B. Turn off power to the disaster site node.
- C. Use the cf forcetakeover -d command.
- D. Use the cf giveback -f command.

Answer: AB

19. You have determined that the failure to a MetroCluster is a disaster. Which of the following steps should you take?

- A. Ensure the surviving node is isolated from its partner.
- B. Force the surviving node to take over the functions of its partner.
- C. Remount the failed partner's volume.
- D. All of the above

Answer: D

20. A mirrored volume, volX, is composed of twelve 36-Gigabyte disks: six in volX/plex0, six in volX/plex1. A drive fails in plex1, but pool 1 contains only 72-Gigabyte spare disks. Data ONTAP will do which of the following?

- A. Choose a 72-Gigabyte disk and downsize it
- B. Halt after 24 hours of running in degraded mode
- C. Alert you that there are no 36-Gigabyte disks and wait for one to be inserted
- D. Stop any applications that are running

Answer: A

### [NS0-141 Braindumps](#)

#### **Related NS0-141 Exams**

[NS0-163](#) *Network Appliance Data Protection Solutions*

[NS0-153](#) *Network Appliance Storage Networking*

[NS0-121](#) *Network Appliance Data ONTAP Advanced Exam 7G*

[NS0-131](#) *Network Appliance Data Protection Exam 7G*

[NS0-141](#) *Network Appliance High Availability Exam 7G*

[NS0-130](#) *Storage Professional Data Protection*

[NS0-151](#) *Network Appliance SAN Exam 7G*

[NS0-120](#) *Data ONTAP Advanced Exam*

#### **Other Network Appliance Exams**

[NS0-301](#)   [NS0-120](#)   [NS0-141](#)   [NS0-530](#)   [NS0-310](#)   [NS0-201](#)   [NS0-330](#)   [NS0-910](#)

[NS0-170](#)   [NS0-101](#)   [NS0-131](#)   [NS0-102](#)   [NS0-501](#)   [NS0-111](#)   [NS0-320](#)   [NS0-210](#)

[NS0-121](#)   [NS0-510](#)   [NS0-153](#)   [NS0-163](#)