

hh0-200 braindumps

Hitachi Hitachi Data Systems

hh0-200: certified modular integration specialist exam

Practice Exam: hh0-200 Exams

Exam Number/Code: hh0-200

Exam Name: certified modular integration specialist exam

Questions and Answers: 107 Q&As

([Hitachi Data Systems](#))



"certified modular integration specialist exam", also known as hh0-200 exam, is a Hitachi certification. With the complete collection of exam questions, Just4Study has assembled to take you through 107 Q&As to your hh0-200 exam preparation. In the hh0-200 exam resources, you will cover every field and category in Hitachi Certification helping to ready you for your successful Hitachi Certification.

Exam : [hh0-200](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Hitachi Hitachi Data Systems hh0-200 (certified modular integration specialist exam) examination of original title complete coverage. hh0-200 exam questions help you pass the exam.

Just4Study hh0-200 Feature:

* High quality - High quality and valued for the hh0-200 Exam: 100% Guarantee to Pass Your hh0-200 exam and get your Hitachi Data Systems certification.

* Authoritative - Authoritative braindumps with complete details about hh0-200 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Hitachi Data Systems resources, you will minimize your **Hitachi Hitachi Data Systems** cost and be ready to pass your hh0-200 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Hitachi Data Systems demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the hh0-200 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free hh0-200 Demo Download

Just4Study offers free demo for Hitachi Data Systems hh0-200 exam (certified modular integration specialist exam). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Hitachi Hitachi Data Systems hh0-200** examination of original title complete coverage. hh0-200 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

VUE/Prometric Code: hh0-200

Exam Name: certified modular integration specialist exam(Hitachi Data Systems)

Questions and Answers: 107 Q&A

[Hitachi hh0-200](#) Test belongs to one of the Hitachi Data Systems certified test, if needs to obtain the Hitachi Data Systems certificate, you also need to participate in other related test, the details you may visit the [Hitachi Data Systems](#) certified topic, in there, you will see all related Hitachi Data Systems certified subject of examination. Just4Study professional provide Hitachi Data Systems hh0-200 the newest Q&A, completely covers hh0-200 test original topic. With our complete Hitachi Data Systems resources, you will minimize your Hitachi Data Systems cost and be ready to pass your hh0-200 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Hitachi HH0-200

Title : Certified Modular Integration Specialist Exam

1. Ten LUNs must be recognized by the QLogic HBA on Microsoft Windows 2000 Server which is connected to a Hitachi Thunder 9500V?Series subsystem. What is the system parameter that needs to be set up?

- A. in the modify Host Group option, select CCHS mode in Standard mode
- B. in the modify Host Group option, select CCHS mode in Host connection mode
- C. in the modify Host Group option, select HISUP2 mode in Host connection mode
- D. in the modify Host Group option, select HISUP mode in Host connection mode 2

Answer: D

2. What is the vibration tolerance of a Hitachi Thunder 9570?subsystem in operation, if installed near large generators located on the floor above or below the subsystem?

- A. 2.5 m/s² or less
- B. 3.0 m/s² or less
- C. 3.5 m/s² or less
- D. 4.0 m/s² or less

Answer: A

3. You want to refer to the status of the components and manage the configuration of the Hitachi Thunder 9500V? Series subsystem. Which two software products can be used to meet this requirement? (Choose two.)

- A. Hitachi Resource Manager? +LWDFKL5HVRXUFH0DQDJHU
- B. HiCommand?Tuning Manager
- C. HiCommand?Device Manager
- D. Hitachi Dynamic Link Manager? +LWDFKL'QDPLF/LQN0DQDJHU

Answer: AC

4. What is the correct color coding scheme for ENC cables?

- A. yellow for Path 0 and Milky white for Path 1
- B. milky white for Path 0 and Yellow for Path 1
- C. yellow for Loop 0 and Milky white for Loop 1
- D. milky white for Loop 0 and Yellow for Loop 1

Answer: B

5. Which three operating systems can be used to install and run HDLM? (Choose three.)

- A. AIX
- B. OS/2
- C. HP-UX
- D. VxWorks

E. Microsoft Windows 2000

Answer: ACE

6. You are performing a Microprogram install for a customer on their Hitachi Thunder 9570V?Series subsystem. You receive message code RBA000 on the Web Access information messages. What does this message indicate?

- A. Installation failed.
- B. Installation failed in a part of the drive.
- C. Downgrade check result was "Not Good."
- D. There was another system when installation was started.

Answer: C

7. You have assembled and installed a Hitachi Thunder 9570V?subsystemRK and a RKA into a 19 inch rack. The system parameters have also been configured. The customer now needs to use port 0A in order to connect HP-UX with a LUN 0 and Solaris with a LUN 0 on the same port. Which two will enable this configuration? (Choose two.)

- A. install the LUN SECURITY license
- B. create two host groups on port 0A
- C. install the LUN-MANAGEMENT license
- D. configure port 0A to work in HP-UX mode

Answer: BC

8. A customer has Sun Netra Servers mounted on a Hitachi Data Systems?19 inch rack. You need to mount a RK and a RKA on the same rack. What is the amps/PS rating you need to use for both the RK and RKA together in order to ensure that the PDU is not overloaded when two power supplies are used on both the RK and the RKA and the source is 100V?

- A. 3.20
- B. 5.10
- C. 6.30
- D. 10.20

Answer: C

9. A customer has purchased a floor model of a Hitachi Thunder 9570V?Series subsystem set up as RK + RKA + H2H Deskside Kit. Which two connections between the RK and the RKA are valid? (Choose two.)

- A. HSSDC#0 on Controller#0 of RK is connected to HSSDC#0 on ENC Unit#0 of RKA and HSSDC#1 on Controller#0 of RK is connected to HSSDC#1 on ENC Unit#0 of RKA.
- B. HSSDC#0 on Controller#0 of RK is connected to HSSDC#1 on ENC Unit#0 of RKA and HSSDC#1 on Controller#0 of RK is connected to HSSDC#0 on ENC Unit#0 of RKA.
- C. HSSDC#0 on Controller#1 of RK is connected to HSSDC#0 on ENC Unit#1 of RKA and HSSDC#1 on Controller#1 of RK is connected to HSSDC#1 on ENC Unit#1 of RKA.
- D. HSSDC#0 on Controller#1 of RK is connected to HSSDC#1 on ENC Unit#1 of RKA and HSSDC#1 on Controller#1 of RK is connected to HSSDC#0 on ENC Unit#1 of RKA.

Answer: AC

10. You are using the Hitachi?Resource Manager GUI for the first time. You want to change to a different mode from default mode. What is the first thing you should do, before changing to a different mode?

- A. go to Add-> Password and add the password
- B. go to Add-> Change Mode and select the mode
- C. go to Settings-> Password and register the password
- D. go to Settings-> Change Properties and set the mode option to other modes

Answer: C

11. What indicates that the drive voltage is abnormal?

- A. CHK LED blinks once.
- B. CHK LED blinks twice.

- C. CHK LED blinks three times.
- D. CHK LED blinks five times.

Answer: B

12. Which of the following parts can be downgraded while the 9500V is online?

- A. RKA
- B. Drive
- C. Cache
- D. Controller

Answer: B

13. What do you use to capture Simple or CTL Alarm trace information?

- A. HiCommand
- B. Web Access
- C. Hitachi?Resource Manager CLI
- D. Hitachi?Resource Manager GUI

Answer: B

14. A Hitachi Thunder 9500V?Series subsystem shows a warning regarding a drop in voltage of the cache battery. Which two statements are true about the subsystem's condition? (Choose two.)

- A. The Write Cache function is disabled.
- B. Normal operation is ensured because of Write-through mode.
- C. To prevent data loss, you should replace the battery within 10 minutes.
- D. Read performance is increased as the disks are being directly accessed.
- E. The warning indication may take up to two working days to disappear automatically.

Answer: AB

15. Which component on the first RKA is used to connect to the RK in a Hitachi Thunder 9570V?Series subsystem?

- A. PDB
- B. ENC unit
- C. Controller unit
- D. AC Power Unit

Answer: B

16. Which statement is true about cache slots on the Hitachi Thunder 9500V?Series subsystem?

- A. Each controller has two cache slots and each slot can hold 1GB DIMMS for a maximum of 2GB per controller.
- B. Each controller has two cache slots and each slot can hold 512MB or 1GB DIMMS for a maximum of 1GB or 2GB per controller.
- C. Each controller has four cache slots and each slot can hold 512MB or 1GB DIMMS for a maximum of 2 GB or 4GB per controller.
- D. Each controller has four cache slots and each slot can hold 256MB or 512MB DIMMS for a maximum of 1 GB or 2 GB per controller.

Answer: B

17. What is the operational humidity requirement at a site when installing a Hitachi Thunder 9500V?Series subsystem?

- A. 5% to 90%
- B. 8% to 80%
- C. 10% to 75%
- D. 10% to 90%

Answer: B

18. You are connected to a Hitachi Thunder 9500V?Series subsystem using Hitachi?Resource Manager GUI. You

have created LUNs for 12D+1P RAID group, and now you want to set up one spare disk. Given the following steps:

- A. select Settings-> Logical Settings
- B. select Settings-> Configuration Settings
- C. select the Logical Settings tab
- D. select Settings-> Logical Unit-> Set Spare Drive
- E. select the disk that you want to set up as spare
- F. select the Spare Drive tab

- A. B, F, E
- B. B, F, G
- C. D, C, E
- D. F, C, G

Answer: B

19. You are connected to a Hitachi Thunder 9500V?Series subsystem using a browser. How can you enter into Maintenance mode on it?

- A. press the Soft Reset button on both the controllers
- B. press the Rotary Set switch on the rear of the frame
- C. click "Go to Maintenance Mode" button on the left pane of the browser
- D. enter the IP address of the subsystem in the address field of the browser

Answer: A

20. What is the maximum distance between a host and a Hitachi Thunder 9500V?Series subsystem, when using short-wave Fibre Channel cable operating at data transfer speed of 200MB/s?

- A. 100 meters
- B. 200 meters
- C. 300 meters
- D. 400 meters

Answer: C

[hh0-200 Braindumps](#)

Related hh0-200 Exams

[hh0-120](#) Hitachi Data Systems Storage Foundations - Modular Exam

[hh0-110](#) Hitachi Data Systems Storage Foundations - Enterprise Exam

[HH0-210](#) HDS Certified Implmenter-Enterprise

[HH0-400](#) Hitachi Data Systems Architect-Business Continuity

[HH0-330](#) HDS Storage Manager-Business Continuity Enterprise

[HH0-380](#) Hitachi Data Systems Architect - Business Continuity

[HH0-220](#) HDS Certified Implmenter-Modular

[HH0-015](#) TagmaStore NSC-Installation and Configuration

[HH0-340](#) Hitachi Data Systems Storage Manager-Storage Management

[HH0-280](#) HDS Implemetation Specialist - Storage Management

[HH0-440](#) Storage Architect - Performance & Virtualization

[HH0-270](#) HDS Implmenetation Specialist-Business Continuity Exam

[HH0-240](#) HDS Storage Manager-Business Continuity Modular

[HH0-005](#) TagmaStore AMS and WMS-Installation and Configuration

[hh0-200](#) certified modular integration specialist exam

[HH0-230](#) HDS Storage Manager-Business Continuity Enterprise

Other Hitachi Exams

<u>HH0-005</u>	<u>HH0-340</u>	<u>HH0-440</u>	<u>HH0-280</u>	<u>HH0-210</u>	<u>hh0-120</u>	<u>HH0-220</u>	<u>hh0-200</u>
<u>HH0-380</u>	<u>HH0-330</u>	<u>HH0-230</u>	<u>HH0-400</u>	<u>hh0-110</u>	<u>HH0-270</u>	<u>HH0-015</u>	<u>HH0-240</u>