

## jn0-520 braindumps

### Juniper Networks JNCIA

**jn0-520: juniper networks certified internet associate(jncia-fwv)**

**Practice Exam:** jn0-520 Exams

**Exam Number/Code:** jn0-520

**Exam Name:** juniper networks certified internet associate(jncia-fwv)

**Questions and Answers:** 119 Q&As

( [JNCIA](#) )



Exam : [jn0-520](#)

"juniper networks certified internet associate(jncia-fwv)", also known as jn0-520 exam, is a Juniper Networks certification. With the complete collection of exam questions, Just4Study has assembled to take you through 119 Q&As to your jn0-520 exam preparation. In the jn0-520 exam resources, you will cover every field and category in Juniper Networks Certification helping to ready you for your successful Juniper Networks Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for Juniper Networks JNCIA jn0-520 (juniper networks certified internet associate(jncia-fwv)) examination of original title complete coverage. jn0-520 exam questions help you pass the exam.

#### **Just4Study jn0-520 Feature:**

\* High quality - High quality and valued for the jn0-520 Exam: 100% Guarantee to Pass Your jn0-520 exam and get your JNCIA certification.

\* Authoritative - Authoritative braindumps with complete details about jn0-520 exam.

\* Cheaper - Our Just4Study products are cheaper than any other website. With our completed JNCIA resources, you will minimize your **Juniper Networks JNCIA** cost and be ready to pass your jn0-520 exam on Your First Try, 100% Money Back Guarantee included!

\* Free - Try free JNCIA demo before you decide to buy it in <http://www.Just4Study.com>.

#### **Just4Study Guarantee:**

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the jn0-520 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### **Free jn0-520 Demo Download**

Just4Study offers free demo for JNCIA jn0-520 exam (juniper networks certified internet associate(jncia-fwv)). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer. we promise the Q&A for **Juniper Networks JNCIA jn0-520** examination of original title complete coverage. jn0-520 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

**VUE/Prometric Code: jn0-520**

Exam Name: juniper networks certified internet associate(jncia-fwv)( JNCIA )

Questions and Answers: 119 Q&A

[Juniper Networks jn0-520](#) Test belongs to one of the JNCIA certified test, if needs to obtain the JNCIA certificate, you also need to participate in other related test, the details you may visit the [JNCIA](#) certified topic, in there, you will see all related JNCIA certified subject of examination.

Just4Study professional provide JNCIA jn0-520 the newest Q&A, completely covers jn0-520 test original topic. With our complete JNCIA resources, you will minimize your JNCIA cost and be ready to pass your jn0-520 tests on Your First Try, 100% Money Back Guarantee included!

### **Just4Study Help You Pass Any IT Exam**

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Juniper JN0-520

Title : Juniper(r) Networks Certified Internet Associate(Jncia-Fww)

1. What are two (2) benefits of configuring the NetScreen in transparent mode?

- A. There is no need for IP addresses even for remote management
- B. There is no need to reconfigure the IP addresses of routers or protected servers
- C. There is no need to create Mapped or Virtual IPs for incoming traffic to reach protected servers
- D. Policies are easier to create since you do not have to include Source and Destination IP addresses
- E. The product can support more VPNs and obtain greater throughput because there is less overhead to manage

Answer: BC

2. When managing a NetScreen device via the WebUI and performing an image upgrade, from which hardware component can the the ScreenOS image be loaded?

- A. TFTP server
- B. PC local disk
- C. Internal Flash
- D. PCMCIA Card
- E. Compact Flash Card

Answer: B

3. Which policy action is needed in order to add Deep Packet inspection to a policy?

- A. IDP
- B. Deny
- C. Reject
- D. Permit
- E. Detect

Answer: D

4. What is the purpose of the 'Permitted IP' address on a NetScreen device?

- A. It defines which range of addresses can access devices connected to the NetScreen
- B. It defines a list of addresses that are trusted to perform management on the NetScreen
- C. It is used in policy rules to determine which user traffic is allowed through the NetScreen
- D. It is the address to which an external device connects in order to gain management access to a NetScreen
- E. It defines a list of devices whose traffic can pass through the NetScreen without being authenticated

Answer: B

5. You have one VIP configured on your device, using public address 191.111.222. When you configure the policy, what will you select for the VIP, and where will you select it?

- A. VIP::1 in the NAT-dst public field

- B.VIP::1 as the destination address
- C.VIP(191.111.222.5) in the NAT-dst public field
- D.VIP(191.111.222.5) as the destination address

Answer: B

6. Using the CLI, if the startup copy of the ScreenOS on a NS-204 is corrupted, from which two (2) alternate locations can an image be loaded?

- A.ROM
- B.TFTP server
- C.Internal Flash
- D.PCMCIA Card
- E.Compact Flash Card

Answer: BE

7. When changes are made to the running config during a WebUI management session, to what external hardware component can the changes be saved?

- A.FTP server
- B.LDAP server
- C.TFTP server
- D.PC local disk
- E.Compact Flash Card

Answer: D

8. Which three (3) statements are correct regarding tasks that can be performed only by the Root administrator?

- A.reset command
- B.unset all command
- C.activate/deactivate asset recovery features
- D.replace configs from remote devices to flash
- E.On-line asset recovery

Answer: BCD

9. Your VPN tunnel does not pass traffic. You run the "get ike cookie" command and discover that there is no cookie. What two (2) options should you check first?

- A.Routes
- B.Policy configuration
- C.Phase 1 configuration options
- D.Phase 2 configuration options

Answer: AC

10. In the command "save config from tftp 1.1.7.250 abcd.cfg merge", what function does the 'merge' parameter specify?

- A.The config file from the TFTP server will replace the configuration in RAM
- B.The config file from the TFTP server will replace the startup configuration file in Flash
- C.The 'merge' parameter is not valid for TFTP files; it is only valid for configuration files stored in Compact Flash
- D.The config file from the TFTP server will be combined with the configuration file in RAM and the combined result will be saved to Flash
- E.The config file from the TFTP server will be combined with the configuration file in RAM and the startup configuration file will remain unchanged

Answer: D

11. By default, from which hardware component is the startup copy of the ScreenOS loaded?

- A.ROM
- B.NVRAM

- C.TFTP server
- D.Internal Flash
- E.PCMCIA Card

Answer: D

12. When configuring the Untrust interface with an IP address and enabling Telnet and WebUI management, which sequence of steps must be performed to make the interface operational at the end of the configuration sequence?

- A.Assign the interface to a zone, define the IP address, enable Web and Telnet services
- B.Assign the interface to a zone, define the IP address, accept default management services
- C.Assign the interface to a virtual router, define the IP address, enable Web and Telnet services
- D.Assign the interface to a zone, define the IP address, define a manage IP address, accept default management services
- E.Assign the interface to a virtual router, define the IP address, define a manage IP address, enable Web and Telnet services

Answer: A

13. Which statement is correct regarding administrator privileges?

- A.Any Administrator can change their privileges on an as-needed basis
- B.Administrator privileges can only be established and changed by the Root Administrator
- C.Administrator privileges can be established and changed by the Root and All-privilege Administrator
- D.Administrator privileges can only be established by the Root and can be changed by the Root and All-privilege Administrator

Answer: B

14. Assuming factory default settings, which statement describes the minimum requirements for WebUI management access?

- A.Connect a PC addressed on the 192.168.1.0 subnet to any interface, open a browser and access 192.168.1.1
- B.Terminate the bootup sequence from the console device, open a browser on the console device and access 192.168.1.1
- C.Connect a PC addressed on the 192.168.1.0 subnet to the lowest numbered interface, open a browser and access 192.168.1.1
- D.Using the CLI, define an IP address on a physical interface, connect a PC to the interface and open a browser to the interface address
- E.Using the CLI, assign an IP address to the VLAN1 interface, connect a PC to any interface and open a browser to the VLAN interface address

Answer: C

15. When managing a NetScreen device via the CLI and performing an image upgrade, from which hardware components can the the ScreenOS image NOT be loaded?

- A.TFTP server
- B.PC local disk
- C.Internal Flash
- D.PCMCIA Card
- E.Compact Flash Card

Answer: B

16. Which statement best describes the 'config rollback' feature?

- A.Config rollback must be enabled by an administrator. Once enabled, it allows the administrator to re-apply a previously saved configuration file from Flash.
- B.Config rollback is enabled by default; it allows the administrator to re-apply a previously saved configuration file from Flash without rebooting.
- C.Config rollback is enabled by default; it allows the administrator to re-apply a previously saved configuration file from Flash by rebooting and loading a "last known good" configuration.

D. Config rollback allows the administrator to revert to the prior ScreenOS image in the event an upgrade operation aborts.

E. Config rollback allows the administrator to revert to the prior ScreenOS image or configuration file in the event an upgrade operation aborts.

Answer: C

17. Click the Exhibit button to view the exhibit.

If A initiates a Web browsing session with B, and the Trust interface of the 5XT is in NAT mode, what could be the source address/port of the packet arriving at host B?

A. 10.0.0.5/80

B. 10.0.0.5/1099

C. 10.0.0.1/1024

D. 20.0.0.1/1024

E. 1.1.1.250/1024

Answer: E

18. Which cannot be enabled when creating an Access Policy entry?

A. Setting the tcp-mss size

B. Applying NAT using DIP pools

C. Logging all connections that match the Access Policy

D. Triggering a traffic alarm if traffic goes above 300 Bytes/Sec

E. Scheduling the policy to take effect between Monday through Friday only

Answer: A

19. What is the purpose of the 'Manage-IP' address on a NetScreen device?

A. It defines which range of addresses can access devices connected to the NetScreen

B. It defines a list of addresses that are trusted to perform management on the NetScreen

C. It is used in policy rules to determine which device is allowed to manage the NetScreen

D. It is the address to which an external device connects in order to gain management access to a NetScreen

E. It defines a list of device addresses that can manage the NetScreen without being authenticated prior to session establishment

Answer: D

20. By default, where are changes stored when a "save" command is issued from the CLI during a management session?

A. NVRAM

B. Internal Flash

C. PCMCIA Card

D. Compact Flash Card

Answer: B

### [jn0-520 Braindumps](#)

#### **Related jn0-520 Exams**

[JN0-100](#) *Juniper Networks Certified Internet Associate (JNCIA-JUNOS)*

[JN0-522](#) *Juniper Networks Certified Internet Associate, FWV (JNCIA-FWV)*

[JN0-400](#) *EX, Associate (JNCIA-EX)*

[JN0-342](#) *ER, Associate (JNCIA-ER)*

[JN0-141](#) *Juniper Networks Certified Internet Associate, AC (JNCIA-AC)*

[jn0-201](#) *juniper networks certified internet associate.m (jncia-m)*

[jn0-320](#) *Juniper Networks Certified Juniper DX (DXAP) Associate Exam*

JN0-521 FWV.Associate (JNCIA-FWV)

JN0-341 ER.Associate(JNCIA-ER)

JN0-311 WX, Associate(JNCIA-WX)

jn0-120 juniper networks certified internet associate.e(jncia-e)

jn0-541 IDP, Associate(JNCIA-IDP)

jn0-570 JN0-570 JNCIS-SSL EXAM

jn0-540 juniper networks certified internet associate.idp(jncia-idp)

jn0-140 Certified Internet Associate (JNCIA-AC) 140 Exam

jn0-561 Juniper Networks Certified Internet Assoc(JNCIA-SSL) Exam

jn0-520 juniper networks certified internet associate(jncia-fwv)

JN0-321 DX, Associate(JNCIA-DX)

JN0-562 Certified Internet Associate (JNCIA-SSL) 562 Exam

jn0-310 Juniper Networks Certified Internet Associate, WX (JNCIA-WX)

### Other Juniper Networks Exams

<u>jn0-330</u>	<u>jn0-561</u>	<u>jn0-541</u>	<u>jn0-201</u>	<u>JN0-331</u>	<u>jn0-570</u>	<u>jn0-540</u>	<u>jn0-310</u>
<u>jn0-520</u>	<u>JN0-311</u>	<u>jn0-130</u>	<u>JN0-321</u>	<u>JN0-350</u>	<u>jn0-303</u>	<u>jn0-120</u>	<u>JN0-342</u>
<u>JN0-341</u>	<u>JN0-522</u>	<u>JN0-562</u>	<u>jn0-140</u>				