

e20-820 braindumps

EMC Technology Foundations

e20-820: CLARiiON Solutions Expert Exam for Technology Architects

Practice Exam: e20-820 Exams

Exam Number/Code: e20-820

Exam Name: CLARiiON Solutions Expert Exam for Technology Architects

Questions and Answers: 154 Q&As

([Technology Foundations](#))



"CLARiiON Solutions Expert Exam for Technology Architects", also known as e20-820 exam, is a EMC certification. With the complete collection of exam questions, Just4Study has assembled to take you through 154 Q&As to your e20-820 exam preparation. In the e20-820 exam resources, you will cover every field and category in EMC Certification helping to ready you for your successful EMC Certification.

Exam : [e20-820](#)

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for EMC Technology Foundations e20-820 (CLARiiON Solutions Expert Exam for Technology Architects) examination of original title complete coverage. e20-820 exam questions help you pass the exam.

Just4Study e20-820 Feature:

* High quality - High quality and valued for the e20-820 Exam: 100% Guarantee to Pass Your e20-820 exam and get your Technology Foundations certification.

* Authoritative - Authoritative braindumps with complete details about e20-820 exam.

* Cheaper - Our Just4Study products are cheaper than any other website. With our completed Technology Foundations resources, you will minimize your **EMC Technology Foundations** cost and be ready to pass your e20-820 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free Technology Foundations demo before you decide to buy it in <http://www.Just4Study.com>.

Just4Study Guarantee:

Just4Study provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the e20-820 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free e20-820 Demo Download

Just4Study offers free demo for Technology Foundations e20-820 exam (CLARiiON Solutions Expert Exam for Technology Architects). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **EMC Technology Foundations e20-820** examination of original title complete coverage.e20-820 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: e20-820

Exam Name: CLARiiON Solutions Expert Exam for Technology Architects(Technology Foundations)

Questions and Answers: 154 Q&A

[EMC e20-820](#) Test belongs to one of the Technology Foundations certified test, if needs to obtain the Technology Foundations certificate, you also need to participate in other related test, the details you may visit the [Technology Foundations](#) certified topic, in there, you will see all related Technology Foundations certified subject of examination. Just4Study professional provide Technology Foundations e20-820 the newest Q&A, completely covers e20-820 test original topic. With our complete Technology Foundations resources, you will minimize your Technology Foundations cost and be ready to pass your e20-820 tests on Your First Try, 100% Money Back Guarantee included!

Just4Study Help You Pass Any IT Exam

[Just4Study.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : EMC E20-820

Title : CLARiiON Solutions Expert Exam for Technology Architects

1. You are designing a CLARiiON disaster recovery environment for your customer. You want to accurately model and calculate the following based on the customer's input data and/or EMC Performance Data:

Bandwidth requirements (physical links)

Performance impacts at the logical volume level

Recovery point objectives

Which tool would best help you to accomplish this?

A. ET Tool

B. LOR Tool

C. Navisphere Analyzer

D. NSD

Answer: A

2. Which tool will allow you to best determine a Windows server's performance?

A. diskpart

B. navseccli

C. perfmon

D. sar

Answer: C

3. A customer wishes to make a local copy of its 512 GB production LUN for a single test. The copy will be mounted to the production UNIX host. The customer requires a solution with minimal disruption to its application.

What do you recommend?

A. Create a snapshot of the production LUN, and start a session. Add the session to the production host's storage group. Change the volume label and mount.

B. Clone the production LUN. Fracture the clone. Add the clone to the production host's storage group. Change the volume label and mount.

C. Take the production LUN offline. Perform a full SAN Copy. Add the destination LUN to the production host's storage group, and restart the application.

D. Use an Incremental SAN Copy session on the production LUN. Add the destination LUN to the production host's storage group. Mount the volume.

Answer: B

4. A user fractures a clone and presents it to a secondary host. However, the data on the clone LUN does not contain the same data as the production host at the time of the fracture. What is the most likely cause?

A. The application and file system buffers on the production host were not flushed prior to the fracture.

B. The appropriate file system repair utilities on the production host were not performed prior to the fracture.

- C. The Consistent Fracture feature was not enabled on the source LUN.
- D. The file system on the production host must be unmounted prior to the fracture.

Answer: A

5. Which EMC products require a post-sales solution review by the EMC Solutions Validation Center (SVC)?

- A. EDL Replication, Open Replicator, and EmailXtender
- B. EDL Replication, SRDF/A, and RepliStor
- C. SRDF/A, Open Migrator, and MirrorView/A
- D. SRDF/A, RecoverPoint, and MirrorView/A

Answer: D

6. Which tool will let you best determine disk utilization of a UNIX server?

- A. diskpar
- B. iostat
- C. navcli
- D. netstat

Answer: B

7. The customer starts a SnapView session of a production database LUN and log LUN. The snapshot is immediately activated and presented to a secondary host for testing purposes. The production host experiences significantly higher write response times, but the response time does improve over time. What is the most likely cause?

- A. A high number of disk crossings occur if the RLP LUNs are less than 10% of the size of the source LUN.
- B. The COFW activity is generally highest at the start of a session.
- C. The random nature of a database causes the host write I/Os to be smaller at the start of a session.
- D. The write cache rehit ratio is always smaller at the start of a session.

Answer: B

8. The ET Wizard can be used to model which products?

- A. MirrorView, Open Replicator, Replication Manager
- B. MirrorView, RecoverPoint, SRDF
- C. MirrorView, RepliStor, SRDF
- D. SAN Copy, SRDF, MirrorView

Answer: B

9. A SAN Copy session (full) has been started to replicate a single 2 TB LUN in a customer environment:

Source LUN is offline

Source array and target array are connected to the same FC switch

A single 400 MB/s SAN Copy connection has been established

There is no contention on the link

The SP utilization of the source and target arrays is less than 30%

After one hour, 1.3 TB has been replicated. What action might be taken to increase the replication rate?

- A. Decrease the data compression value on the FC switch
- B. Increase the SAN Copy throttle value
- C. Increase the write cache value on the target array
- D. No action necessary: replication rate is close to maximum

Answer: D

10. A customer with a CX3-20f has recently started using SnapView snapshots and immediately noticed an increase in write response times on the LUNs being snapped.

What should be the long-term write response time impact of the active snapshot sessions?

- A. The impact will decrease over time.
- B. The impact will fluctuate, decrease then increase over time.
- C. The impact will increase over time.

D. The impact will stay the same over time.

Answer: A

11. The ET Tool validates which component of a Business Continuity design?

- A. Cache utilization
- B. Data change activity
- C. Link latency
- D. SP utilization

Answer: B

12. A customer has a new cost saving policy in place and as a result will have data center personnel present from 8 A.M. to 5 P.M. Backups will be performed during these hours. Backups currently take six hours to complete. You explain the benefit of SnapView in backup environments.

The customer wants a solution that will allow:

Its backup to be run during work hours

Minimal performance impact on its application

Recovery from corruption of application data in a short time (preferably under one hour)

You recommend the use of a clone, but the customer wants to use a snapshot. You explain the performance implications, but the customer wants to see numerical proof. The database LUN sees random 8 KB I/Os at a rate of 500 IOPS, with the read/write ratio at 4:1.

What calculations on the following do you present as validation?

Copy On First Write (COFW)

Reserved LUN Pool (RLP)

- A. COFW during the day will cost 100 random 8 KB reads/s of the production LUN, and 200 64 KB writes/s and 100 8 KB writes/s to the RLP. Backup operations will cause additional sequential reads of the production LUN and RLP.
- B. COFW during the day will cost 100 random 64 KB reads/s of the production LUN, and 100 64 KB writes/s and 200 8 KB writes/s to the RLP. Backup operations will cause additional sequential reads of the Production LUN and RLP.
- C. COFW during the day will cost one random 8 KB read of the production LUN and two random 8 KB writes to the RLP for each 8 KB of data written to the database. Backup operations will cause additional sequential reads of the production LUN and RLP.
- D. COFW during the day will cost 100 sequential 64 KB writes/s of the production LUN and 200 64 KB writes/s to the RLP. Backup operations will cause additional random reads of the production LUN and RLP.

Answer: B

13. Your customer has come to you with concerns. They have increased their replication bandwidth from OC-3 to OC-12 and wonder what will happen to their recovery point objectives. What would your response be?

- A. RPO will compensate and balance RTO
- B. RPO will decrease
- C. RPO will increase
- D. Time objective will remain consistent

Answer: B

14. You have been asked to produce a local replication design for the company. What are the basic types of information you need to gather before beginning your task?

- A. Inventory of hardware infrastructure, service level agreements, number of users
- B. Operational flow and objectives of each department
- C. Performance and workloads, availability, consistency
- D. Process for bringing applications online, fault detection resources, network infrastructure

Answer: C

15. Your customer is using SnapView to provide backup images (snaps and clones) of various host data across five CX3-40s. Recently they upgraded the CLARiiONs to FLARE release 26. Previously their scripts took care of the SnapView snap sessions and clone re-syncing, and ran without incident in the SnapView environment. Those same

scripts now fail, with errors that the customer is saying are related to permissions.

What is the cause of the failure?

- A. The agent.config file does not exist in the Navisphere Agent directory.
- B. The agent.config file does not exist in the Navisphere CLI directory.
- C. The Navisphere security file does not exist in the user home directory.
- D. The usernames and hostnames do not appear in the CLARiiON SP privileged user list.

Answer: C

16. There are several decisions that need to be made when designing a Business Continuity Solution. What is one of the decision requirements for a good solution?

- A. All decisions should be calculated and derived from customer data
- B. Create specific device lists for modeling tools
- C. Industry standards and algorithms should be closely adhered to
- D. Provide customer with a standardized approach to Business Continuity

Answer: A

17. A customer keeps data on a 512 GB 4+4 RAID 1/0 LUN. The customer will use a SnapView snapshot for backup purposes, and keep the session active for the full 24-hour period between backups. You investigate its environment and determine the following:

The application generates random 4 KB I/Os, with a read/write ratio of 3:1

The average seek distance is 35 GB

The application generates a throughput of 200 IOPS for 10 hours per day and is idle for the remaining 14 hours

You need to estimate the size of the Reserved LUN Pool and the write throughput of the Reserved LUN Pool.

What is the best initial estimate?

- A. 120 GB, with fifty 64 KB writes/s and one hundred 8 KB writes/s
- B. 150 GB, with one hundred 128 KB writes/s
- C. 200 GB, with two hundred 4 KB writes/s and fifty 64 KB writes/s
- D. 512 GB, with two hundred fifty 4 KB writes/s

Answer: A

18. A company wants to use SAN Copy over a 10 Mb/s IP connection over a Brocade 7500 FC/IP router. The SAN Copy I/O size will be 512 KB and the round-trip latency is 0.425 second. After completing the design, it is determined that they will have bandwidth problems. They cannot increase the bandwidth.

What can be done to improve the data transfer between two sites?

- A. Change the SAN Copy buffer size to 2048 blocks
- B. Enable the Fast Write feature on the Brocade device
- C. Set the number of default sessions to 4
- D. Set the Throttle value to 10 for all SAN Copy sessions

Answer: B

19. A customer's clone restore script has lines that perform the following operations:

1. Check that the clone is fractured
2. Flush the clone buffers
3. Flush the Source LUN buffers
4. Take the Source LUN offline
5. Start the reverse synchronization
6. Bring the Source LUN online

What would you add to the script to ensure more reliable operation?

- A. A delay between steps 2 and 3 to allow the clone buffers to complete flushing
- B. A delay between steps 3 and 4 to allow the Source LUN buffers to complete flushing
- C. A delay between steps 4 and 5 to allow the Source LUN to transition to the offline state
- D. A delay between steps 5 and 6 to allow the reverse synchronization to start

Answer: D

20. What are the requirements that must be met when collecting data that will be used as input for the ET Tool in an environment that is evaluating for MirrorView/A?

- A. I/O to the LUNs should be stopped until the collecting of the data has started.
- B. The update cycle must be an integer multiple of the collection interval.
- C. The update cycle should be set for a 10-minute interval at maximum.
- D. The update cycle should be set for a five-minute interval at maximum.

Answer: B

[e20-820 Braindumps](#)

Related e20-820 Exams

[e20-070](#) *emc technology foundations-san*

[e20-322](#) *Technology Architect Solutions Design*

[E20-815](#) *Business Continuity Expert Exam for Technology Architects*

[e20-597](#) *Backup & Recovery Specialist Exam for Storage Administrators*

[e20-593](#) *Backup & Recovery Implementation Exam*

[e20-050](#) *emc technology foundations -clariion*

[e20-540](#) *networked storage-nas specialist exam*

[E20-097](#) *EMC Technology Foundations-Backup and Recovery*

[e20-090](#) *emc technology foundations storage management*

[e20-095](#) *EMC Technology Foundations-CAS*

[e20-820](#) *CLARiiON Solutions Expert Exam for Technology Architects*

[e20-040](#) *emc technology foundations*

[E20-830](#) *Networked Storage--NAS Expert Exam for Technology Architects*

[e20-080](#) *emc technology foundations-nas*

[E20-840](#) *Storage Management Expert Exam for Technology Architects*

[E20-322](#) *Technology Architect Solutions Design*

[E20-593](#) *Backup & Recovery Implementation Exam*

[E20-597](#) *Backup & Recovery Specialist Exam for Storage Administrators*

Other EMC Exams

[E22-181](#) [e20-350](#) [E20-501](#) [E20-850](#) [e20-322](#) [e20-532](#) [e20-855](#) [E20-815](#)

[E20-522](#) [E20-501](#) [e20-070](#) [E20-405](#) [e20-825](#) [e20-360](#) [e20-845](#) [e22-106](#)

[E20-593](#) [E20-597](#) [e20-090](#) [E22-250](#)